

Anonymous UUID: EA0E1A62-255D-EEB4-37FE-B9E2145F0693

Sun Sep 11 15:53:04 2016

*** Panic Report ***

panic(cpu 3 caller 0xfffff8010fce6fa): Kernel trap at 0xfffff8010f9b150, type 14=page fault, registers:

CR0: 0x000000008001003b, CR2: 0x0000000000000000, CR3: 0x0000000013098000, CR4: 0x0000000000000260

RAX: 0x0000000000000000, RBX: 0xfffff91fa65bce0, RCX: 0x000000000000000d, RDX: 0x0000000000000010

RSP: 0xfffff91fa65bcd0, RBP: 0xfffff91fa65bcd0, RSI: 0x0000000000000000, RDI: 0xfffff91fa65bce0

R8: 0x0000000000000fff, R9: 0x0000000000000001, R10: 0xfffff80312eb9d8, R11: 0x0000000000000006

R12: 0x00000000e00002bc, R13: 0xfffff8032d15400, R14: 0x4022208340a400a0, R15: 0xfffff80327105ac

RFL: 0x0000000000010202, RIP: 0xfffff8010f9b150, CS: 0x0000000000000008, SS: 0x0000000000000010

Fault CR2: 0x0000000000000000, Error code: 0x0000000000000000, Fault CPU: 0x3, PL: 0

Backtrace (CPU 3), Frame : Return Address

0xfffff91fa65b960 : 0xfffff8010edab52

0xfffff91fa65b9e0 : 0xfffff8010fce6fa

0xfffff91fa65bbc0 : 0xfffff8010fec563

0xfffff91fa65bbe0 : 0xfffff8010f9b150

0xfffff91fa65bcd0 : 0xfffff7f936e6d60

0xfffff91fa65bd10 : 0xfffff7f924698ae

0xfffff91fa65be90 : 0xfffff7f92469716

0xfffff91fa65bf30 : 0xfffff7f92496ddf

0xfffff91fa65bf50 : 0xfffff7f92496d8e

0xfffff91fa65bf70 : 0xfffff7f92496e04

0xfffff91fa65bf90 : 0xfffff7f92496f06

0xfffff91fa65bfb0 : 0xfffff8010fc9117

Kernel Extensions in backtrace:

com.apple.iokit.IOBluetoothFamily(4.4.6f1)[9B3C8089-B7BD-32F6-AC84-18501E3A5B1C]@0xfffff7f92464000->0xfffff7f92526fff

dependency: com.apple.iokit.IOReportFamily(31)

[C89107EE-2DF2-3BC3-9F6D-3133D43ED7EF]@0xfffff7f9209a000

com.apple.iokit.IOBluetoothHostControllerUARTTransport(4.4.6f1)[F44A48DF-B44A-3190-899A-5E860513C559]@0xfffff7f936e2000->0xfffff7f936effff

dependency: com.apple.iokit.IOBluetoothFamily(4.4.6f1)[9B3C8089-B7BD-32F6-AC84-18501E3A5B1C]@0xfffff7f92464000

dependency: com.apple.iokit.IOACPIFamily(1.4)[5D7574C3-8E90-3873-BAEB-D979FC215A7D]@0xfffff7f91d82000

dependency: com.apple.iokit.IOSerialFamily(11)[854221E2-E1EB-361A-98C6-

DC6B7E1EB0F4]@0xfffff7f930a8000

dependency: com.apple.iokit.IOPCIFamily(2.9)[F51AA3D6-EC2F-3AD3-A043-06DB79027AA2]@0xfffff7f9172c000

BSD process name corresponding to current thread: kernel_task

Boot args: (null)

Mac OS version:

15G31

Kernel version:

Darwin Kernel Version 15.6.0: Thu Jun 23 18:25:34 PDT 2016; root:xnu-3248.60.10~1/RELEASE_X86_64

Kernel UUID: B5AA8E3E-65B6-3D0E-867B-8DCCF81E536C

Kernel slide: 0x0000000010c00000

Kernel text base: 0xfffff8010e00000

__HIB text base: 0xfffff8010d00000

System model name: MacPro1,1 (Mac-F42C88C8)

System uptime in nanoseconds: 77656154992

last loaded kext at 77647993015: com.apple.driver.pmtelemetry 1 (addr 0xfffff7f9399b000, size 61440)

loaded kexts:

com.apple.driver.pmtelemetry	1
com.apple.iokit.IOUserEthernet	1.0.1
com.apple.driver.AppleUpstreamUserClient	3.6.1
com.apple.iokit.IOBluetoothSerialManager	4.4.6f1
com.apple.driver.AppleMCCSControl	1.2.13
com.apple.Dont_Steal_Mac_OS_X	7.0.0
com.apple.kext.AMDFramebuffer	1.4.2
com.apple.driver.AppleHDAHardwareConfigDriver	274.12
com.apple.driver.AppleTyMCEDriver	1.0.2d2
com.apple.driver.AudioAUUC	1.70
com.apple.driver.AppleHDA	274.12
com.apple.driver.AppleOSXWatchdog	1
com.apple.driver.AppleHV	1
com.apple.AMDRadeonX3000	1.4.2
com.apple.driver.AppleIntel8254XEthernet	3.1.4b1
com.apple.driver.ACPI_SMC_PlatformPlugin	1.0.0
com.apple.driver.AppleLPC	3.1
com.apple.driver.AppleIntelSlowAdaptiveClocking	4.0.0
com.apple.driver.AppleFIVRDriver	4.1.0
com.apple.kext.AMD5000Controller	1.4.2
com.apple.filesystems.autofs	3.0
com.apple.driver.PioneerSuperDrive	3.7.1
com.apple.iokit.SCSITaskUserClient	3.7.7
com.apple.iokit.IOAHCIBlockStorage	2.8.5

com.apple.driver.AppleFileSystemDriver 3.0.1
 com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1
 com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0
 com.apple.BootCache 38
 com.apple.driver.usb.AppleUSBOHCIPCI 1.0.1
 com.apple.driver.AppleFWOHCI 5.5.4
 com.apple.driver.AppleAHCIPort 3.1.8
 com.apple.driver.AppleIntelPIIXATA 2.5.1
 com.apple.driver.usb.AppleUSBEHCIPCI 1.0.1
 com.apple.driver.usb.AppleUSBHCIPCI 1.0.1
 com.apple.driver.AppleACPIButtons 4.0
 com.apple.driver.AppleRTC 2.0
 com.apple.driver.AppleHPET 1.8
 com.apple.driver.AppleSMBIOS 2.1
 com.apple.driver.AppleACPIEC 4.0
 com.apple.driver.AppleAPIC 1.7
 com.apple.driver.AppleIntelCPUPowerManagementClient 218.0.0
 com.apple.nke.applicationfirewall 163
 com.apple.security.quarantine 3
 com.apple.security.TMSafetyNet 8
 com.apple.driver.AppleIntelCPUPowerManagement 218.0.0
 com.apple.iokit.IOSurface 108.2.3
 com.apple.driver.AppleSMBusController 1.0.14d1
 com.apple.driver.CoreCaptureResponder 1
 com.apple.driver.corecapture 1.0.4
 com.apple.iokit.IONDRVSupport 2.4.1
 com.apple.driver.DspFuncLib 274.12
 com.apple.kext.OSvKernDSPLib 525
 com.apple.iokit.IOBluetoothHostControllerUARTTransport 4.4.6f1
 com.apple.iokit.IOBluetoothFamily 4.4.6f1
 com.apple.iokit.IOAcceleratorFamily2 205.11
 com.apple.driver.AppleHDAController 274.12
 com.apple.iokit.IOHDAFamily 274.12
 com.apple.driver.AppleUSBAudio 303.3.1
 com.apple.iokit.IOAudioFamily 204.4
 com.apple.vecLib.kext 1.2.0
 com.apple.kec.Libm 1
 com.apple.iokit.IOFireWireIP 2.2.6
 com.apple.driver.Apple16X50Serial 3.2
 com.apple.iokit.IOSerialFamily 11
 com.apple.driver.AppleSMC 3.1.9
 com.apple.driver.IOPlatformPluginLegacy 1.0.0
 com.apple.driver.AppleSMBusPCI 1.0.14d1
 com.apple.driver.IOPlatformPluginFamily 6.0.0d7
 com.apple.iokit.IOSlowAdaptiveClockingFamily 1.0.0
 com.apple.kext.AMDSupport 1.4.2
 com.apple.AppleGraphicsDeviceControl 3.12.8

com.apple.iokit.IOGraphicsFamily 2.4.1
 com.apple.kext.triggers 1.0
 com.apple.driver.AppleUSBMergeNub 900.4.1
 com.apple.driver.usb.IOUSBHostHIDDevice 1.0.1
 com.apple.driver.AppleUSBHIDMouse 185.3
 com.apple.iokit.IOUSBHIDDriver 900.4.1
 com.apple.driver.AppleHIDMouse 185.3
 com.apple.iokit.IOCSISBlockCommandsDevice 3.7.7
 com.apple.driver.usb.AppleUSBHub 1.0.1
 com.apple.iokit.IOUSBMassStorageDriver 1.0.0
 com.apple.driver.usb.cdc 5.0.0
 com.apple.driver.usb.networking 5.0.0
 com.apple.driver.usb.AppleUSBHostCompositeDevice 1.0.1
 com.apple.iokit.IOCSIMultimediaCommandsDevice 3.7.7
 com.apple.iokit.IOBDStorageFamily 1.8
 com.apple.iokit.IODVDStorageFamily 1.8
 com.apple.iokit.IOCDStorageFamily 1.8
 com.apple.iokit.IOATABlockStorage 3.1.2
 com.apple.iokit.IOATAPIProtocolTransport 3.5.0
 com.apple.iokit.IOCSIArchitectureModelFamily 3.7.7
 com.apple.driver.AppleXsanScheme 3
 com.apple.iokit.IONetworkingFamily 3.2
 com.apple.driver.usb.AppleUSBOHCI 1.0.1
 com.apple.iokit.IOFireWireFamily 4.6.1
 com.apple.iokit.IOAHCIFamily 2.8.1
 com.apple.iokit.IOATAFamily 2.5.3
 com.apple.driver.usb.AppleUSBUEHCI 1.0.1
 com.apple.driver.usb.AppleUSBECI 1.0.1
 com.apple.iokit.IOUSBFamily 900.4.1
 com.apple.iokit.IOUSBHostFamily 1.0.1
 com.apple.driver.AppleUSBHostMergeProperties 1.0.1
 com.apple.driver.AppleEFINVRAM 2.0
 com.apple.iokit.IOHIDFamily 2.0.0
 com.apple.driver.AppleEFIRuntime 2.0
 com.apple.iokit.IOSMBusFamily 1.1
 com.apple.security.sandbox 300.0
 com.apple.kext.AppleMatch 1.0.0d1
 com.apple.driver.AppleKeyStore 2
 com.apple.driver.AppleMobileFileIntegrity 1.0.5
 com.apple.driver.AppleCredentialManager 1.0
 com.apple.driver.DiskImages 417.4
 com.apple.iokit.IOStorageFamily 2.1
 com.apple.iokit.IOReportFamily 31
 com.apple.driver.AppleFDEKeyStore 28.30
 com.apple.driver.AppleACPIPlatform 4.0
 com.apple.iokit.IOPCIFamily 2.9
 com.apple.iokit.IOACPIFamily 1.4

com.apple.kec.pthread 1
com.apple.kec.corecrypto 1.0
Model: MacPro1,1, BootROM MP11.005C.B08, 4 processors, Dual-Core Intel Xeon, 3 GHz, 16 GB, SMC 1.7f10
Graphics: ATI Radeon HD 5770, ATI Radeon HD 5770, PCIe, 1024 MB
Memory Module: DIMM Riser A/DIMM 1, 2 GB, DDR2 FB-DIMM, 667 MHz, 0x02FE, 0x4542453231464434414A46542D36452D4520
Memory Module: DIMM Riser A/DIMM 2, 2 GB, DDR2 FB-DIMM, 667 MHz, 0x02FE, 0x4542453231464434414A46542D36452D4520
Memory Module: DIMM Riser B/DIMM 1, 2 GB, DDR2 FB-DIMM, 667 MHz, 0x0000, 0x0000000463732353642353245353636374600
Memory Module: DIMM Riser B/DIMM 2, 2 GB, DDR2 FB-DIMM, 667 MHz, 0x0000, 0x0000000463732353642353245353636374600
Memory Module: DIMM Riser A/DIMM 3, 2 GB, DDR2 FB-DIMM, 667 MHz, 0x02FE, 0x4542453231464434414A46542D36452D4520
Memory Module: DIMM Riser A/DIMM 4, 2 GB, DDR2 FB-DIMM, 667 MHz, 0x02FE, 0x4542453231464434414A46542D36452D4520
Memory Module: DIMM Riser B/DIMM 3, 2 GB, DDR2 FB-DIMM, 667 MHz, 0x8551, 0x373254323536393230484641335342202020
Memory Module: DIMM Riser B/DIMM 4, 2 GB, DDR2 FB-DIMM, 667 MHz, 0x8551, 0x373254323536393230484641335342202020
Network Service: Ethernet 1, Ethernet, en0
Network Service: Ethernet 2, Ethernet, en1
PCI Card: ATI Radeon HD 5770, Display Controller, Slot-1
PCI Card: ATI Radeon HD 5770, ATY,HoolockParent, Slot-1
PCI Card: pci1b4b,9123, AHCI Controller, Slot-3
PCI Card: pci1b4b,91a4, IDE Controller, Slot-3
PCI Card: pci1033,35, USB Open Host Controller, Slot-2@15,0,0
PCI Card: pci9710,9922, Serial Controller, Slot-4
PCI Card: pci1033,35, USB Open Host Controller, Slot-2@15,0,1
PCI Card: pci9710,9922, Serial Controller, Slot-4
PCI Card: pci1033,e0, USB Enhanced Host Controller, Slot-2@15,0,2
Serial ATA Device: OCZ-ARC100, 480.1 GB
Serial ATA Device: WDC WD7500AAKS-00RBA0, 750.16 GB
Serial ATA Device: WDC WD30EZRX-00WN9B0, 3 TB
Serial ATA Device: Verbatim SATA-III SSD, 240.06 GB
Serial ATA Device: WDC WD10EADS-00L5B1, 1 TB
Serial ATA Device: eSATA-2 HDS721010CLA332, 1 TB
Parallel ATA Device: PIONEER DVD-RW DVR-111D
Parallel ATA Device: ST3250824A, 250.06 GB
USB Device: USB to ATA/ATAPI Bridge
USB Device: Hub
USB Device: USB HUB
USB Device: EIZO USB HID Monitor
USB Device: USB 2.0 Hub
USB Device: USB 2.0 Hub
USB Device: Hub

USB Device: Logitech Camera
USB Device: EPSON WorkForce 630 Series
USB Device: Composite Device
USB Device: USB-Serial Controller D
USB Device: Hub in Apple Pro Keyboard
USB Device: Apple Pro Keyboard
USB Device: Apple Optical USB Mouse
USB Device: IEEE-1284 Controller
FireWire Device: built-in_hub, Up to 800 Mb/sec
Thunderbolt Bus: