

Anonymous UUID: BC2E6C75-5C04-0FD7-2940-849B0908F07B

Mon Jul 24 08:48:43 2023

*** Panic Report ***

Machine-check capabilities: 0x00000000000001c09

family: 6 model: 44 stepping: 2 microcode: 31

signature: 0x206c2

Intel(R) Xeon(R) CPU X5690 @ 3.47GHz

9 error-reporting banks

Processor 0: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 1: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 2: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 3: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 4: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 5: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 6: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 7: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 8: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 9: IA32_MCG_STATUS: 0x0000000000000004

IA32_MC8_STATUS(0x421): 0xfe0012400001009f

IA32_MC8_ADDR(0x422): 0x00000001d718b200

IA32_MC8_MISC(0x423): 0x473516be00046242

Processor 10: IA32_MCG_STATUS: 0x0000000000000004
IA32_MC8_STATUS(0x421): 0xfe0012400001009f
IA32_MC8_ADDR(0x422): 0x00000001d718b200
IA32_MC8_MISC(0x423): 0x473516be00046242
Processor 11: IA32_MCG_STATUS: 0x0000000000000004
IA32_MC8_STATUS(0x421): 0xfe0012400001009f
IA32_MC8_ADDR(0x422): 0x00000001d718b200
IA32_MC8_MISC(0x423): 0x473516be00046242
mp_kdp_enter() timed-out on cpu 16, NMI-ing
mp_kdp_enter() NMI pending on cpus: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18
19 20 21 22 23
mp_kdp_enter() timed-out during locked wait after NMI;expected 24 acks but
received 1 after 37442386 loops in 1728999779 ticks
panic(cpu 16 caller 0xfffff80198db5da): "Machine Check at 0xfffff80198e1641,
registers:\n" "CR0: 0x000000008001003b, CR2: 0xfffff85711bb000, CR3:
0x000000001e085000, CR4: 0x00000000000226e0\n" "RAX:
0x0000000000000000, RBX: 0x0000000000000003, RCX: 0x000000004a07ff6f,
RDX: 0x0000000000000000\n" "RSP: 0xfffff856f303d00, RBP: 0xfffff856f303d00,
RSI: 0x0000000000000002, RDI: 0x0000000000000120\n" "R8: 0xfffff807620fb00,
R9: 0x0000000026476629a, R10: 0xfffff801a00dc38, R11: 0x0000000000000000\n"
"R12: 0x00000000f57040c1, R13: 0x00000000f5cb5999, R14: 0x7fffffffffffffff, R15:
0xfffff7f9c9f54a8\n" "RFL: 0x0000000000000002, RIP: 0xfffff80198e1641, CS:
0x0000000000000008, SS: 0x0000000000000010\n" "Error code:
0x0000000000000000\n" @/BuildRoot/Library/Caches/com.apple.xbs/Sources/xnu/
xnu-4903.278.70/osfmk/i386/trap_native.c:168
Backtrace (CPU 16), Frame : Return Address
0xfffff8019559330 : 0xfffff80197ad5cd
0xfffff8019559380 : 0xfffff80198e9245
0xfffff80195593c0 : 0xfffff80198da97a
0xfffff8019559430 : 0xfffff801975a9d0
0xfffff8019559450 : 0xfffff80197acfe7
0xfffff8019559570 : 0xfffff80197ace33
0xfffff80195595e0 : 0xfffff80198db5da
0xfffff80195596d0 : 0xfffff801975b22f
0xfffff856f303d00 : 0xfffff80198e2e56
0xfffff856f303d10 : 0xfffff7f9c9d7c11
0xfffff856f303d40 : 0xfffff7f9c9d7cc1
0xfffff856f303d80 : 0xfffff7f9c9d17ef
0xfffff856f303e60 : 0xfffff7f9c9d0dce
0xfffff856f303f10 : 0xfffff80198dc9ac
0xfffff856f303f30 : 0xfffff80197cf207
0xfffff856f303f80 : 0xfffff80197cf3f0
0xfffff856f303fa0 : 0xfffff801975a0ce
Kernel Extensions in backtrace:
com.apple.driver.AppleIntelCPUPowerManagement(220.0)[99F2E7B9-
A130-3CAA-88F4-0AFE406C81AC]@0xfffff7f9c9cf000->0xfffff7f9c9f7fff

BSD process name corresponding to current thread: kernel_task

Mac OS version:

18G9323

Kernel version:

Darwin Kernel Version 18.7.0: Tue Jun 22 19:37:08 PDT 2021; root:xnu-4903.278.70~1/RELEASE_X86_64

Kernel UUID: 041B6A6D-CD16-36FA-88B9-E32FF46EF89F

Kernel slide: 0x0000000019400000

Kernel text base: 0xfffff80196000000

__HIB text base: 0xfffff80195000000

System model name: MacPro5,1 (Mac-F221BEC8)

System uptime in nanoseconds: 5122157064

last loaded kext at 3019795725: com.apple.driver.AppleHIDKeyboard 208 (addr 0xfffff7f9c96f000, size 45056)

loaded kexts:

com.metakine.handsoff.driver 3.1.4

com.apple.iokit.SCSITaskUserClient 408.250.3

com.apple.iokit.IOBluetoothUSBDFU 6.0.14d13

com.apple.filesystems.apfs 945.275.10

com.apple.driver.AppleFileSystemDriver 3.0.1

com.apple.driver.AppleVirtIO 2.1.3

com.apple.filesystems.hfs.kext 407.200.4

com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1

com.apple.BootCache 40

com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0

com.apple.AppleSystemPolicy 1.0

com.apple.driver.AppleFWOHCI 5.6.0

com.apple.driver.Intel82574LEthernet 2.7.2

com.apple.driver.AirPort.Brcm4331 800.21.31

com.apple.driver.AppleAHCIPort 329.260.5

com.apple.private.KextAudit 1.0

com.apple.driver.AppleRTC 2.0

com.apple.driver.AppleHPET 1.8

com.apple.driver.AppleACPIButtons 6.1

com.apple.driver.AppleSMBIOS 2.1

com.apple.driver.AppleACPIEC 6.1

com.apple.driver.AppleAPIC 1.7

com.apple.driver.AppleIntelCPUPowerManagementClient 220.0.0

com.apple.nke.applicationfirewall 202

com.apple.security.TMSafetyNet 8

com.apple.driver.AppleIntelCPUPowerManagement 220.0.0

com.apple.driver.AppleHIDKeyboard 208

com.apple.iokit.IOCSIMultimediaCommandsDevice 408.250.3

com.apple.iokit.IOBDStorageFamily 1.8

com.apple.iokit.IODVDStorageFamily 1.8

com.apple.iokit.IOCDStorageFamily 1.8

com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport 6.0.14d13

com.apple.iokit.IOBluetoothHostControllerUSBTransport 6.0.14d13

com.apple.iokit.IOBluetoothHostControllerTransport 6.0.14d13

com.apple.iokit.IOBluetoothFamily 6.0.14d13

com.apple.driver.AppleXsanScheme	3	
com.apple.iokit.IOAHCIBlockStorage	301.270.1	
com.apple.iokit.IOAHCIATAPI	267.50.1	
com.apple.driver.AppleUSBHIDMouse	192	
com.apple.iokit.IOUSBHIDDriver	900.4.2	
com.apple.driver.AppleHIDMouse	192	
com.apple.driver.AppleUSBAudio	315.6	
com.apple.driver.usb.IOUSBHostHIDDevice	1.2	
com.apple.iokit.IOAudioFamily	206.5	
com.apple.vecLib.kext	1.2.0	
com.apple.driver.usb.cdc	5.0.0	
com.apple.driver.usb.networking	5.0.0	
com.apple.driver.usb.AppleUSBHostCompositeDevice		1.2
com.apple.driver.usb.AppleUSBHub	1.2	
com.apple.iokit.IOSerialFamily	11	
com.apple.filesystems.hfs.encodings.kext	1	
com.apple.iokit.IOFireWireFamily	4.7.3	
com.apple.iokit.IO80211Family	1200.12.2	
com.apple.driver.corecapture	1.0.4	
com.apple.driver.AppleUSBMergeNub	900.4.2	
com.apple.iokit.IOAHCIFamily	288	
com.apple.driver.usb.AppleUSBEGHCI	1.2	
com.apple.driver.usb.AppleUSBEGHCI	1.2	
com.apple.driver.usb.AppleUSBEGHCI	1.2	
com.apple.driver.usb.AppleUSBEGHCI	1.2	
com.apple.driver.usb.AppleUSBHostPacketFilter		1.0
com.apple.iokit.IOUSBFamily	900.4.2	
com.apple.driver.AppleUSBHostMergeProperties		1.2
com.apple.driver.AppleEFINVRAM	2.1	
com.apple.driver.AppleEFIRuntime	2.1	
com.apple.iokit.IOSMBusFamily	1.1	
com.apple.iokit.IOHIDFamily	2.0.0	
com.apple.security.quarantine	3	
com.apple.security.sandbox	300.0	
com.apple.kext.AppleMatch	1.0.0d1	
com.apple.driver.DiskImages	493.0.0	
com.apple.driver.AppleFDEKeyStore	28.30	
com.apple.driver.AppleEffaceableStorage		1.0
com.apple.driver.AppleKeyStore	2	
com.apple.driver.AppleUSBTDM	456.260.3	
com.apple.driver.AppleMobileFileIntegrity		1.0.5
com.apple.iokit.IOUSBMassStorageDriver	145.200.2	
com.apple.iokit.IOSCSIBlockCommandsDevice	408.250.3	
com.apple.iokit.IOSCSIArchitectureModelFamily		408.250.3
com.apple.iokit.IOStorageFamily	2.1	
com.apple.kext.CoreTrust	1	
com.apple.driver.AppleCredentialManager		1.0
com.apple.driver.KernelRelayHost	1	
com.apple.iokit.IOUSBHostFamily	1.2	
com.apple.driver.usb.AppleUSBCommon		1.0

com.apple.driver.AppleBusPowerController 1.0
com.apple.driver.AppleSEPManager 1.0.1
com.apple.driver.IOSlaveProcessor 1
com.apple.iokit.IOTimeSyncFamily 740.2
com.apple.iokit.IONetworkingFamily 3.4
com.apple.iokit.IOReportFamily 47
com.apple.driver.AppleACPIPlatform 6.1
com.apple.driver.AppleSMC 3.1.9
com.apple.iokit.IOPCIFamily 2.9
com.apple.iokit.IOACPIFamily 1.4
com.apple.kec.pthread 1
com.apple.kec.corecrypto 1.0
com.apple.kec.Libm 1

EOF

Model: MacPro5,1, BootROM 144.0.0.0.0, 12 processors, 6-Core Intel Xeon, 3.46 GHz, 48 GB, SMC 1.39f11

Graphics: kHW_NvidiaGeForceGT120Item, NVIDIA GeForce GT 120, spdisplays_pcie_device, 512 MB

Memory Module: DIMM 1, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 2, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304348302D5948392020

Memory Module: DIMM 3, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 5, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 6, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 7, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304348302D5948392020

AirPort: spairport_wireless_card_type_airport_extreme (0x14E4, 0x8E), Broadcom BCM43xx 1.0 (5.106.98.102.31)

Bluetooth: Version 6.0.14d13, 3 services, 27 devices, 1 incoming serial ports

PCI Card: NVIDIA GeForce GT 120, Display Controller, Slot-1

Serial ATA Device: HL-DT-ST DVD-RW GH61N

Serial ATA Device: Samsung SSD 840 EVO 500GB, 500.11 GB

USB Device: USB 2.0 Bus

USB Device: Keyboard Hub

USB Device: Apple Keyboard

USB Device: USB 2.0 Bus

USB Device: USB Bus

USB Device: BRCM2046 Hub

USB Device: Bluetooth USB Host Controller

USB Device: USB Bus

USB Device: USB Bus

USB Device: USB Bus

USB Device: Apple Optical USB Mouse

USB Device: USB Bus

USB Device: USB Bus

FireWire Device: built-in_hub, Up to 800 Mb/sec
Thunderbolt Bus: