

Anonymous UUID: B565F319-7B72-F772-D8FE-AFB66C74F090

Thu Sep 26 10:39:29 2019

*** Panic Report ***

Panic(CPU 2, time 4138796149749): NMIPI for spinlock acquisition timeout,
spinlock: 0xffffffff80a83ca568, spinlock owner: 0xffffffff80a8a6b520, current_thread:
0xffffffff80a8a6b520, spinlock_owner_cpu: 0x2
RAX: 0x00000000b517f485, RBX: 0xffffffff80a845f080, RCX: 0x0000000000000003,
RDX: 0x0000007e4b517f485
RSP: 0xffffffff8754bcbd40, RBP: 0xffffffff8754bcbd70, RSI: 0x0000080459ecc275, RDI:
0xffffffff801ae0ed60
R8: 0x0000000000000001, R9: 0x0000000000000001, R10: 0xffffffff801aea0700,
R11: 0xffffffff801afe8038
R12: 0xffffffff80a8aca800, R13: 0xffffffff8754bcbdf8, R14: 0xffffffff801ae0ed60, R15:
0xffffffff8754bcbdf8
RFL: 0x0000000000000002, RIP: 0xffffffff7f9d3ea207, CS: 0x0000000000000008,
SS: 0x0000000000000010

Backtrace (CPU 2), Frame : Return Address

0xffffffff873fc64f70 : 0xffffffff801a6db00b
0xffffffff873fc64fd0 : 0xffffffff801a55bcd
0xffffffff8754bcbd70 : 0xffffffff801a6e67e6
0xffffffff8754bcbd90 : 0xffffffff801a5fc460
0xffffffff8754bcbe50 : 0xffffffff801a60028d
0xffffffff8754bcbe90 : 0xffffffff801a5ccfa8
0xffffffff8754bcbec0 : 0xffffffff801a5cc734
0xffffffff8754bcbf40 : 0xffffffff801a5ce8d5
0xffffffff8754bcbf80 : 0xffffffff801a5d048a
0xffffffff8754bcbfa0 : 0xffffffff801a55b0ce

Kernel Extensions in backtrace:

com.apple.driver.AppleIntelCPUPowerManagement(220.0)[6703E7B6-EE67-3019-A4D7-5D5B239486AB]@0xffffffff7f9d3e7000->0xffffffff7f9d40fff

BSD process name corresponding to current thread: kernel_task

Mac OS version:

18G95

Kernel version:

Darwin Kernel Version 18.7.0: Tue Aug 20 16:57:14 PDT 2019;

root:xnu-4903.271.2~2/RELEASE_X86_64

Kernel UUID: C41337A1-0EC3-3896-A954-A1F85E849D53

Kernel slide: 0x000000001a200000

Kernel text base: 0xffffffff801a400000

__HIB text base: 0xffffffff801a300000

System model name: MacPro5,1 (Mac-F221BEC8)

System uptime in nanoseconds: 4138796230479

last loaded kext at 286142979419: com.apple.filesystems.msdosfs

1.10 (addr 0xffffffff7f9fc98000, size 69632)

loaded kexts:

com.parallels.kext.netbridge 15.0.0 46967
com.parallels.kext.hypervisor 15.0.0 46967
com.parallels.kext.vnic 15.0.0 46967
com.apple.filesystems.msdosfs 1.10
com.apple.filesystems.smbfs 3.3.2
com.apple.driver.AppleHWSensor 1.9.5d0
com.apple.driver.AudioAUUC 1.70
com.apple.driver.AppleTopCaseHIDEventDriver 138.4
com.apple.driver.AppleUpstreamUserClient 3.6.5
com.apple.driver.AppleMCCSControl 1.5.9
com.apple.kext.AMDFramebuffer 2.1.1
com.apple.fileutil 20.036.15
com.apple.filesystems.autofs 3.0
com.apple.driver.AppleMikeyHIDDriver 131
com.apple.driver.AGPM 110.25.11
com.apple.driver.AppleMikeyDriver 282.54
com.apple.kext.AMDRadeonX5000 2.1.1
com.apple.driver.AppleGraphicsDevicePolicy 3.50.12
com.apple.driver.AppleHDAHardwareConfigDriver 282.54
com.apple.AGDCPluginDisplayMetrics 3.50.12
com.apple.driver.AppleHDA 282.54
com.apple.driver.AppleHV 1
com.apple.iokit.IOUserEthernet 1.0.1
com.apple.iokit.IOBluetoothSerialManager 6.0.14d3
com.apple.driver.pmtelemetry 1
com.apple.Dont_Steal_Mac_OS_X 7.0.0
com.apple.kext.AMD10000Controller 2.1.1
com.apple.driver.AppleLPC 3.1
com.apple.driver.AppleGFXHDA 100.1.414
com.apple.driver.AppleIntelSlowAdaptiveClocking 4.0.0
com.apple.driver.AppleFIVRDriver 4.1.0
com.apple.driver.ACPI_SMC_PlatformPlugin 1.0.0
com.apple.driver.AppleOSXWatchdog 1
com.apple.iokit.IOBluetoothUSBDFU 6.0.14d3
com.apple.driver.AppleFileSystemDriver 3.0.1
com.apple.driver.AppleVirtIO 2.1.3
com.apple.filesystems.hfs.kext 407.200.4
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless
1.0.0d1
com.apple.BootCache 40
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib
1.0.0
com.apple.AppleSystemPolicy 1.0
com.apple.filesystems.apfs 945.275.7
com.apple.driver.AppleFWOHCI 5.6.0
com.apple.driver.Intel82574LEthernet 2.7.2
com.apple.driver.AirPort.Brcm4331 800.21.31
com.apple.driver.AppleAHCIPort 329.260.5
com.apple.private.KextAudit 1.0

com.apple.driver.AppleHPET 1.8
com.apple.driver.AppleRTC 2.0
com.apple.driver.AppleACPIButtons 6.1
com.apple.driver.AppleSMBIOS2.1
com.apple.driver.AppleACPIEC 6.1
com.apple.driver.AppleAPIC 1.7
com.apple.driver.AppleIntelCPUPowerManagementClient 220.0.0
com.apple.nke.applicationfirewall 201
com.apple.security.TMSafetyNet 8
com.apple.driver.AppleIntelCPUPowerManagement 220.0.0
com.apple.driver.AppleHIDKeyboard 208
com.apple.driver.AppleMultitouchDriver 2450.1
com.apple.driver.AppleInputDeviceSupport 2440.2
com.apple.driver.AppleHSBluetoothDriver 138.4
com.apple.driver.IOBluetoothHIDDriver 6.0.14d3
com.apple.kext.triggers 1.0
com.apple.kext.AMDRadeonX5000HWLibs 1.0
com.apple.iokit.IOAcceleratorFamily2 404.14
com.apple.kext.AMDRadeonX5000HWServices 2.1.1
com.apple.driver.AppleGraphicsControl 3.50.12
com.apple.driver.DspFuncLib 282.54
com.apple.kext.OSvKernDSPLib 528
com.apple.iokit.IOAVBFamily 760.6
com.apple.plugin.IOGPTPlugin 740.2
com.apple.iokit.IOEthernetAVBController 1.1.0
com.apple.iokit.IOSkywalkFamily 1
com.apple.driver.AppleSSE 1.0
com.apple.iokit.IOSurface 255.6.1
com.apple.driver.AppleSMBusController 1.0.18d1
com.apple.AppleGPUWangler 3.50.12
com.apple.driver.AppleHDAController 282.54
com.apple.iokit.IOHDAFamily 282.54
com.apple.iokit.IONDRVSupport 530.51
com.apple.driver.AppleSMBusPCI 1.0.14d1
com.apple.kext.AMDSupport 2.1.1
com.apple.AppleGraphicsDeviceControl 3.50.12
com.apple.iokit.IOGraphicsFamily 530.66
com.apple.iokit.IOFireWireIP 2.3.0
com.apple.iokit.IOSlowAdaptiveClockingFamily 1.0.0
com.apple.driver.IOPlatformPluginLegacy 1.0.0
com.apple.driver.IOPlatformPluginFamily 6.0.0d8
com.apple.iokit.IOAHCIBlockStorage 301.270.1
com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport
6.0.14d3
com.apple.iokit.IOBluetoothHostControllerUSBTransport 6.0.14d3
com.apple.iokit.IOBluetoothHostControllerTransport 6.0.14d3
com.apple.iokit.IOBluetoothFamily 6.0.14d3
com.apple.driver.AppleUSBAudio 315.6
com.apple.driver.usb.IOUSBHostHIDDevice 1.2
com.apple.iokit.IOAudioFamily 206.5

com.apple.vecLib.kext 1.2.0
com.apple.driver.usb.cdc 5.0.0
com.apple.driver.usb.networking 5.0.0
com.apple.driver.usb.AppleUSBHostCompositeDevice 1.2
com.apple.driver.usb.AppleUSBHub 1.2
com.apple.iokit.IOSerialFamily 11
com.apple.filesystems.hfs.encodings.kext 1
com.apple.driver.AppleXsanScheme 3
com.apple.iokit.IONVMeFamily 2.1.0
com.apple.iokit.IOFireWireFamily 4.7.3
com.apple.iokit.IO80211Family 1200.12.2
com.apple.driver.corecapture 1.0.4
com.apple.driver.AppleUSBMergeNub 900.4.2
com.apple.iokit.IOAHCIFamily 288
com.apple.driver.usb.AppleUSBEHCIPCI 1.2
com.apple.driver.usb.AppleUSBUEHCIPCI 1.2
com.apple.driver.usb.AppleUSBUEHCI 1.2
com.apple.driver.usb.AppleUSBEHCI 1.2
com.apple.driver.usb.AppleUSBHostPacketFilter 1.0
com.apple.iokit.IOUSBFamily 900.4.2
com.apple.driver.AppleUSBHostMergeProperties 1.2
com.apple.driver.AppleEFINVRAM 2.1
com.apple.driver.AppleEFIRuntime 2.1
com.apple.iokit.IOSMBusFamily 1.1
com.apple.iokit.IOHIDFamily 2.0.0
com.apple.security.quarantine 3
com.apple.security.sandbox 300.0
com.apple.kext.AppleMatch 1.0.0d1
com.apple.driver.DiskImages 493.0.0
com.apple.driver.AppleFDEKeyStore 28.30
com.apple.driver.AppleEffaceableStorage 1.0
com.apple.driver.AppleKeyStore 2
com.apple.driver.AppleUSBTDMM 456.260.3
com.apple.driver.AppleMobileFileIntegrity 1.0.5
com.apple.iokit.IOUSBMassStorageDriver 145.200.2
com.apple.iokit.IOSCSIBlockCommandsDevice 408.250.3
com.apple.iokit.IOSCSIArchitectureModelFamily 408.250.3
com.apple.iokit.IOSTorageFamily 2.1
com.apple.kext.CoreTrust 1
com.apple.driver.AppleCredentialManager 1.0
com.apple.driver.KernelRelayHost 1
com.apple.iokit.IOUSBHostFamily 1.2
com.apple.driver.usb.AppleUSBCommon 1.0
com.apple.driver.AppleBusPowerController 1.0
com.apple.driver.AppleSEPManager 1.0.1
com.apple.driver.IOSlaveProcessor 1
com.apple.iokit.IOReportFamily 47
com.apple.iokit.IOTimeSyncFamily 740.2
com.apple.iokit.IONetworkingFamily 3.4
com.apple.driver.AppleACPIPlatform 6.1

com.apple.driver.AppleSMC 3.1.9
com.apple.iokit.IOPCIFamily 2.9
com.apple.iokit.IOACPIFamily 1.4
com.apple.kec.pthread 1
com.apple.kec.Libm 1
com.apple.kec.corecrypto 1.0
panic(cpu 0 caller 0xfffff801a6d08dc): "Spinlock acquisition timed out:
lock=0xfffff80a83ca568, lock owner thread=0xfffff80a8a6b520, current_thread:
0xfffff80a83caa40, lock owner active on CPU 0x2, current owner:
0xfffff80a8a6b520, time: 4138796358114" @/BuildRoot/Library/Caches/
com.apple.xbs/Sources/xnu/xnu-4903.271.2/osfmk/i386/locks_i386.c:494
Backtrace (CPU 0), Frame : Return Address
0xfffffa76fa2bbd0 : 0xfffff801a5ae6ed
0xfffffa76fa2bc20 : 0xfffff801a6ea185
0xfffffa76fa2bc60 : 0xfffff801a6db8ba
0xfffffa76fa2bcd0 : 0xfffff801a55bb40
0xfffffa76fa2bcf0 : 0xfffff801a5ae107
0xfffffa76fa2be10 : 0xfffff801a5adf53
0xfffffa76fa2be80 : 0xfffff801a6d08dc
0xfffffa76fa2bec0 : 0xfffff801a5cc749
0xfffffa76fa2bf40 : 0xfffff801a5ce8d5
0xfffffa76fa2bf80 : 0xfffff801a5d048a
0xfffffa76fa2bfa0 : 0xfffff801a55b0ce

BSD process name corresponding to current thread: kernel_task

EOF

Model: MacPro5,1, BootROM 144.0.0.0.0, 12 processors, 6-Core Intel Xeon, 3.06
GHz, 64 GB, SMC 1.39f5

Graphics: Radeon Vega Frontier Edition, Radeon Vega Frontier Edition,
spdisplays_pcie_device, 16 GB

Memory Module: DIMM 1, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE,
0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 2, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE,
0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 3, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE,
0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 4, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE,
0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 5, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE,
0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 6, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE,
0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 7, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE,
0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 8, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE,
0x4D33393342314B37304448302D5948392020

AirPort: Third-Party Wireless Card

Bluetooth: Version 6.0.14d3, 3 services, 27 devices, 1 incoming serial ports

Network Service: Ethernet 2, Ethernet, en1

Network Service: Wi-Fi, AirPort, en2
PCI Card: Radeon Vega Frontier Edition, Display Controller, Slot-1@10,0,0
PCI Card: pci1002,aaf8, Audio Device, Slot-1@10,0,1
PCI Card: pci144d,a808, NVM Express Controller, Slot-4@7,0,0
Serial ATA Device: WDC WD1001FALS-41K1B0, 1 TB
Serial ATA Device: Samsung SSD 860 EVO 1TB, 1 TB
USB Device: USB 2.0 Bus
USB Device: USB 2.0 Bus
USB Device: USB Bus
USB Device: USB Bus
USB Device: BRCM2046 Hub
USB Device: Bluetooth USB Host Controller
USB Device: USB Bus
USB Device: USB Bus
USB Device: USB Bus
USB Device: Swiftpoint Z
USB Device: USB Bus
FireWire Device: built-in_hub, Up to 800 Mb/sec
Thunderbolt Bus: