

```
Jul 11 09:44:28 localhost opendirectoryd[60]: [default] Initialize trigger support
Jul 11 09:44:28 localhost opendirectoryd[60]: [default] Failed to open file
<private> [2: No such file or directory]
Jul 11 09:44:28 localhost opendirectoryd[60]: [default] Failed to open file
<private> [2: No such file or directory]
Jul 11 09:44:28 localhost Installer Progress[57]: Progress UI App Starting
Jul 11 09:44:28 localhost opendirectoryd[60]: [default] created endpoint for mach
service 'com.apple.private.opendirectoryd.rpc'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Registered RPC over XPC
'reset_cache' for service 'com.apple.private.opendirectoryd.rpc'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Registered RPC over XPC
'reset_online' for service 'com.apple.private.opendirectoryd.rpc'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Registered RPC over XPC
'reset_statistics' for service 'com.apple.private.opendirectoryd.rpc'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Registered RPC over XPC
'show' for service 'com.apple.private.opendirectoryd.rpc'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] starting endpoint for
service 'com.apple.private.opendirectoryd.rpc'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] UID: 0, EUID: 0, GID: 0,
EGID: 0, PID: 73, PROC: sandboxd ODNodeCreateWithNameAndOptions request, SessionID:
00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Setting external work
dequeue limit to 256
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Setting external work limit
to 128
Jul 11 09:44:28 localhost opendirectoryd[60]: [default] Failed to open file
<private> [2: No such file or directory]
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Registered node with name
'/Local' as hidden
Jul 11 09:44:28 localhost bluetoothd[71]: open() failed: Operation not permitted
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - fired node event
'register' for '/Local'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - fired node event
'register' for '/Local'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - notified
opendirectoryd:nodes;register;/Local
Jul 11 09:44:28 localhost opendirectoryd[60]: [default] Failed to open file
<private> [2: No such file or directory]
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Registered node with name
'/Configure' as hidden
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - fired node event
'register' for '/Local'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - fired node event
'register' for '/Configure'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - fired node event
'register' for '/Configure'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - notified
opendirectoryd:nodes;register;/Configure
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] loading configuration for
'/Local' from '/System/Library/OpenDirectory/Configurations/Local.plist'
Jul 11 09:44:28 localhost powerd[44]: powerd process is started
Jul 11 09:44:28 localhost opendirectoryd[60]: [default] Loaded bundle at path
'/System/Library/OpenDirectory/Modules/PlistFile.bundle'
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - new attribute
trigger watching for
'opendirectoryd:records;modify;/Local/Default;dsRecTypeStandard:Config;CIFSServer;d
sAttrTypeStandard:XMLPlist'
Jul 11 09:44:28 localhost opendirectoryd[60]: [default] Failed to open file
<private> [2: No such file or directory]
```

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] unable to find authentication module 'AppleID'

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Registered subnode with name '/Local/Default'

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - fired node event 'register' for '/Local/Default'

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - fired node event 'register' for '/Local/Default'

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Registering for network changes

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - notified opendirectoryd:nodes;register;/Local/Default

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] nodestate - starting check for '/Local/Default'

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] service discovery skipped for node '/Local/Default'

Jul 11 09:44:28 localhost opendirectoryd[60]: [default] Failed to open file <private> [2: No such file or directory]

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Node is 10.7 or later

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] initiating reconnect for 5FFCF632-40B9-4D21-A6A7-7F8E137200C8

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] nodestate - flagging '/Local/Default' online

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Internal: ODNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] node assigned UUID - 4BB6C352-2616-4A00-AC5C-DD89AD08AD6A

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - notified opendirectoryd:nodes;online;/Local/Default

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] node assigned UUID - BBA6F6BF-EC34-4D33-A548-5AC41ED36829

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] ODNodeCreateWithNameAndOptions completed

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] ODNodeCreateWithNameAndOptions completed

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Trigger - fired node event 'register' for '/Local/Default'

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] UID: 0, EUID: 0, GID: 0, EGID: 0, PID: 73, PROC: sandboxd ODQueryCreateWithNode request, NodeID: 4BB6C352-2616-4A00-AC5C-DD89AD08AD6A, RecordType(s): dsRecTypeStandard:Users, Attribute: dsAttrTypeStandard:UniqueID, MatchType: GreaterThan, Equality: Number, Value(s): 500, Requested Attributes: dsAttrTypeStandard:NFSHomeDirectory, dsAttrTypeStandard:GeneratedUID, dsAttrTypeStandard:RecordName, dsAttrTypeStandard:UniqueID, dsAttrTypeStandard:AppleMetaRecordName, dsAttrTypeStandard:RecordType, dsAttrTypeStandard:AppleMetaNodeLocation, Max Results: 2147483647

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Internal: ODQueryCreateWithNode request, NodeID: BBA6F6BF-EC34-4D33-A548-5AC41ED36829, RecordType(s): dsRecTypeStandard:Config, Attribute: dsAttrTypeStandard:RecordName, MatchType: EqualTo, Equality: CaseIgnore, Value(s): CIFSServer, Requested Attributes: dsAttrTypeStandard:XMLPlist, dsAttrTypeStandard:RecordName, dsAttrTypeStandard:RecordType, Max Results: 1

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] queuing request to connection - 5FFCF632-40B9-4D21-A6A7-7F8E137200C8 - CFBundle 0x7fd8aa51ea90 </System/Library/OpenDirectory/Modules/PlistFile.bundle> (bundle, loaded)

Jul 11 09:44:28 localhost opendirectoryd[60]: [session] queuing request to connection - 5FFCF632-40B9-4D21-A6A7-7F8E137200C8 - CFBundle 0x7fd8aa51ea90

</System/Library/OpenDirectory/Modules/PlistFile.bundle> (bundle, loaded)
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] ODQueryCreateWithNode completed
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] ODQueryCreateWithNode completed
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] UID: 0, EUID: 0, GID: 0, EGID: 0, PID: 61, PROC: apsd ODNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Search, Options: 0x0
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] ODNodeCreateWithNameAndOptions failed with result 2000
Jul 11 09:44:28 localhost bluetoothd[71]: open() failed: Operation not permitted
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] Received a network change notification
Jul 11 09:44:28 localhost powerd[44]: Assertion Created. Type:ExternalMedia Name:'com.apple.powermanagement.externalmediamounted' Id:0x800008000 Process:powerd [System: No Assertions]
Jul 11 09:44:28 localhost powerd[44]: Assertion Created. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008002 Process:fsck_apfs [System: PrevDisp BGTask kDisp]
Jul 11 09:44:28 localhost powerd[44]: Assertion Created. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008003 Process:fsck_apfs [System: PrevDisp BGTask kDisp]
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] UID: 0, EUID: 0, GID: 0, EGID: 0, PID: 73, PROC: sandboxd ODNodeRelease request, NodeID: 4BB6C352-2616-4A00-AC5C-DD89AD08AD6A
Jul 11 09:44:28 localhost opendirectoryd[60]: [session] ODNodeRelease completed
Jul 11 09:44:29 localhost powerd[44]: Assertion Created. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008005 Process:fsck_apfs [System: PrevDisp BGTask kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Created. Type:InternalPreventDisplaySleep Name:'com.apple.powermanagement.delayDisplayOff' Id:0x1000008006 Process:powerd [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008003 Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008002 Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008005 Process:fsck_apfs [System: BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Created. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008007 Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Created. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008008 Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Created. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008009 Process:fsck_apfs [System: BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008007 Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008008 Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released. Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008009 Process:fsck_apfs [System: BGTask IntPrevDisp kDisp]

Jul 11 09:44:29 localhost powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800a
Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800b
Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800a
Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800b
Process:fsck_apfs [System: BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800d
Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800e
Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800d
Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800e
Process:fsck_apfs [System: BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800f
Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:29 localhost powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008010
Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:30 localhost powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000800f
Process:fsck_apfs [System: PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:30 localhost powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008010
Process:fsck_apfs [System: BGTask IntPrevDisp kDisp]
Jul 11 09:44:30 localhost bluetoothd[71]: open() failed: Operation not permitted
Jul 11 09:44:31 Mac-Pro configd[43]: setting hostname to "Mac-Pro.local"
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: XHC0: enable (default)
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: EHC250: enable (default)
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: EHC253: enable (default)
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: UHC58: enable (default)
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: UHC26: enable (default)

Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: UHC90: enable (default)
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: UHC61: enable (default)
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: UHC29: enable (default)
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: UHC93: enable (default)
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:31 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:31 Mac-Pro configd[43]: network changed
Jul 11 09:44:31 Mac-Pro configd[43]: network changed: DNS*
Jul 11 09:44:32 Mac-Pro mobileassetd[143]: SUPreferenceManager: Service connection
invalidated!
Jul 11 09:44:32 Mac-Pro mobileassetd[143]: SUPreferenceManager: Connection proxy
failure with error:Error Domain=NSCocoaErrorDomain Code=4099 "The connection to
service on pid 0 named com.apple.softwareupdated was invalidated."
UserInfo={NSDebugDescription=The connection to service on pid 0 named
com.apple.softwareupdated was invalidated.}
Jul 11 09:44:32 Mac-Pro mobileassetd[143]: SUPreferenceManager: Service connection
invalidated!
Jul 11 09:44:32 Mac-Pro mobileassetd[143]: SUPreferenceManager: Connection proxy
failure with error:Error Domain=NSCocoaErrorDomain Code=4099 "The connection to
service on pid 0 named com.apple.softwareupdated was invalidated."
UserInfo={NSDebugDescription=The connection to service on pid 0 named
com.apple.softwareupdated was invalidated.}
Jul 11 09:44:32 Mac-Pro mobileassetd[143]: SUPreferenceManager: Service connection
invalidated!
Jul 11 09:44:32 Mac-Pro mobileassetd[143]: SUPreferenceManager: Connection proxy
failure with error:Error Domain=NSCocoaErrorDomain Code=4099 "The connection to
service on pid 0 named com.apple.softwareupdated was invalidated."
UserInfo={NSDebugDescription=The connection to service on pid 0 named
com.apple.softwareupdated was invalidated.}
Jul 11 09:44:33 Mac-Pro opendirectoryd[60]: [session] Processing a network change
notification
Jul 11 09:44:36 Mac-Pro configd[43]: QoS marking policy: en0: enable (default)
Jul 11 09:44:36 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:36 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0
Jul 11 09:44:36 Mac-Pro configd[43]: QoS marking policy: en1: enable (default)
Jul 11 09:44:36 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restrict_avapps=0
Jul 11 09:44:36 Mac-Pro configd[43]: QoS marking policy: sysctl
net.qos.policy.restricted=0

```

Jul 11 09:44:36 Mac-Pro opendirectoryd[60]: [session] Received a network change
notification
Jul 11 09:44:36 Mac-Pro configd[43]: network changed
Jul 11 09:44:36 Mac-Pro configd[43]: en1 link INACTIVE
Jul 11 09:44:36 Mac-Pro configd[43]: en0 link INACTIVE
Jul 11 09:44:36 Mac-Pro configd[43]: en1: link inactive timer fired
Jul 11 09:44:36 Mac-Pro configd[43]: DHCP en1: status = 'media inactive'
Jul 11 09:44:36 Mac-Pro configd[43]: AUTOMATIC-V6 en1: status = 'media inactive'
Jul 11 09:44:36 Mac-Pro configd[43]: en0: link inactive timer fired
Jul 11 09:44:36 Mac-Pro configd[43]: DHCP en0: status = 'media inactive'
Jul 11 09:44:36 Mac-Pro configd[43]: AUTOMATIC-V6 en0: status = 'media inactive'
Jul 11 09:44:36 Mac-Pro opendirectoryd[60]: [session] Received a network change
notification
Jul 11 09:44:38 Mac-Pro configd[43]: en0 link ACTIVE
Jul 11 09:44:38 Mac-Pro opendirectoryd[60]: [session] Received a network change
notification
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: Use NVRAM prev-lang:kbd value (2)
as default ASCII input source: British
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: Use NVRAM prev-lang:kbd value (2)
as default ASCII input source: British
Jul 11 09:44:38 Mac-Pro recoveryos_agent[208]: Use NVRAM prev-lang:kbd value (2) as
default ASCII input source: British
Jul 11 09:44:38 Mac-Pro launchprogresswindow[211]: ISAP: Show progress UI called
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: Connected processes {
    "1F2F2544-D08C-4F69-ADF1-DF8610FED29A" = {
        "Phase Name" = "Launch Progress Window";
        "Process ID" = 211;
        UUID = "1F2F2544-D08C-4F69-ADF1-DF8610FED29A";
    };
}
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: Connected processes {
    "1F2F2544-D08C-4F69-ADF1-DF8610FED29A" = {
        CompletionHandlerKey = "<__NSMallocBlock__: 0x600001019270>";
        "Phase Name" = "Launch Progress Window";
        "Process ID" = 211;
        UUID = "1F2F2544-D08C-4F69-ADF1-DF8610FED29A";
    };
}
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASGetCurrentInstallPhaseList:
Unable to get phases
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASGetCurrentInstallPhase: Current
phase name is "Boot 1"
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: currentPhase = "(null)", phases =
(null)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASGetCurrentInstallPhaseList:
Unable to get phases
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASGetCurrentInstallPhase: Current
phase name is "Boot 1"
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: currentPhase = "(null)", phases =
(null)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: Progress app is loading...
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: Progress app is running with no
progress set
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: This is the install environment,
adding missing phases
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: currentPhase = "(null)", phases = (
    "<IASPPHase: 0x600003338b00: 'Boot 1', percentage 5.0, delay 0>"
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhaseList:

```

```

phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 1";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    }
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: currentPhase = "<IASPPHase:
0x6000003338b00: 'Boot 1', percentage 5.0, delay 0>", phases = (
    "<IASPPHase: 0x6000003338b00: 'Boot 1', percentage 5.0, delay 0>",
    "<IASPPHase: 0x6000003338aa0: 'Language Chooser', percentage 5.0, delay
0>"
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhaseList:
phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 1";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    }
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: currentPhase = "<IASPPHase:
0x6000003338b00: 'Boot 1', percentage 5.0, delay 0>", phases = (
    "<IASPPHase: 0x6000003338b00: 'Boot 1', percentage 5.0, delay 0>",
    "<IASPPHase: 0x6000003338aa0: 'Language Chooser', percentage 5.0, delay
0>",
    "<IASPPHase: 0x600000331b040: 'OS Installer', percentage 5.0, delay 0>"
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhaseList:
phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 1";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "OS Installer";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    }
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: currentPhase = "<IASPPHase:
0x6000003338b00: 'Boot 1', percentage 5.0, delay 0>", phases = (

```

```
    "<IASPPHase: 0x600003338b00: 'Boot 1', percentage 5.0, delay 0>",
    "<IASPPHase: 0x600003338aa0: 'Language Chooser', percentage 5.0, delay
0>",
    "<IASPPHase: 0x60000331b040: 'OS Installer', percentage 5.0, delay 0>",
    "<IASPPHase: 0x60000331b020: 'EFI Firmware Update', percentage 5.0, delay
0>"
```

```
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhaseList:
```

```
phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 1";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "OS Installer";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "EFI Firmware Update";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    }
)
```

```
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: currentPhase = "<IASPPHase:
0x600003338b00: 'Boot 1', percentage 5.0, delay 0>", phases = (
```

```
    "<IASPPHase: 0x600003338b00: 'Boot 1', percentage 5.0, delay 0>",
    "<IASPPHase: 0x600003338aa0: 'Language Chooser', percentage 5.0, delay
0>",
    "<IASPPHase: 0x60000331b040: 'OS Installer', percentage 5.0, delay 0>",
    "<IASPPHase: 0x60000331b020: 'EFI Firmware Update', percentage 5.0, delay
0>",
    "<IASPPHase: 0x60000331b060: 'Boot 2', percentage 5.0, delay 0>"
```

```
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhaseList:
```

```
phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 1";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
```



```

        ConclusionDelay = 0;
        InstallPhase = "OS Installer";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "EFI Firmware Update";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 2";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    }
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: currentPhase = "<IASPPHase:
0x6000003338b00: 'Boot 1', percentage 5.0, delay 0>", phases = (
    "<IASPPHase: 0x6000003338b00: 'Boot 1', percentage 5.0, delay 0>",
    "<IASPPHase: 0x6000003338aa0: 'Language Chooser', percentage 5.0, delay
0>",
    "<IASPPHase: 0x600000331b040: 'OS Installer', percentage 5.0, delay 0>",
    "<IASPPHase: 0x600000331b020: 'EFI Firmware Update', percentage 5.0, delay
0>",
    "<IASPPHase: 0x600000331b060: 'Boot 2', percentage 5.0, delay 0>",
    "<IASPPHase: 0x600000331b080: 'Language Chooser 2', percentage 5.0, delay
0>"
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhaseList:
phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 1";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "OS Installer";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "EFI Firmware Update";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 2";

```

```

        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser 2";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    }
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: currentPhase = "<IASPPHase:
0x600003338b00: 'Boot 1', percentage 5.0, delay 0>", phases = (
    "<IASPPHase: 0x600003338b00: 'Boot 1', percentage 5.0, delay 0>",
    "<IASPPHase: 0x600003338aa0: 'Language Chooser', percentage 5.0, delay
0>",
    "<IASPPHase: 0x60000331b040: 'OS Installer', percentage 5.0, delay 0>",
    "<IASPPHase: 0x60000331b020: 'EFI Firmware Update', percentage 5.0, delay
0>",
    "<IASPPHase: 0x60000331b060: 'Boot 2', percentage 5.0, delay 0>",
    "<IASPPHase: 0x60000331b080: 'Language Chooser 2', percentage 5.0, delay
0>",
    "<IASPPHase: 0x60000331b0a0: 'OS Installer 2', percentage 70.0, delay -
1>"
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhaseList:
phases set to (
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 1";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "OS Installer";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "EFI Firmware Update";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 2";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser 2";
    }
)

```

```

        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = "-1";
        InstallPhase = "OS Installer 2";
        InstallPhaseActualPercentageKey = 70;
        InstallPhasePercentageKey = 70;
    }
)
Jul 11 09:44:38 Mac-Pro Installer Progress[57]: Progress app is running...
Jul 11 09:44:39 Mac-Pro Installer Progress[57]: Showing Progress UI
Jul 11 09:44:39 Mac-Pro Installer Progress[57]: There are 0 window(s) and 1
display(s), 1 window(s) will be added
Jul 11 09:44:39 Mac-Pro Installer Progress[57]: IOProgressColorTheme is set to 0
Jul 11 09:44:39 Mac-Pro opendirectoryd[60]: [session] Received a network change
notification
Jul 11 09:44:40 Mac-Pro Language Chooser[212]: LCA: skipping WiFi scan because
there default WiFi interface name is nil.
Jul 11 09:44:40 Mac-Pro Installer Progress[57]: Created a window at {{0, 0}, {1920,
1080}}
Jul 11 09:44:40 Mac-Pro Installer Progress[57]: Status is ""
Jul 11 09:44:40 Mac-Pro Installer Progress[57]: Alternate status is ""
Jul 11 09:44:40 Mac-Pro Installer Progress[57]: no EFI background for progress
added because:
Jul 11 09:44:40 Mac-Pro Installer Progress[57]:          and / or NOT booting from
EFI loginwindow
Jul 11 09:44:40 Mac-Pro Installer Progress[57]: Setting window alpha values to 0.0
Jul 11 09:44:40 Mac-Pro Installer Progress[57]: Ordering windows front
Jul 11 09:44:40 Mac-Pro Installer Progress[57]: Ordering windows front
Jul 11 09:44:40 Mac-Pro Installer Progress[57]: Setting window alpha values to 1.0
Jul 11 09:44:41 Mac-Pro configd[43]: DHCP en0: setting 192.168.0.10 netmask
255.255.255.0 broadcast 192.168.0.255
Jul 11 09:44:41 Mac-Pro opendirectoryd[60]: [session] Received a network change
notification
Jul 11 09:44:41 Mac-Pro configd[43]: DHCP en0: publish success
Jul 11 09:44:41 Mac-Pro configd[43]: network changed: v4(en0+:192.168.0.10) DNS+
Proxy+ SMB
Jul 11 09:44:41 Mac-Pro opendirectoryd[60]: [session] Received a network change
notification
Jul 11 09:44:41 Mac-Pro configd[43]: Publishing data to agent DNSAgent-_defaultDNS
(91 bytes)
Jul 11 09:44:41 Mac-Pro configd[43]: Publishing data to agent DNSAgent-@en0 (91
bytes)
Jul 11 09:44:42 Mac-Pro Language Chooser[212]: Using progress phase: Language
Chooser
Jul 11 09:44:42 Mac-Pro Installer Progress[57]: Connected processes {
    "1F2F2544-D08C-4F69-ADF1-DF8610FED29A" = {
        CompletionHandlerKey = "<__NSMallocBlock__: 0x600001019270>";
        "Phase Name" = "Launch Progress Window";
        "Process ID" = 211;
        UUID = "1F2F2544-D08C-4F69-ADF1-DF8610FED29A";
    };
    "F23E6B3B-D844-4D99-AFA1-D606DC54F75E" = {
        "Phase Name" = "Language Chooser";
        "Process ID" = 212;
        UUID = "F23E6B3B-D844-4D99-AFA1-D606DC54F75E";
    };
}

```

```

Jul 11 09:44:42 Mac-Pro Installer Progress[57]: Connected processes {
    "1F2F2544-D08C-4F69-ADF1-DF8610FED29A" = {
        CompletionHandlerKey = "<__NSMallocBlock__: 0x6000001019270>";
        "Phase Name" = "Launch Progress Window";
        "Process ID" = 211;
        UUID = "1F2F2544-D08C-4F69-ADF1-DF8610FED29A";
    };
    "F23E6B3B-D844-4D99-AFA1-D606DC54F75E" = {
        CompletionHandlerKey = "<__NSMallocBlock__: 0x600000100c050>";
        "Phase Name" = "Language Chooser";
        "Process ID" = 212;
        UUID = "F23E6B3B-D844-4D99-AFA1-D606DC54F75E";
    };
}
Jul 11 09:44:42 Mac-Pro Language Chooser[212]: Use NVRAM prev-lang:kbd value (2) as
default ASCII input source: British
Jul 11 09:44:42 Mac-Pro Language Chooser[212]: Use NVRAM prev-lang:kbd value (2) as
default ASCII input source: British
Jul 11 09:44:42 Mac-Pro configd[43]: LINKLOCAL en0: status = 'success'
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: Setup: Factory cable attached: 0
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: System doesn't have bridgeOS and
doesn't support TRBX
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: System doesn't have bridgeOS and
doesn't support TRBX
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: Use NVRAM prev-lang:kbd value (2) as
default ASCII input source: British
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: Set keyboard to id: 2
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: Found primary language hint "en-GB"
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: System doesn't have bridgeOS and
doesn't support TRBX
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: Launching the macOS Update Assistant
using language code "en-GB"
Jul 11 09:44:43 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhase: Current
phase name set to "Language Chooser"
Jul 11 09:44:43 Mac-Pro OSInstaller[220]: Use NVRAM prev-lang:kbd value (2) as
default ASCII input source: British
Jul 11 09:44:43 Mac-Pro storagekitd[222]: Starting SKDaemon...
Jul 11 09:44:43 Mac-Pro storagekitd[222]: Client entitled for destructive
operations
Jul 11 09:44:43 Mac-Pro storagekitd[222]: Adding client connection
<NSXPCConnection: 0x7fd800404d00> connection on mach service named
com.apple.storagekitd from pid 220
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: System doesn't have bridgeOS and
doesn't support TRBX
Jul 11 09:44:43 Mac-Pro Language Chooser[212]: Not hiding Language Chooser in
window counter
Jul 11 09:44:44 Mac-Pro opendirectoryd[60]: [session] PID: 61, Client: 'apsd',
exited with 0 session(s), 0 node(s) and 0 active request(s)
Jul 11 09:44:45 Mac-Pro opendirectoryd[60]: [session] Processing a network change
notification
Jul 11 09:44:46 Mac-Pro Language Chooser[212]: ISAP: Done with Phase "Language
Chooser"
Jul 11 09:44:46 Mac-Pro Installer Progress[57]: Done with phase = "Language
Chooser"
Jul 11 09:44:46 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhase: Current
phase name set to "OS Installer"
Jul 11 09:44:49 Mac-Pro OSInstaller[220]: Connected to daemon. Language set to:
en_GB
Jul 11 09:44:49 Mac-Pro OSInstaller[220]: Connected to daemon. Language set to:

```

en_GB

Jul 11 09:44:49 Mac-Pro powerd[44]: Assertion Created.

Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008013

Process:fsck_apfs [System: PrevDisp IntPrevDisp kDisp]

Jul 11 09:44:49 Mac-Pro powerd[44]: Assertion Released.

Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008013

Process:fsck_apfs [System: IntPrevDisp kDisp]

Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Skipping firmware update because the machine is a MacPro 5,1.

Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Creating connection

Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Connection = 0x7fbfa7b5bad0, callers = (
"IASUPCaller: 0x7fbfa7b50500">

)

Jul 11 09:44:52 Mac-Pro OSInstaller[220]: client 0x7fbfa7b58240: phaseName = "OS
Installer 2", registering connection

Jul 11 09:44:52 Mac-Pro OSInstaller[220]: client 0x7fbfa7b58240: phaseName = "OS
Installer 2" was created

Jul 11 09:44:52 Mac-Pro OSInstaller[220]: client 0x7fbfa7b58240: phaseName = "OS
Installer 2", show progress UI called

Jul 11 09:44:52 Mac-Pro OSInstaller[220]: ISAP: Show progress UI called

Jul 11 09:44:52 Mac-Pro OSInstaller[220]: ISAP: Show progress UI called

Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Hardware: MacPro5,1 @ 2.66 GHz (x 8),
12288 MB RAM

Jul 11 09:44:52 Mac-Pro Installer Progress[57]: Connected processes {

"1F2F2544-D08C-4F69-ADF1-DF8610FED29A" = {
CompletionHandlerKey = "<__NSMallocBlock__: 0x600001019270>";
"Phase Name" = "Launch Progress Window";
"Process ID" = 211;
UUID = "1F2F2544-D08C-4F69-ADF1-DF8610FED29A";

};

"5EE80A88-FB80-4613-ACB9-622D0B233924" = {
"Phase Name" = "OS Installer 2";
"Process ID" = 220;
UUID = "5EE80A88-FB80-4613-ACB9-622D0B233924";

};

"F23E6B3B-D844-4D99-AFA1-D606DC54F75E" = {
CompletionHandlerKey = "<__NSMallocBlock__: 0x60000100c050>";
"Phase Name" = "Language Chooser";
"Process ID" = 212;
UUID = "F23E6B3B-D844-4D99-AFA1-D606DC54F75E";

};

}

Jul 11 09:44:52 Mac-Pro Installer Progress[57]: Connected processes {

"1F2F2544-D08C-4F69-ADF1-DF8610FED29A" = {
CompletionHandlerKey = "<__NSMallocBlock__: 0x600001019270>";
"Phase Name" = "Launch Progress Window";
"Process ID" = 211;
UUID = "1F2F2544-D08C-4F69-ADF1-DF8610FED29A";

};

"5EE80A88-FB80-4613-ACB9-622D0B233924" = {
CompletionHandlerKey = "<__NSMallocBlock__: 0x600001005b80>";
"Phase Name" = "OS Installer 2";
"Process ID" = 220;
UUID = "5EE80A88-FB80-4613-ACB9-622D0B233924";

};

"F23E6B3B-D844-4D99-AFA1-D606DC54F75E" = {
CompletionHandlerKey = "<__NSMallocBlock__: 0x60000100c050>";
"Phase Name" = "Language Chooser";
"Process ID" = 212;

```

        UUID = "F23E6B3B-D844-4D99-AFA1-D606DC54F75E";
    };
}
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Running OS Build: macOS 10.16 (20A4300b)
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env: __OSINSTALL_ENVIRONMENT=1
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env:
XPC_SERVICE_NAME=com.apple.recoveryos_agent
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env:
SSH_AUTH_SOCK=/private/tmp/com.apple.launchd.3YTBQoMJvR/Listeners
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env: PATH=/usr/bin:/bin:/usr/sbin:/sbin
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env: XPC_FLAGS=0x0
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env: LOGNAME=root
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env: USER=root
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env: HOME=/var/root
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env: SHELL=/bin/sh
Jul 11 09:44:52 Mac-Pro Installer Progress[57]: IASGetCurrentInstallPhaseList:
phases = (
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 1";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "OS Installer";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "EFI Firmware Update";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Boot 2";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = 0;
        InstallPhase = "Language Chooser 2";
        InstallPhaseActualPercentageKey = 5;
        InstallPhasePercentageKey = 5;
    },
    {
        ConclusionDelay = "-1";
        InstallPhase = "OS Installer 2";
        InstallPhaseActualPercentageKey = 70;
        InstallPhasePercentageKey = 70;
    }
)

```

```

)
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env:
TMPDIR=/var/folders/zz/zyxvpxvq6csfxvn_n00000000000000/T/
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Env: __CF_USER_TEXT_ENCODING=0x0:0:0
Jul 11 09:44:52 Mac-Pro Installer Progress[57]: IASGetCurrentInstallPhase: Current
phase name is "OS Installer"
Jul 11 09:44:52 Mac-Pro Installer Progress[57]: currentPhase = "<IASPPPhase:
0x60000333e460: 'OS Installer', percentage 5.0, delay 0>", phases = (
    "<IASPPPhase: 0x60000333e2e0: 'Boot 1', percentage 5.0, delay 0>",
    "<IASPPPhase: 0x60000333ea60: 'Language Chooser', percentage 5.0, delay
0>",
    "<IASPPPhase: 0x60000333e460: 'OS Installer', percentage 5.0, delay 0>",
    "<IASPPPhase: 0x60000333e860: 'EFI Firmware Update', percentage 5.0, delay
0>",
    "<IASPPPhase: 0x60000333e6a0: 'Boot 2', percentage 5.0, delay 0>",
    "<IASPPPhase: 0x60000333e480: 'Language Chooser 2', percentage 5.0, delay
0>",
    "<IASPPPhase: 0x60000333e700: 'OS Installer 2', percentage 70.0, delay -
1>"
)
Jul 11 09:44:52 Mac-Pro Installer Progress[57]: Showing Progress UI
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Disabling system idle sleep.
Jul 11 09:44:52 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'OSInstaller' Id:0x500008015 Process:macOS
Update Assistant [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Setting shouldMigrate: 0 ((null))
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Skipping firmware update because the
machine is a MacPro 5,1.
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: Firmware update is not needed. Will skip.
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: SUSoftwareUpdateController: Service
connection invalidated!
Jul 11 09:44:52 Mac-Pro Installer Progress[57]: IASSetCurrentInstallPhase: Current
phase name set to "OS Installer 2"
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: InstallerDiagnostics: mUA: Did not find
prior build.
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: OSIPurgeSnapshotsElement: Purging
snapshots[9EF81C10-EB39-4091-8900-ADD68A06E62D](disk6s1): /Volumes/MAC SSD
Jul 11 09:44:52 Mac-Pro OSInstaller[220]: OSIPurgeSnapshotsElement: Purging
snapshots[21AE458F-C6BD-4C18-8B75-1D3C91402F89](disk6s5): /Volumes/TEST
Jul 11 09:44:53 Mac-Pro opendirectoryd[60]: [session] UID: 0, EUID: 0, GID: 0,
EGID: 0, PID: 231, PROC: apsd ODNNodeCreateWithNameAndOptions request, SessionID:
00000000-0000-0000-0000-000000000000, Name: /Search, Options: 0x0
Jul 11 09:44:53 Mac-Pro opendirectoryd[60]: [session]
ODNNodeCreateWithNameAndOptions failed with result 2000
Jul 11 09:44:53 Mac-Pro Installer Progress[57]: Status is "About 29 minutes
remaining..."
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Repairing storage system
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Performing fsck_apfs -y -x /dev/disk3s2
Jul 11 09:44:56 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000801f
Process:fsck_apfs [System: PrevIdle PrevDisp BGTask IntPrevDisp kDisp]
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Checking the container superblock.
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Checking the EFI jumpstart record.
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Checking the space manager.
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Checking the space manager free queue
trees.
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Checking the object map.
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Checking volume.
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Checking the APFS volume superblock.

```

Jul 11 09:44:56 Mac-Pro OSInstaller[220]: The volume MAC SSD was formatted by newfs_apfs (748.1.46) and last modified by apfs_kext (1640.0.0.111.2).
Jul 11 09:44:56 Mac-Pro OSInstaller[220]: Checking the object map.
Jul 11 09:44:57 Mac-Pro OSInstaller[220]: warning: Unable to read apfs_keylocker prange for fs (0x14ce1d) : Bad file descriptor
Jul 11 09:44:57 Mac-Pro OSInstaller[220]: Checking the snapshot metadata tree.
Jul 11 09:44:57 Mac-Pro OSInstaller[220]: Checking the snapshot metadata.
Jul 11 09:44:57 Mac-Pro OSInstaller[220]: Checking the extent ref tree.
Jul 11 09:45:06 Mac-Pro OSInstaller[220]: Checking the fsroot tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking volume.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the APFS volume superblock.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: The volume Preboot was formatted by newfs_apfs (748.1.46) and last modified by apfs_kext (1640.0.0.111.2).
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the object map.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the snapshot metadata tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the snapshot metadata.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the extent ref tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the fsroot tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking volume.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the APFS volume superblock.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: The volume Recovery was formatted by newfs_apfs (748.1.46) and last modified by apfs_kext (1640.0.0.111.2).
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the object map.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the snapshot metadata tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the snapshot metadata.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the extent ref tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the fsroot tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking volume.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the APFS volume superblock.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: The volume VM was formatted by newfs_apfs (748.1.46) and last modified by apfs_kext (945.275.7).
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the object map.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the snapshot metadata tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the snapshot metadata.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the extent ref tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the fsroot tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking volume.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the APFS volume superblock.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: The volume TEST was formatted by diskmanagement (1640.0.0.111.2) and last modified by apfs_kext (1640.0.0.111.2).
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the object map.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the snapshot metadata tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the snapshot metadata.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the extent ref tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Checking the fsroot tree.
Jul 11 09:45:26 Mac-Pro OSInstaller[220]: Verifying allocated space.
Jul 11 09:45:27 Mac-Pro OSInstaller[220]: The volume /dev/disk3s2 appears to be OK.
Jul 11 09:45:27 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000801f
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:27 Mac-Pro OSInstaller[220]: Storage system check exit code is 0.
Jul 11 09:45:27 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008023
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:27 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008023
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:28 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008024

Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:28 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008024
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:29 Mac-Pro OSInstaller[220]: Repair completed successfully.
Jul 11 09:45:33 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008025
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:33 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008025
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:33 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008026
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:33 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008026
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:35 Mac-Pro OSInstaller[220]: Set use ROSV paths to YES.
Jul 11 09:45:35 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008027
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:35 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008027
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:38 Mac-Pro OSInstaller[220]: ia.log is missing from mutable product,
creating at (null)
Jul 11 09:45:38 Mac-Pro OSInstaller[220]: Unable to create ia.log at (null)
Jul 11 09:45:38 Mac-Pro OSInstaller[220]: There is no ia.log in the mutable
product, and the OSInstaller was unable to create one.
Jul 11 09:45:38 Mac-Pro OSInstaller[220]: Failed to set com.apple.rootless on the
role account staging directory.
Jul 11 09:45:38 Mac-Pro OSInstaller[220]: Waking up update brain
Jul 11 09:45:39 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008028
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:39 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008028
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:45:40 Mac-Pro OSInstaller[220]: MSU: Starting preflight personalize
Jul 11 09:45:53 Mac-Pro Installer Progress[57]: Status is "About 28 minutes
remaining..."
Jul 11 09:46:04 Mac-Pro OSInstaller[220]: MSU: Starting preflight FDR
Jul 11 09:46:04 Mac-Pro OSInstaller[220]: MSU: Starting prepare
Jul 11 09:46:53 Mac-Pro Installer Progress[57]: Status is "About 27 minutes
remaining..."
Jul 11 09:47:53 Mac-Pro Installer Progress[57]: Status is "About 26 minutes
remaining..."
Jul 11 09:48:53 Mac-Pro Installer Progress[57]: Status is "About 25 minutes
remaining..."
Jul 11 09:49:53 Mac-Pro Installer Progress[57]: Status is "About 24 minutes
remaining..."
Jul 11 09:50:39 Mac-Pro powerd[44]: Assertion TimedOut.
Type:InternalPreventDisplaySleep Name:'com.apple.powermanagement.delayDisplayOff'
Id:0x1000008006 Process:powerd [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 09:50:53 Mac-Pro Installer Progress[57]: Status is "About 23 minutes
remaining..."
Jul 11 09:51:53 Mac-Pro Installer Progress[57]: Status is "About 22 minutes
remaining..."
Jul 11 09:52:53 Mac-Pro Installer Progress[57]: Status is "About 21 minutes

remaining..."
Jul 11 09:53:53 Mac-Pro Installer Progress[57]: Status is "About 20 minutes remaining..."
Jul 11 09:54:53 Mac-Pro Installer Progress[57]: Status is "About 19 minutes remaining..."
Jul 11 09:55:53 Mac-Pro Installer Progress[57]: Status is "About 18 minutes remaining..."
Jul 11 09:56:53 Mac-Pro Installer Progress[57]: Status is "About 17 minutes remaining..."
Jul 11 09:57:53 Mac-Pro Installer Progress[57]: Status is "About 16 minutes remaining..."
Jul 11 09:58:53 Mac-Pro Installer Progress[57]: Status is "About 15 minutes remaining..."
Jul 11 09:59:53 Mac-Pro Installer Progress[57]: Status is "About 14 minutes remaining..."
Jul 11 10:00:36 Mac-Pro OSInstaller[220]: MSU: Suspending update
Jul 11 10:00:36 Mac-Pro OSInstaller[220]: MSU: Resuming update
Jul 11 10:00:48 Mac-Pro OSInstaller[220]: MSU: Starting apply
Jul 11 10:00:53 Mac-Pro Installer Progress[57]: Status is "About 13 minutes remaining..."
Jul 11 10:01:05 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008029
Process:fsck_apfs [System: PrevIdle PrevDisp kDisp]
Jul 11 10:01:05 Mac-Pro powerd[44]: Assertion TurnedOn.
Type:InternalPreventDisplaySleep Name:'com.apple.powermanagement.delayDisplayOff' Id:0x1000008006 Process:powerd [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 10:01:05 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x500008029
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 10:01:05 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000802a
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 10:01:05 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000802a
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 10:01:05 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000802b
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 10:01:05 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000802b
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 10:01:05 Mac-Pro powerd[44]: Assertion Created.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000802c
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 10:01:05 Mac-Pro storagekitd[222]: Failed to get partition start locations.
Jul 11 10:01:06 Mac-Pro powerd[44]: Assertion Released.
Type:PreventUserIdleDisplaySleep Name:'Running FSCK' Id:0x50000802c
Process:fsck_apfs [System: PrevIdle PrevDisp IntPrevDisp kDisp]
Jul 11 10:01:06 Mac-Pro storagekitd[222]: Failed to get partition start locations.
Jul 11 10:01:06 Mac-Pro storagekitd[222]: Failed to get partition start locations.
Jul 11 10:01:06 Mac-Pro OSInstaller[220]: MSU: Successfully prepared update
Jul 11 10:01:07 Mac-Pro storagekitd[222]: Failed to get partition start locations.
Jul 11 10:01:07 Mac-Pro OSInstaller[220]: ----- Install Succeeded -----