

Nov 14 05:40:34 localhost configd[112]: Starting "configd" plugin thread
Nov 14 05:40:35 localhost configd[112]: thread id=0x700000117000
Nov 14 05:40:35 localhost configd[112]: searching for bundles in "/System/Library/SystemConfiguration"
Nov 14 05:40:39 localhost opendirectoryd[123]: opendirectoryd (build 406) launched - installer mode
Nov 14 05:40:39 localhost opendirectoryd[123]: Logging level limit changed to 'notice'
Nov 14 05:40:39 localhost configd[112]: loading bundles
Nov 14 05:40:39 localhost configd[112]: adding
com.apple.SystemConfiguration.InterfaceNamer
Nov 14 05:40:39 localhost configd[112]: loading
com.apple.SystemConfiguration.ISPreference
Nov 14 05:40:40 localhost opendirectoryd[123]: Initialize trigger support
Nov 14 05:40:40 localhost opendirectoryd[123]: created endpoint for mach service
'com.apple.private.opendirectoryd.rpc'
Nov 14 05:40:40 localhost opendirectoryd[123]: set default handler for RPC
'reset_cache'
Nov 14 05:40:40 localhost opendirectoryd[123]: set default handler for RPC
'reset_statistics'
Nov 14 05:40:40 localhost opendirectoryd[123]: set default handler for RPC 'show'
Nov 14 05:40:40 localhost opendirectoryd[123]: starting endpoint for service
'com.apple.private.opendirectoryd.rpc'
Nov 14 05:40:41 localhost opendirectoryd[123]: no dynamic data found at '/System/Library/OpenDirectory/DynamicData/Configure.plist'
Nov 14 05:40:41 localhost opendirectoryd[123]: Registered node with name '/Configure' as hidden
Nov 14 05:40:41 localhost opendirectoryd[123]: no dynamic data found at '/System/Library/OpenDirectory/DynamicData/Local.plist'
Nov 14 05:40:41 localhost opendirectoryd[123]: Registered node with name '/Local' as hidden
Nov 14 05:40:46 localhost configd[112]: com.apple.SystemConfiguration.ISPreference load failed
Nov 14 05:40:46 localhost configd[112]: dlopen_preflight(/System/Library/SystemConfiguration/InternetSharingPreference.bundle/Contents/MacOS/InternetSharingPreference): Library not loaded: /System/Library/PrivateFrameworks/Netrb.framework/Versions/A/Netrb
Nov 14 05:40:46 localhost configd[112]: Referenced from: /System/Library/SystemConfiguration/InternetSharingPreference.bundle/Contents/MacOS/InternetSharingPreference
Nov 14 05:40:46 localhost configd[112]: Reason: image not found
Nov 14 05:40:46 localhost configd[112]: loading
com.apple.SystemConfiguration.ApplicationFirewall
Nov 14 05:40:46 localhost configd[112]: adding
com.apple.SystemConfiguration.KernelEventMonitor
Nov 14 05:40:46 localhost configd[112]: adding
com.apple.SystemConfiguration.LinkConfiguration
Nov 14 05:40:46 localhost configd[112]: adding

com.apple.SystemConfiguration.PreferencesMonitor
Nov 14 05:40:46 localhost configd[112]: loading
com.apple.SystemConfiguration.EAPOLController
Nov 14 05:40:47 localhost configd[112]: loading
com.apple.SystemConfiguration.IPConfiguration
Nov 14 05:40:48 localhost configd[112]: adding
com.apple.SystemConfiguration.IPMonitor
Nov 14 05:40:48 localhost configd[112]: calling bundle load() functions
Nov 14 05:40:49 localhost configd[112]: load() called
Nov 14 05:40:49 localhost configd[112]: bundle ID =
com.apple.SystemConfiguration.KernelEventManager
Nov 14 05:40:49 localhost configd[112]: load() called
Nov 14 05:40:49 localhost configd[112]: bundle ID =
com.apple.SystemConfiguration.LinkConfiguration
Nov 14 05:40:49 localhost configd[112]: IONetworkStack found
Nov 14 05:40:49 localhost configd[112]: load() called
Nov 14 05:40:49 localhost configd[112]: bundle ID =
com.apple.SystemConfiguration.PreferencesMonitor
Nov 14 05:40:50 localhost configd[112]: Created a new element to watch for
com.apple.SystemConfiguration.plist
Nov 14 05:40:50 localhost configd[112]: calling bundle start() functions
Nov 14 05:40:52 localhost configd[112]: calling bundle prime() functions
Nov 14 05:40:52 localhost configd[112]: prime() called
Nov 14 05:40:52 localhost configd[112]: updating configuration
Nov 14 05:40:52 localhost configd[112]: prime() called
Nov 14 05:40:52 localhost configd[112]: updateConfiguration(): no preferences
Nov 14 05:40:52 localhost configd[112]: Update interface link status: lo0: <removed>
Nov 14 05:40:52 localhost configd[112]: Update interface link quality: lo0: <dictionary> {
Nov 14 05:40:52 localhost configd[112]: LinkQuality : 100
Nov 14 05:40:52 localhost configd[112]: }
Nov 14 05:40:52 localhost configd[112]: Update interface link status: gif0: <removed>
Nov 14 05:40:52 localhost configd[112]: Update interface link quality: gif0: <removed>
Nov 14 05:40:52 localhost configd[112]: Update interface link status: stf0: <removed>
Nov 14 05:40:52 localhost configd[112]: Update interface link quality: stf0: <removed>
Nov 14 05:40:52 localhost configd[112]: Update interface configuration: State:/Network/
Interface/lo0/IPv4: <dictionary> {
Nov 14 05:40:52 localhost configd[112]: Addresses : <array> {
Nov 14 05:40:52 localhost configd[112]: 0 : 127.0.0.1
Nov 14 05:40:52 localhost configd[112]: }
Nov 14 05:40:52 localhost configd[112]: BroadcastAddresses : <array> {
Nov 14 05:40:52 localhost configd[112]: 0 : 127.0.0.1
Nov 14 05:40:52 localhost configd[112]: }
Nov 14 05:40:52 localhost configd[112]: SubnetMasks : <array> {
Nov 14 05:40:52 localhost configd[112]: 0 : 255.0.0.0
Nov 14 05:40:52 localhost configd[112]: }
Nov 14 05:40:52 localhost configd[112]: }
Nov 14 05:40:52 localhost configd[112]: Update interface configuration: State:/Network/

Interface/lo0/IPv6: <dictionary> {
Nov 14 05:40:52 localhost configd[112]: Addresses : <array> {
Nov 14 05:40:52 localhost configd[112]: 0 ::1
Nov 14 05:40:52 localhost configd[112]: 1 : fe80::1
Nov 14 05:40:52 localhost configd[112]: }
Nov 14 05:40:52 localhost configd[112]: Flags : <array> {
Nov 14 05:40:52 localhost configd[112]: 0 : 0
Nov 14 05:40:52 localhost configd[112]: 1 : 0
Nov 14 05:40:52 localhost configd[112]: }
Nov 14 05:40:52 localhost configd[112]: PrefixLength : <array> {
Nov 14 05:40:52 localhost configd[112]: 0 : 128
Nov 14 05:40:52 localhost configd[112]: 1 : 64
Nov 14 05:40:52 localhost configd[112]: }
Nov 14 05:40:52 localhost configd[112]: }
Nov 14 05:40:52 localhost configd[112]: Process IPv4 address change: lo0: 2
Nov 14 05:40:57 localhost opendirectoryd[123]: 124.1 - Client: apsd, UID: 0, EUID: 0,
GID: 0, EGID: 0
Nov 14 05:40:57 localhost opendirectoryd[123]: 124.1 -
ODNodeCreateWithNameAndOptions request, SessionID:
00000000-0000-0000-0000-000000000000, Name: /Search, Options: 0x0
Nov 14 05:40:57 localhost opendirectoryd[123]: 124.1 -
ODNodeCreateWithNameAndOptions failed with error 'Unknown node name' (2000)
Nov 14 05:40:59 localhost configd[112]: starting plugin CFRRunLoop
Nov 14 05:40:59 Mac-Pro configd[112]: setting hostname to "Mac-Pro.local"
Nov 14 05:40:59 Mac-Pro configd[112]: network changed: DNS*
Nov 14 05:40:59 Mac-Pro configd[112]: network changed
Nov 14 05:41:00 Mac-Pro Unknown[440]: kern.boottime: { sec = 1447508413, usec =
0 } Sat Nov 14 05:40:13 2015
Nov 14 05:41:01 Mac-Pro Unknown[450]: Launching the Language Chooser for an OS
Install
Nov 14 05:41:12 Mac-Pro configd[112]: IOKit quiet
Nov 14 05:41:12 Mac-Pro configd[112]: Interface assigned unit 0 (built-in)
Nov 14 05:41:12 Mac-Pro configd[112]: Process interface attach: en0
Nov 14 05:41:12 Mac-Pro configd[112]: BSD Name: en0, Type: 6, Unit: 0, MAC
address: 00:17:f2:01:1b:30
Nov 14 05:41:12 Mac-Pro configd[112]: Interface assigned unit 1 (built-in)
Nov 14 05:41:12 Mac-Pro configd[112]: BSD Name: en1, Type: 6, Unit: 1, MAC
address: 00:17:f2:01:1b:31
Nov 14 05:41:12 Mac-Pro configd[112]: Interface assigned unit 0 (built-in)
Nov 14 05:41:12 Mac-Pro configd[112]: Update interface link status: en0: <dictionary> {
Nov 14 05:41:12 Mac-Pro configd[112]: Active : FALSE
Nov 14 05:41:12 Mac-Pro configd[112]: }
Nov 14 05:41:12 Mac-Pro configd[112]: Update interface link quality: en0: <removed>
Nov 14 05:41:12 Mac-Pro configd[112]: Process interface attach: en1
Nov 14 05:41:12 Mac-Pro configd[112]: BSD Name: fw0, Type: 144, Unit: 0, MAC
address: 00:16:cb:ff:fe:6c:95:94
Nov 14 05:41:12 Mac-Pro configd[112]: Interface assigned unit 2 (built-in)

```

Nov 14 05:41:12 Mac-Pro configd[112]: BSD Name: en2, Type: 6, Unit: 2, MAC
address: 00:19:e3:df:af:fb
Nov 14 05:41:12 Mac-Pro configd[112]: Update interface link status: en1: <dictionary> {
Nov 14 05:41:12 Mac-Pro configd[112]: Active : FALSE
Nov 14 05:41:12 Mac-Pro configd[112]: }
Nov 14 05:41:12 Mac-Pro configd[112]: Update interface link quality: en1: <removed>
Nov 14 05:41:12 Mac-Pro configd[112]: No current set
Nov 14 05:41:12 Mac-Pro configd[112]: Process interface attach: fw0
Nov 14 05:41:12 Mac-Pro configd[112]: Update interface link status: fw0: <dictionary> {
Nov 14 05:41:12 Mac-Pro configd[112]: Active : FALSE
Nov 14 05:41:12 Mac-Pro configd[112]: }
Nov 14 05:41:12 Mac-Pro configd[112]: Update interface link quality: fw0: <removed>
Nov 14 05:41:12 Mac-Pro configd[112]: Process interface attach: en2
Nov 14 05:41:12 Mac-Pro configd[112]: Update interface link status: en2: <removed>
Nov 14 05:41:12 Mac-Pro configd[112]: Update interface link quality: en2: <removed>
Nov 14 05:41:12 Mac-Pro configd[112]: New network configuration saved
Nov 14 05:41:12 Mac-Pro configd[112]: updating configuration
Nov 14 05:41:12 Mac-Pro configd[112]: Process protocol attach: en0 (n=1)
Nov 14 05:41:16 Mac-Pro opendiroryd[123]: 124 - Client: 'apsd', exited with 0
session(s), 0 node(s) and 0 active request(s)
Nov 14 05:41:17 Mac-Pro configd[112]: Process interface link down: en2
Nov 14 05:41:17 Mac-Pro configd[112]: Update interface link status: en2: <dictionary> {
Nov 14 05:41:17 Mac-Pro configd[112]: Active : FALSE
Nov 14 05:41:17 Mac-Pro configd[112]: }
Nov 14 05:41:17 Mac-Pro configd[112]: Process protocol attach: en0 (n=2)
Nov 14 05:41:17 Mac-Pro configd[112]: Process protocol attach: en1 (n=1)
Nov 14 05:41:20 Mac-Pro Unknown[452]: 2015-11-14 05:41:20.835 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:20 Mac-Pro Unknown[452]: (
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f32dd0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f32e80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33a30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33b00>";

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33bb0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33c70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33d20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33be0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33ea0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33f50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34000>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34130>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f341e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34290>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34340>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansNKO;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f343f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f344a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOIChiki;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f345e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34690>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34740>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f347f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f348a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f34950>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34a00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34ab0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34b60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34c10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34d90>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34e40>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34ef0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34fa0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35050>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLinearB;

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35100>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f351b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35260>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35310>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f353c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35470>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35520>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f355d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35680>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {

```



```

Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35730>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f357e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34cc0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ac0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35b70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35c20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35cd0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35d80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35e30>";

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ee0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:20 Mac-Pro Unknown[452]: }
Nov 14 05:41:20 Mac-Pro Unknown[452]: )
Nov 14 05:41:20 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:20 Mac-Pro Unknown[452]: 2015-11-14 05:41:20.853 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:20 Mac-Pro Unknown[452]: (
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f346f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f347a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34850>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34920>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f349d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34a90>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34b40>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f34a00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f34cc0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f34d70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f34e20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f34f50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35000>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f350b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35160>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35210>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f352c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansOlChiki;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35400>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansPhagsPa;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f354b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansRejang;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35560>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansRunic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35610>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansSamaritan;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f356c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35770>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansSylotiNagri;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35820>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansSyriacEastern;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f358d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansTagalog;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35980>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansTagbanwa;

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35bb0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35c60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35d10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35dc0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35e70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35f20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33800>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f338b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33960>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33a10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33ac0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33b70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33c20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33cd0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33d80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33e30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ae0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34080>";

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34110>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f341c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34270>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34320>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f343d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34480>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36550>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:20 Mac-Pro Unknown[452]: }
Nov 14 05:41:20 Mac-Pro Unknown[452]: )
Nov 14 05:41:20 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:20 Mac-Pro Unknown[452]: 2015-11-14 05:41:20.897 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:20 Mac-Pro Unknown[452]: (
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76040>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e760f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansHanunoo;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e761a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansBatak;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76270>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76320>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e763e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76490>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76350>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76610>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e766c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8e76770>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansLisu;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e768a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansMandaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76950>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansMongolian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansNewTaiLue;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ab0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansNKo;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76b60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansOgham;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76c10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansOIChiki;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76d50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansPhagsPa;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76e00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansRejang;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76eb0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansRunic;

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76f60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77010>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e770c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77170>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77220>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e772d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77380>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77500>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e775b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77660>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77710>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77870>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77920>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e779d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77b30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77be0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c90>";

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d40>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77df0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ea0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77430>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e781a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78230>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e782e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78390>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e78440>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e784f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e785a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e78650>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:20 Mac-Pro Unknown[452]: }
Nov 14 05:41:20 Mac-Pro Unknown[452]: )
Nov 14 05:41:20 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:20 Mac-Pro Unknown[452]: 2015-11-14 05:41:20.912 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:20 Mac-Pro Unknown[452]: (
Nov 14 05:41:20 Mac-Pro Unknown[452]:   {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8e76040>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:20 Mac-Pro Unknown[452]:   },
Nov 14 05:41:20 Mac-Pro Unknown[452]:   {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8e760f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:20 Mac-Pro Unknown[452]:   },
Nov 14 05:41:20 Mac-Pro Unknown[452]:   {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8e761a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:20 Mac-Pro Unknown[452]:   },
Nov 14 05:41:20 Mac-Pro Unknown[452]:   {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8e76270>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:   },
Nov 14 05:41:20 Mac-Pro Unknown[452]:   {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e76320>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansCoptic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e763e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76490>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76350>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansKayahLi;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76610>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansCuneiform;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e766c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansLimbu;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76770>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansLisu;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e768a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansMandaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76950>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansMongolian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:    },
Nov 14 05:41:20 Mac-Pro Unknown[452]:    {
Nov 14 05:41:20 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:    name = NotoSansNewTaiLue;

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ab0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansNKo;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76b60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76c10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76d50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76e00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76eb0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76f60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77010>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e770c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77170>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77220>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e772d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77380>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77500>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e775b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77660>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77710>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77870>";

```



```

Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77920>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e779d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77b30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77be0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c90>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d40>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77df0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ea0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77430>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e781a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78230>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e782e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78390>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78440>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e785a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e78650>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     }
Nov 14 05:41:20 Mac-Pro Unknown[452]: )
Nov 14 05:41:20 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:20 Mac-Pro Unknown[452]: 2015-11-14 05:41:20.933 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:20 Mac-Pro Unknown[452]: (
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33b70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33c20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33cd0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33da0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33e50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33f10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33fc0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33e80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansKayahLi;

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34140>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f341f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f342a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f343d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34480>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f345e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34690>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansNKo;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34740>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f347f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOIChiki;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34930>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f349e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34a90>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34b40>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34bf0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34ca0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34d50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34e00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34eb0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34f60>";

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f350e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35190>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35240>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f352f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f353a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35450>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35500>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f355b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35660>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35710>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f357c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35870>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35920>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f359d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35b30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35010>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35d80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f35e10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ec0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36510>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f365a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36650>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36700>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f367b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     }
Nov 14 05:41:20 Mac-Pro Unknown[452]: )
Nov 14 05:41:20 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:20 Mac-Pro Unknown[452]: 2015-11-14 05:41:20.948 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:20 Mac-Pro Unknown[452]: (
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34840>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f348f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;

```



```

Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f349a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansBatak;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34a70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34b20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34be0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34c90>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34b50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34e10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34ec0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34f70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f350a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35150>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35200>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f352b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35360>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35410>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35550>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35600>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f356b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35760>";

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35810>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f358c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35970>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ad0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35b80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35d00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35db0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35e60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8f35f10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8f33910>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8f339c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8f33a70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8f33b20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8f33bd0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8f33c80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8f33d30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8f33de0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f33e90>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33f40>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33ff0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f340a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35c30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f342f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34380>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34430>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36510>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f365a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f36650>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f36700>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f367b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:20 Mac-Pro Unknown[452]: }
Nov 14 05:41:20 Mac-Pro Unknown[452]: )
Nov 14 05:41:20 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:20 Mac-Pro Unknown[452]: 2015-11-14 05:41:20.969 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:20 Mac-Pro Unknown[452]: (
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c41140>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c411f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c412a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c41370>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c41420>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c414e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41590>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41450>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41710>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c417c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41870>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c419a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41a50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41b00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41bb0>";

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansNKo;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41c60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41d10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOIChiki;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41d80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42400>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c424b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42560>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42610>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c426c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42770>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },

```



```

Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42820>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c428d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42980>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42b00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42bb0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42c60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42d10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42dc0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42e70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c42f20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42fd0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43080>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43130>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c431e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43290>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43340>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c433f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c434a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43550>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c42a30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c437a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43830>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c438e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43990>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43a40>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43af0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43ba0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:20 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43c50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:20 Mac-Pro Unknown[452]: }
Nov 14 05:41:20 Mac-Pro Unknown[452]: )

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:20 Mac-Pro Unknown[452]: 2015-11-14 05:41:20.987 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:20 Mac-Pro Unknown[452]: (
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41140>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c411f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c412a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41370>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41420>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c414e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41590>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41450>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41710>";

```

Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c417c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41870>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c419a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41a50>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41b00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41bb0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41c60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41d10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41d80>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42400>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c424b0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42560>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42610>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c426c0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42770>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42820>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c428d0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42980>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c42b00>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42bb0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42c60>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42d10>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42dc0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42e70>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42f20>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42fd0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43080>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:20 Mac-Pro Unknown[452]:     },
Nov 14 05:41:20 Mac-Pro Unknown[452]:     {
Nov 14 05:41:20 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43130>";
Nov 14 05:41:20 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;

```

```

Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c431e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c43290>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c43340>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c433f0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c434a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c43550>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c42a30>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c437a0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c43830>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {

```



```

Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c438e0>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43990>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:20 Mac-Pro Unknown[452]: {
Nov 14 05:41:20 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43a40>";
Nov 14 05:41:20 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:20 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43af0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43ba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43c50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.003 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e75fc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76120>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e761f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e762a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76360>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76410>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e762d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76640>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e766f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e768d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76b90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76cd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76d80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76e30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ee0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e76f90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77040>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e770f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e771a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77250>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77300>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77480>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77530>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e775e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77690>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansYi;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77740>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77950>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ab0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77b60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77cc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77e20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ed0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e773b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e781b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e783c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78470>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e785d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.012 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f359d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35aa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35b50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35c10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35cc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35b80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35e40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35ef0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f36530>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f36660>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f36710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f367c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f36870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNKo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8f36920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f369d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36dd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36e80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36f30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36fe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f372c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f374d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37580>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f376e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37790>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37840>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f378f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f379a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37bb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37c60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f371f0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37f60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ff0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f380a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f382b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38360>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38410>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.027 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77bb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77de0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77e90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78000>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78180>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e78230>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e782e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78410>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e786d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e788c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78a20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ad0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78b80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78c30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ce0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78d90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78e40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ef0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e791d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79330>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e793e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79490>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79540>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e795f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e796a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79750>";

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79800>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e798b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79960>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79a10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79ac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78fa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79f00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79fb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a060>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a110>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a1c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.036 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f341d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f34350>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f344c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f347a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34ae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34d00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34db0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34e60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34fa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35050>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35100>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f351b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f353c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f355d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35750>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35800>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f358b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35960>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a10>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35b70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35c20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35cd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35d80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35e30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ee0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f365c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35680>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36ab0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36b60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36c10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36cc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f36d70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36e20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.051 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e768a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76950>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ad0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76b80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76c40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76cf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e76bb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e76e70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e76f20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e76fd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e77100>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e771b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e77260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e77310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e773c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e775b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77660>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e779d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77b30>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77be0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77e10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e780d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78180>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78230>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e782e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78390>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78440>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e785a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e787b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e78a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78a90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78b40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78e00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78eb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.060 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f343c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f34470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f36550>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f36600>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f366c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f36770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f36630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f368f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f369a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36a50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36b80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36c30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36ce0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNKO;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36e40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36ef0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37030>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f370e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37190>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37240>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f372f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f373a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37500>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f375b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37660>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f377e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37890>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37940>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f379f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37aa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37c00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37cb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37d60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37e10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f37f70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f380d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38180>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38230>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38480>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f385c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "(<__NSCFCharacterSet: 0x7fc8a8f38720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "(<__NSCFCharacterSet: 0x7fc8a8f387d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "(<__NSCFCharacterSet: 0x7fc8a8f38880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "(<__NSCFCharacterSet: 0x7fc8a8f38930>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.076 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8c41520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8c415d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8c41680>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8c41750>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41800>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c418c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41af0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41ba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41c50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41d80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41e80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41f30>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41fe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42330>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c423e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42490>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42540>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c425f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c426a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c42750>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c42800>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c428b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c42a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c42ae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c42b90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c42c40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c42cf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c42da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42f00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42fb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43060>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43110>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c431c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43270>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43320>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c433d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43480>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42960>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c436d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43760>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43810>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c438c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43a20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43ad0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43b80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:      name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.086 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:      {
Nov 14 05:41:21 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b600>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:      name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b6b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:      name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b760>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:      name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:      name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b8e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:      name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b9a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:      name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ba50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:      name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b910>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bbd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bd30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bfc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c1d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c3c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c5d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c680>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c730>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c7e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c890>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4c940>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cb70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ccd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cee0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d040>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansGothic;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4d0f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4d1a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4d250>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4d300>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4d3b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4d460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4d510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4c9f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4d760>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d7f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d8a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d950>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4da00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dab0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4db60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dc10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.103 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42df0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42ea0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42f50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c430d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43240>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43100>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c433c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c437b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43860>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c439c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43b00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43bb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43c60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8c43d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43dc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43e70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43f20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43fd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c442b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44360>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44410>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansVai;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c444c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c446d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c448e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44990>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44a40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44af0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44ba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44c50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44d00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c441e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44f50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44fe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c451f0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c452a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45350>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.114 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a1f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a2a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a4e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a7c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4a9a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4aa50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ab00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4abb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansNKO;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ac60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ad10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ad80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4af70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b0d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b180>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b230>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b2e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSyriacEastern;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b390>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b440>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b4f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b7d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b930>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b9e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ba90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bb40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bbf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bd50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4beb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c010>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0c0>";

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b5a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c3a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c500>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c5b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c660>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c7c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.129 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c432b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c434f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c435a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c43720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c437d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c439b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43a60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43d20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43e60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43f10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43fc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c441d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44330>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c443e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44490>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44610>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c446c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c448d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44ae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44b90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44c40>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44cf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44f00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44fb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45060>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44540>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c452b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c453f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c454a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45550>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45600>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c456b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45760>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.139 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f352e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35390>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f35440>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f355c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35680>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35730>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f355f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f358b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35960>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35b40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f35bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f35ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f35d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f35e00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f35eb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f35f20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f33d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f33e00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f33eb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33f60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34010>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f340c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34170>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f342d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f365c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36670>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f367d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36930>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f369e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36a90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36b40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f36d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f36e00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f36eb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f34380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f37100>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f37190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f37240>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f372f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f373a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f37450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37500>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f375b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.155 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e767b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76860>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e769e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76b50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76c00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76d80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76e30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ee0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77010>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e770c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77170>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e772d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e774c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e776d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e778e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77990>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77af0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77dd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77e80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77fe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e781f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e782a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78350>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78610>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e786c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e77ba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e789a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78a50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78b00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78bb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78c60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78dc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.165 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f33cc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f33d70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f33e20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f33ef0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f33fa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f34060>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f34110>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f33fd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f34290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f343f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f353c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNKo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f355d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f357c0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f359d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35b30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35be0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35c90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35d40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f365a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f367b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36860>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f369c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36a70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f36b20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36bd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36c80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36de0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36e90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35df0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f370e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37170>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f372d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f37380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f37430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f374e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8f37590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.180 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c43490>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c43540>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c435f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c436c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c438e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c437a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43a60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43cf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43da0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43f00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43fb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44060>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c441a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44250>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44300>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c443b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c445c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c447d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44950>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44ab0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44b60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c44c10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44cc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44d70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44e20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44ed0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44f80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45030>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c450e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45240>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCypriot;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c452f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c453a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c44880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c455f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c45680>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c45730>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c457e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c45890>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c45940>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c459f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45aa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.189 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e767d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76950>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76b70>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76cf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76f80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77030>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e770e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77240>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e772f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e774e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77640>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e776f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8e779b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77be0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77df0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ea0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78000>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e780b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldItalic;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78160>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78210>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e782c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e784d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78580>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e77b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e789c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78a70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78b20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78bd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78c80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78d30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.204 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ef0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77fa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78050>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e781d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78750>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78800>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e788b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78960>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78a10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78c00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78cb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e78d60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78e10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78f70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e790d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79180>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79230>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e793b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e79510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e795c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e79670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e79720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e797d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e79880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e79930>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e799e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e79a90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79b40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79e00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e792e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a050>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a0e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a240>";

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a2f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a3a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a500>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.214 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41ee0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c41f90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42040>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42110>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c421c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42330>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c421f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c424b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c426e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42810>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c428c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c42970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42a20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansNKO;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42ad0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42b80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42cc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42d70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42e20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42ed0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42f80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43030>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSylotiNagri;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c430e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43240>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c432f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c435d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43680>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43730>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c437e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43890>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43940>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c439f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43aa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43b50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43c00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43cb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43d60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43e10>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c433a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44110>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c441a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44250>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44300>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c443b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c445c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.229 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c1a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4c1d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c490>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c540>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c5f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c7d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c930>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c9e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cbd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cde0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cff0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d0a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d4e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d640>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d6f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d7a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d900>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d9b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4da60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4db10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dbc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dc70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dd20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ddd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d2b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e0b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e160>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e210>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e2c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e4d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.239 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4bf70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c1a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c1d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c490>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c540>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c5f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLisu;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c7d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c930>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c9e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4ca90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cbd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cc80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cd30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cde0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cff0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d0a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d4e0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d640>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d6f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d7a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d9b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4da60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4db10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dbc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dc70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dd20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ddd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d2b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e0b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e160>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e210>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4e2c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e4d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.263 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4aaa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ab50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ac00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4acd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ad80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4ae40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4aef0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4adb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4b070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4b120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4b1d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4b300>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4b3b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4b460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b5c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b7b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b860>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b9c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ba70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bb20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bbd0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bd30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bde0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c010>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c170>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c2d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c640>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c6f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c7a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4c9b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cdf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cea0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d000>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d0b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansEgyptianHieroglyphs;

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]:)
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.275 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76c90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76d40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76e00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76eb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76d70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {


```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77030>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e770e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e772c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e774d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77580>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77770>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e778d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77b90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77cf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77fd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e781e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e783f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e78550>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78600>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e786b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78760>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78810>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e788c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78c50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldSouthArabian;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78d00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78db0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78e60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78f10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78fc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.294 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ab0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76b60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76c30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ce0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76fd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77260>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e773c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e775d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e779d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77b30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77be0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8e780d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78180>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78230>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e782e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78390>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78440>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e785a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOsmanya;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e787b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78860>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e77df0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78b60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78e00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78eb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78f60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79010>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.306 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c170>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c2d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c3a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c510>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c5c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c480>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c740>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c7f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c8a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c9d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cb30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cbe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cfe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d1f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d2a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4d350>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d4b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d6e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d790>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d840>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d8f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d9a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4da50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4db00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4dbb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4dc60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4dd10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4ddc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4de70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4df20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4dfd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4e080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e2d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e360>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e410>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e4c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e6d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4e780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.325 Language

```


Chooser[451:7336] TSplicedFont failed creating descriptor for:

```
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8d4b460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8d4b510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8d4b5c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8d4b690>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8d4b740>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8d4b800>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8d4b8b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8d4b770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8d4bb60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bcc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bdf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bea0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c000>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNKo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c160>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c2a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4c350>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c610>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c6c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c8d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiViet;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cb00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cbb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cdc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cfd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d1e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d3f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d4a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d6f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d830>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d8e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d990>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4da40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4daf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.334 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b5c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b690>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b740>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b800>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b8b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bb60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bcc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bdf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4bea0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c000>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c160>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c2a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c350>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c610>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c6c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c8d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4ca50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cb00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cbb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cc60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cdc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cfd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d1e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d340>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d3f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d4a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d6f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d8e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d990>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4da40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4daf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.354 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ab0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76b60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76c30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ce0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e76e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76fd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e773c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e775d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e77710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e777c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e77870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e77920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e779d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e77a80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e77b30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8e77be0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e780d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78180>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78230>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e782e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78390>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78440>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e785a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e787b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78860>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77df0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78b60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78e00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78eb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e78f60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8e79010>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.364 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4b3b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b5e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b690>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b750>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b800>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b6c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ba30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bb90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bcc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bd70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bed0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNKo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c030>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c170>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c2d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c640>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c6f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c7a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c9d0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cb30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cbe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cdf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cea0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d000>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d0b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d160>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d210>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d2c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d5c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4d7b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d860>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d9c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4da70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.379 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f36df0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f36eb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f36f60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f36e20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f370e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37240>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f37420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f374d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37580>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNKO;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f376e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f378d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b90>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37c40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37cf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37fd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f381e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f383f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f384a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38550>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38600>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f386b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38760>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38810>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f388c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f38970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38a20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37f00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38d00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38db0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38e60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38f10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38fc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "(<__NSCFCharacterSet: 0x7fc8a8f39120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.389 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8e76bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8e76ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8e76d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8e76e20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8e76ed0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8e76f90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "(<__NSCFCharacterSet: 0x7fc8a8e77040>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76f00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e771c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77270>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77320>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77500>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e775b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77660>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777c0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e779b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77dd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77e80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e780b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78160>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78210>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e782c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78580>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8e78630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e786e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78790>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78840>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e788f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e789a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78a50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78b00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77fe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansKharoshthi;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78de0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78e90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78f40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ff0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e790a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.410 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f340f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f341a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34250>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34320>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f343d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34490>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f354b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35560>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35690>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35740>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f357f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f358a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35950>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35b40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36550>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36600>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f366b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36760>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36810>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f368c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36af0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36ba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f36c50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36db0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36e60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36f10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36fc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f371d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37330>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f373e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37490>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37540>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36a20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37790>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f378d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37c40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.419 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c421c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42270>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42320>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c423f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c424a0>";

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c426e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c424d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42860>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c429c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42af0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42ba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42c50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42d00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNKO;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42db0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42e60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42fa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43050>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43100>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c431b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c433c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c435d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43750>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43800>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c438b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43960>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43a10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43ac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLycian;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43b70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43c20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43cd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43d80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43e30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43ee0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c43f90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44040>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c440f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c441a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43680>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c443f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44480>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44530>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c445e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44690>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44740>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c447f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c448a0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.434 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b2d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b500>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b5b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b5e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b8a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ba10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bbf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bd50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4beb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4c0a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c2b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c360>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c410>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c6d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4c9b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4ca60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cb10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cbc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cc70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cd20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8d4cdd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cfe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d1f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d2a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d4f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d580>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d6e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d790>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d840>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d8f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d9a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.475 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f355a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f357d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35940>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f359f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f358b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35b70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35c20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35cd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f33e90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33f40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f33ff0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f340a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f34340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f343f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f344a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f366d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f368e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36990>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36dd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36e80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36f30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36fe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f371f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f372a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37350>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f374b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36a40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f377b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37840>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f378f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f379a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37bb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37c60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.492 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43df0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43ea0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43f50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c440d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c44190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44240>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44100>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c443c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c447b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44860>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansNKo;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44910>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c449c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44b00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44bb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44c60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44dc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44e70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44f20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44fd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c452b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45360>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45410>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c454c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c456d0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c458e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45990>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45a40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45af0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45ba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45c50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45d00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c451e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45f50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45fe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c46090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c46140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c461f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c462a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c46350>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c46400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.552 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:

```
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8d4b250>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8d4b300>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8d4b3b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8d4b480>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8d4b530>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8d4b5f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8d4b6a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8d4b560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8d4b820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCuneiform;
```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b990>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ba40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bb70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bcd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bd80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bee0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c180>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c230>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c2e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c390>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c440>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c5a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c7d0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c930>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c9e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cb40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cbf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ceb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d010>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d0c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d170>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d470>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d500>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4d5b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d660>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d7c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.568 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76f40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e76ff0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e770a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77170>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e772e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77390>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77250>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e775c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e779b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77db0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77e60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f10>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77fc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e781d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78610>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e786c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e788d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78b90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78c40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8e78cf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78330>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e790a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e791e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e793f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldTurkic;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8e794a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8e79550>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.577 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c42720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c427d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c42880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c42950>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c42a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8c42ac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42b70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42cf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42da0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42e50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42f80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43030>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c430e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43190>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNKo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43330>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c433e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43520>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c435d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43680>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43730>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c437e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43890>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43940>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c439f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43aa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43b50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43cd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43d80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43e30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43ee0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43f90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44040>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c440f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c441a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44250>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44300>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c443b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c445c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43c00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLydian;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44a00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44ab0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44b60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44c10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44cc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44d70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44e20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.622 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f370c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37170>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f372f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f373a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37460>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f373d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37690>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37740>";

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f377f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f379d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37be0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37c90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37dd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37e80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f37f30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f37fe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f38090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f38140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f381f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f382a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f38350>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f38400>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCCharacterSet: 0x7fc8a8f38580>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f38630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f386e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38790>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38840>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f388f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f389a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38a50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38b00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38bb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38c60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38dc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38e70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38f20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38fd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f384b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39220>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f392b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39360>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39410>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f394c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f396d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.630 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b2c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b4f0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b5a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b660>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b5d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b890>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b9f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4baa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bbd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bd30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bde0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNKO;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c1e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4c3f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c550>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c600>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c6b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c8e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c990>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4caf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cdb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cfc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d1d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c760>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d4d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d610>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d6c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d8d0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.646 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f374d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37580>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37700>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f377c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37730>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f379f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37aa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37c80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37d30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37de0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37e90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37f40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f37ff0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f381e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f383f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f384a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38550>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38600>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f386b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f38760>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f388e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f38990>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f38a40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f38af0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f38ba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f38c50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f38d00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f38db0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38e60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38f10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38fc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f391d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39280>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39330>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38810>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39580>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39610>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f396c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f398d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39980>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39a30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.667 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42790>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42840>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c428f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c429c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42a70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42b30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42be0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42aa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42d60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42e10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c42ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c42ff0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c430a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNKo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c433a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43640>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c436f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c437a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c439b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43a60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43d40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43df0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43ea0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43f50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44000>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c440b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44160>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44210>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c442c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c444d0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44580>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c446e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44790>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c449e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44a70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44b20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44bd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44c80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44d30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44de0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44e90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.682 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8e76e10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8e76ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8e76f70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8e77040>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:   },
Nov 14 05:41:21 Mac-Pro Unknown[452]:   {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e770f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e771b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e773e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77490>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77540>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77720>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansNewTaiLue;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNKo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77930>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e779e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77b20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77bd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77c80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77de0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77e90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77f40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ff0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e780a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e782d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78380>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e784e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78590>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78640>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e786f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e787a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e789b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78a60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78d20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78f70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79000>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e790b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79160>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79210>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e792c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79370>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e79420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.690 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37740>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f377f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f378a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37970>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ae0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37d10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37dc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37e70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37fa0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38050>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38100>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f381b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38260>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38310>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38450>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38500>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f385b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38660>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38710>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f387c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38870>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38920>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f389d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38a80>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38c00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38cb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38d60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38e10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38ec0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38f70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39020>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f390d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39180>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f39230>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f392e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f39390>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f39440>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f394f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f395a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f39650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38b30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f398a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8f39930>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f399e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39a90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39b40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.726 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b2b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b360>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b430>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b4e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b5a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b650>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b510>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b7d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b880>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b9f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bb20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bbd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bd30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bde0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be90>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bfd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c080>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c130>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c1e0>";

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c290>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c340>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c3f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c550>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c600>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c830>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c8e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c990>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca40>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4caf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cba0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd00>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cdb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4cfc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d070>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d120>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d1d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansPhoenician;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c6b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d420>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d4b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d560>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d610>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:    },
Nov 14 05:41:21 Mac-Pro Unknown[452]:    {
Nov 14 05:41:21 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d6c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:    name = NotoSansInscriptionalPahlavi;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8d4d770>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8d4d820>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:     "<__NSCFCharacterSet: 0x7fc8a8d4d8d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )
Nov 14 05:41:21 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:21 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.735 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:21 Mac-Pro Unknown[452]: (
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8f35390>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8f35440>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8f354f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8f355c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:         UnicodeRange =
Nov 14 05:41:21 Mac-Pro Unknown[452]:         "<__NSCFCharacterSet: 0x7fc8a8f35670>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35730>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f357e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f356a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35960>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ac0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35bf0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ca0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d50>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36e00>";

```



```

Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansNKo;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36eb0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36f60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOIChiki;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f370a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37150>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37200>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f372b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37360>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37410>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f374c0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37570>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37620>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f376d0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37850>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37900>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f379b0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a60>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b10>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37bc0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f37c70>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37d20>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37dd0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37e80>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37f30>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37fe0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38090>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38140>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f381f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:21 Mac-Pro Unknown[452]:     },
Nov 14 05:41:21 Mac-Pro Unknown[452]:     {
Nov 14 05:41:21 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f382a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;

```

```

Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37780>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f384f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38580>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38630>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f386e0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38790>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38840>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f388f0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:21 Mac-Pro Unknown[452]: },
Nov 14 05:41:21 Mac-Pro Unknown[452]: {
Nov 14 05:41:21 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f389a0>";
Nov 14 05:41:21 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:21 Mac-Pro Unknown[452]: }
Nov 14 05:41:21 Mac-Pro Unknown[452]: )

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.

Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.779 Language Chooser[451:7336] TSplicedFont failed creating descriptor for:

Nov 14 05:41:22 Mac-Pro Unknown[452]: (

Nov 14 05:41:22 Mac-Pro Unknown[452]: {

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

"<__NSCFCharacterSet: 0x7fc8a8c430f0>";

Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBuhid;

Nov 14 05:41:22 Mac-Pro Unknown[452]: },

Nov 14 05:41:22 Mac-Pro Unknown[452]: {

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

"<__NSCFCharacterSet: 0x7fc8a8c431a0>";

Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansHanunoo;

Nov 14 05:41:22 Mac-Pro Unknown[452]: },

Nov 14 05:41:22 Mac-Pro Unknown[452]: {

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

"<__NSCFCharacterSet: 0x7fc8a8c43350>";

Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBatak;

Nov 14 05:41:22 Mac-Pro Unknown[452]: },

Nov 14 05:41:22 Mac-Pro Unknown[452]: {

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

"<__NSCFCharacterSet: 0x7fc8a8c43420>";

Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;

Nov 14 05:41:22 Mac-Pro Unknown[452]: },

Nov 14 05:41:22 Mac-Pro Unknown[452]: {

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

"<__NSCFCharacterSet: 0x7fc8a8c434d0>";

Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCoptic;

Nov 14 05:41:22 Mac-Pro Unknown[452]: },

Nov 14 05:41:22 Mac-Pro Unknown[452]: {

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

"<__NSCFCharacterSet: 0x7fc8a8c43590>";

Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBamum;

Nov 14 05:41:22 Mac-Pro Unknown[452]: },

Nov 14 05:41:22 Mac-Pro Unknown[452]: {

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

"<__NSCFCharacterSet: 0x7fc8a8c43640>";

Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBamum;

Nov 14 05:41:22 Mac-Pro Unknown[452]: },

Nov 14 05:41:22 Mac-Pro Unknown[452]: {

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

"<__NSCFCharacterSet: 0x7fc8a8c43500>";

Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansKayahLi;

Nov 14 05:41:22 Mac-Pro Unknown[452]: },

Nov 14 05:41:22 Mac-Pro Unknown[452]: {

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

"<__NSCFCharacterSet: 0x7fc8a8c437c0>";

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43870>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43920>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43a50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43b00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43bb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43c60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43d10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43dc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43f00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c43fb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44060>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44110>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c441c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44270>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44320>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c443d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44480>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
" <__NSCFCharacterSet: 0x7fc8a8c44530>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c446b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44760>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44810>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c448c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44970>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44a20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44ad0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44b80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44c30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44ce0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;

```



```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44d90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44e40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44ef0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c44fa0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c45050>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c45100>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c445e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c45350>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]: "<__NSCFCharacterSet: 0x7fc8a8c453e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45490>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45540>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c455f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c456a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45750>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45800>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.788 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c430f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c431a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43350>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43420>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c434d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43590>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43640>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43500>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c437c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43870>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43920>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43a50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43b00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43bb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43c60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43d10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43dc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOIChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43f00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c43fb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44060>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44110>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c441c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44270>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44320>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c443d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44480>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44530>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c446b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44760>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44810>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c448c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansYi;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44970>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44a20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44ad0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44b80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44c30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44ce0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44d90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44e40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44ef0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44fa0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45050>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45100>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c445e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45350>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c453e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45490>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45540>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c455f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c456a0>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45750>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45800>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.803 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77130>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:         name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e771e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:         name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77290>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:         name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77360>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:         name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77410>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:         name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:         UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e774d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:         name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },

```



```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77580>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77440>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77700>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e777b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77860>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77990>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77a40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77af0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ba0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansNKo;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8e77c50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77d00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77e40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77ef0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e77fa0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78050>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78100>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e781b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78260>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78310>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansTagalog;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e783c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78470>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e785f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e786a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78750>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78800>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e788b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78960>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78a10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ac0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78b70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78c20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78cd0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78d80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78e30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78ee0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78f90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79040>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78520>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79290>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79320>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e793d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79480>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79530>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e795e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79690>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79740>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.838 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35340>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f353f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f354a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35570>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35620>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f356e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35790>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35650>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35910>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f359c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ba0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35c50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36dc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36e70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36f20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37060>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37110>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansRejang;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f371c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37270>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37320>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f373d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37480>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37530>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f375e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37690>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37810>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```



```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f378c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37970>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ad0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37c30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ce0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37d90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37e40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ef0>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37fa0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38050>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38100>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f381b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38260>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37740>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f384b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38540>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f385f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f386a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38750>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38800>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f388b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38960>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.854 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]:   {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37c30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]:   },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37ce0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]:   },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37d90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]:   },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f37e60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37f10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37fd0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38080>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37f40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38200>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f382b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38360>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38490>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38540>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMongolian;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f385f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f386a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansNKO;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38750>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38800>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOIChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38940>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f389f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38aa0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38b50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38c00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38cb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38d60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38e10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38ec0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38f70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f390f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f391a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39250>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39300>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f393b0>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39460>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39510>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f395c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39670>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39720>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f397d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39880>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39930>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f399e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f39a90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f39b40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f39020>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f39d90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f39e20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f39ed0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f39f80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f3a030>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8f3a0e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8f3a190>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:      name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:      },
Nov 14 05:41:22 Mac-Pro Unknown[452]:      {
Nov 14 05:41:22 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f3a240>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:      name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]:      }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.863 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]:      {
Nov 14 05:41:22 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b580>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:      name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]:      },
Nov 14 05:41:22 Mac-Pro Unknown[452]:      {
Nov 14 05:41:22 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b630>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:      name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]:      },
Nov 14 05:41:22 Mac-Pro Unknown[452]:      {
Nov 14 05:41:22 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b6e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:      name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]:      },
Nov 14 05:41:22 Mac-Pro Unknown[452]:      {
Nov 14 05:41:22 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b7b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:      name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:      },
Nov 14 05:41:22 Mac-Pro Unknown[452]:      {
Nov 14 05:41:22 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b860>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:      name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:      },
Nov 14 05:41:22 Mac-Pro Unknown[452]:      {
Nov 14 05:41:22 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b9d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:      name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]:      },
Nov 14 05:41:22 Mac-Pro Unknown[452]:      {
Nov 14 05:41:22 Mac-Pro Unknown[452]:      UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ba80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:      name = NotoSansBamum;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4b890>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4bc00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4bcb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4bd60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4be90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4bf40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4bff0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4c0a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansNKo;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8d4c150>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c200>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c340>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c3f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c550>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c600>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c6b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c760>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c810>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c8c0>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c970>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4caf0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cba0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cdb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cfc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d070>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d120>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d1d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d280>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d330>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d3e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d490>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d540>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4d790>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d820>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d8d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d980>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4da30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dae0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4db90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dc40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.902 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44370>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBuhid;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c44420>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c444d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c445a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c44650>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c44710>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c447c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c44680>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c44940>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
Nov 14 05:41:22 Mac-Pro Unknown[452]:   "<__NSCFCharacterSet: 0x7fc8a8c449f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44aa0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44bd0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44c80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44d30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44de0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansNKO;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44e90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c44f40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45080>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45130>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c451e0>";

```



```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45290>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45340>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c453f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c454a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45550>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45600>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c456b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45830>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c458e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45990>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45a40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45af0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45ba0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45c50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45d00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45db0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45e60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45f10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8c45fc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c46070>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c46120>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c461d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c46280>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c45760>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c464d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c46560>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c46610>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8c466c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c46770>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c46820>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c468d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8c46980>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.910 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35680>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f35730>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f357e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f358b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35960>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35a20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ad0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35990>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35c50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36dc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36ef0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36fa0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37050>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37100>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f371b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37260>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f373a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37450>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37500>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f375b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37660>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37710>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f377c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37870>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37920>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f379d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37b50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37c00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37cb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37d60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f37e10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f37ec0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37f70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38020>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f380d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38180>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38230>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f382e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38390>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38440>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f384f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;

```



```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f385a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f387f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38880>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38930>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f389e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38a90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38b40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38bf0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38ca0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.925 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b4c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b570>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b620>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b6f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b7a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b860>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b9d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b7d0>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bb50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bcb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bde0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bff0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNko;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c150>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c290>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c340>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c3f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c550>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c600>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c6b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c760>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c810>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4c8c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4caf0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cba0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cdb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cfc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGothic;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d070>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d120>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d1d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d280>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d330>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d3e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d490>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c970>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d6e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d770>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d820>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d8d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d980>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4da30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4dae0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4db90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.954 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37f60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38010>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f380c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38190>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38240>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38300>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f383b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38270>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38530>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f385e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38690>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```



```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f387c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38870>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38920>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f389d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansNko;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38a80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38b30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38c70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38d20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"__NSCFCharacterSet: 0x7fc8a8f38dd0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f38e80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38f30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38fe0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39090>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39140>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f391f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f392a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39420>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f394d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39580>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansVai;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39630>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f396e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39790>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39840>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f398f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f399a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39a50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39b00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39bb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39c60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39d10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39dc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39e70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39350>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f3a0c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f3a150>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f3a200>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f3a2b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f3a360>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f3a410>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f3a4c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f3a570>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:21.968 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b260>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b310>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b3c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b490>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b540>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b600>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b6b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b570>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b830>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b990>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ba40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bb70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bcd0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4bd80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansNKO;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bee0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c020>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c180>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c230>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c2e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c390>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]:    },
Nov 14 05:41:22 Mac-Pro Unknown[452]:    {
Nov 14 05:41:22 Mac-Pro Unknown[452]:    UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c440>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:    name = NotoSansSyriacEastern;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c4f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c5a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c650>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c7d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c880>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c930>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c9e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cb40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```



```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cbf0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cca0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ceb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d010>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d0c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d170>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d220>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c700>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d470>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d500>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d5b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d660>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d710>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d7c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d870>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d920>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:)
 Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
 Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:22.006 Language
 Chooser[451:7336] TSplicedFont failed creating descriptor for:
 Nov 14 05:41:22 Mac-Pro Unknown[452]: (
 Nov 14 05:41:22 Mac-Pro Unknown[452]: {
 Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
 "<__NSCFCharacterSet: 0x7fc8a8e788f0>";
 Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBuhid;
 Nov 14 05:41:22 Mac-Pro Unknown[452]: },
 Nov 14 05:41:22 Mac-Pro Unknown[452]: {
 Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
 "<__NSCFCharacterSet: 0x7fc8a8e789a0>";
 Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansHanunoo;
 Nov 14 05:41:22 Mac-Pro Unknown[452]: },
 Nov 14 05:41:22 Mac-Pro Unknown[452]: {
 Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
 "<__NSCFCharacterSet: 0x7fc8a8e78a50>";
 Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBatak;
 Nov 14 05:41:22 Mac-Pro Unknown[452]: },
 Nov 14 05:41:22 Mac-Pro Unknown[452]: {
 Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
 "<__NSCFCharacterSet: 0x7fc8a8e78b20>";
 Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGlagolitic;
 Nov 14 05:41:22 Mac-Pro Unknown[452]: },
 Nov 14 05:41:22 Mac-Pro Unknown[452]: {
 Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
 "<__NSCFCharacterSet: 0x7fc8a8e78bd0>";
 Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCoptic;
 Nov 14 05:41:22 Mac-Pro Unknown[452]: },
 Nov 14 05:41:22 Mac-Pro Unknown[452]: {
 Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
 "<__NSCFCharacterSet: 0x7fc8a8e78c90>";
 Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBamum;
 Nov 14 05:41:22 Mac-Pro Unknown[452]: },
 Nov 14 05:41:22 Mac-Pro Unknown[452]: {
 Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
 "<__NSCFCharacterSet: 0x7fc8a8e78d40>";
 Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBamum;
 Nov 14 05:41:22 Mac-Pro Unknown[452]: },
 Nov 14 05:41:22 Mac-Pro Unknown[452]: {
 Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
 "<__NSCFCharacterSet: 0x7fc8a8e78c00>";
 Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
 Nov 14 05:41:22 Mac-Pro Unknown[452]: },
 Nov 14 05:41:22 Mac-Pro Unknown[452]: {
 Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =

```

"<__NSCFCharacterSet: 0x7fc8a8e78ec0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e78f70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79020>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79150>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79200>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e792b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79360>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansNKo;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79410>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e794c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOIChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79600>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansPhagsPa;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e796b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79760>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79810>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e798c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79970>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79a20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79ad0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79b80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79c30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79db0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79e60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79f10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79fc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a070>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a120>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a1d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a280>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a330>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a3e0>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a490>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a540>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a5f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a6a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a750>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7a800>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e79ce0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7aa50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7aae0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7ab90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7ac40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7acf0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7ada0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7ae50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8e7af00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]: }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:22.022 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]:   {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35af0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]:   },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f35ba0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]:   },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =

```



```

"<__NSCFCharacterSet: 0x7fc8a8f35c50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36d30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36de0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36ea0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36f50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f36e10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f370d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37180>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37230>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37360>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansMandaic;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37410>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f374c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37570>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37620>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f376d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37810>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f378c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37970>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37a20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ad0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37b80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37c30>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ce0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37d90>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37e40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37fc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38070>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38120>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f381d0>";

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38280>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38330>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f383e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38490>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38540>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f385f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f386a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38750>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38800>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f388b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38960>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38a10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f37ef0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38c60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38cf0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38da0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38e50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f38f00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8f38fb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39060>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8f39110>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro Unknown[452]: 2015-11-14 05:41:22.031 Language
Chooser[451:7336] TSplicedFont failed creating descriptor for:
Nov 14 05:41:22 Mac-Pro Unknown[452]: (
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b320>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBuhid;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b3d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansHanunoo;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b480>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBatak;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b550>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansGlagolitic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b600>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCoptic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b6c0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBamum;

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b770>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansBamum;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b630>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansKayahLi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4b9b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansCuneiform;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ba60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLimbu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bb10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansLisu;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bc40>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansMandaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bcf0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansMongolian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bda0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansNewTaiLue;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4be50>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansNko;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bf00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOgham;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4bfb0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansOlChiki;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c0f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansPhagsPa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c1a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRejang;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c250>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansRunic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c300>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSamaritan;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c3b0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSaurashtra;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c460>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSylotiNagri;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c510>";
Nov 14 05:41:22 Mac-Pro Unknown[452]: name = NotoSansSyriacEastern;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]: UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c5c0>";

```



```

Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTagalog;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c670>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTagbanwa;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c720>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiLe;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c8a0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTaiViet;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4c950>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansTifinagh;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ca00>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansVai;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cab0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansYi;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cb60>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLinearB;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cc10>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLycian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ccc0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansCarian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },

```

```

Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cd70>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldItalic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ce20>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansGothic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4ced0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansUgaritic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4cf80>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOldPersian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d030>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansShavian;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d0e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansOsmanya;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d190>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansCypriot;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d240>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansImperialAramaic;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d2f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:   name = NotoSansPhoenician;
Nov 14 05:41:22 Mac-Pro Unknown[452]: },
Nov 14 05:41:22 Mac-Pro Unknown[452]: {
Nov 14 05:41:22 Mac-Pro Unknown[452]:   UnicodeRange =

```

```

"<__NSCFCharacterSet: 0x7fc8a8d4c7d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansLydian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d540>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansKharoshthi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d5d0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldSouthArabian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d680>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansAvestan;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d730>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalParthian;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d7e0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansInscriptionalPahlavi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d890>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansOldTurkic;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d940>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansBrahmi;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     },
Nov 14 05:41:22 Mac-Pro Unknown[452]:     {
Nov 14 05:41:22 Mac-Pro Unknown[452]:     UnicodeRange =
"<__NSCFCharacterSet: 0x7fc8a8d4d9f0>";
Nov 14 05:41:22 Mac-Pro Unknown[452]:     name = NotoSansEgyptianHieroglyphs;
Nov 14 05:41:22 Mac-Pro Unknown[452]:     }
Nov 14 05:41:22 Mac-Pro Unknown[452]: )
Nov 14 05:41:22 Mac-Pro Unknown[452]: ".LastResort" is used instead.
Nov 14 05:41:22 Mac-Pro configd[112]: Process protocol attach: en1 (n=2)
Nov 14 05:41:22 Mac-Pro configd[112]: Process protocol attach: fw0 (n=1)

```

Nov 14 05:41:22 Mac-Pro configd[112]: Process protocol attach: fw0 (n=2)
Nov 14 05:41:22 Mac-Pro configd[112]: Process protocol attach: en2 (n=1)
Nov 14 05:41:22 Mac-Pro configd[112]: [bootp_transmit.c:213] bootp_transmit():
bpf_write(en2) failed: Network is down (50)
Nov 14 05:41:22 Mac-Pro configd[112]: DHCP en2: INIT transmit failed
Nov 14 05:41:22 Mac-Pro configd[112]: Process protocol attach: en2 (n=2)
Nov 14 05:41:22 Mac-Pro configd[112]: network changed
Nov 14 05:41:23 Mac-Pro Installer Progress[445]: Progress App loading...
Nov 14 05:41:23 Mac-Pro Installer Progress[445]: IASGetCurrentInstallPhaseList: no
install phase array set
Nov 14 05:41:23 Mac-Pro Installer Progress[445]: IASGetCurrentInstallPhase: no install
phase set
Nov 14 05:41:23 Mac-Pro Installer Progress[445]: Progress App is running with no
progress set. Will try to hide this...
Nov 14 05:41:23 Mac-Pro Unknown[452]: Setting boot completed.
Nov 14 05:41:23 Mac-Pro Language Chooser[451]: Waiting for prepared devices to
appear
Nov 14 05:41:23 Mac-Pro Installer Progress[445]: Shield windows created.
Nov 14 05:41:23 Mac-Pro Installer Progress[445]: Shield windows ordered front.
Nov 14 05:41:23 Mac-Pro Installer Progress[445]: Progress App running...
Nov 14 05:41:29 Mac-Pro configd[112]: Process interface quality: en0 (q=100)
Nov 14 05:41:29 Mac-Pro configd[112]: Update interface link quality: en0: <dictionary> {
Nov 14 05:41:29 Mac-Pro configd[112]: LinkQuality : 100
Nov 14 05:41:29 Mac-Pro configd[112]: }
Nov 14 05:41:29 Mac-Pro configd[112]: Process interface link up: en0
Nov 14 05:41:29 Mac-Pro configd[112]: Update interface link status: en0: <dictionary> {
Nov 14 05:41:29 Mac-Pro configd[112]: Active : TRUE
Nov 14 05:41:29 Mac-Pro configd[112]: }
Nov 14 05:41:29 Mac-Pro configd[112]: Process IPv6 address change: en0: 4
Nov 14 05:41:29 Mac-Pro configd[112]: Update interface configuration: State:/Network/
Interface/en0/IPv6: <dictionary> {
Nov 14 05:41:29 Mac-Pro configd[112]: Addresses : <array> {
Nov 14 05:41:29 Mac-Pro configd[112]: 0 : fe80::217:f2ff:fe01:1b30
Nov 14 05:41:29 Mac-Pro configd[112]: }
Nov 14 05:41:29 Mac-Pro configd[112]: Flags : <array> {
Nov 14 05:41:29 Mac-Pro configd[112]: 0 : 512
Nov 14 05:41:29 Mac-Pro configd[112]: }
Nov 14 05:41:29 Mac-Pro configd[112]: PrefixLength : <array> {
Nov 14 05:41:29 Mac-Pro configd[112]: 0 : 64
Nov 14 05:41:29 Mac-Pro configd[112]: }
Nov 14 05:41:29 Mac-Pro configd[112]: }
Nov 14 05:41:31 Mac-Pro configd[112]: Process IPv6 address change: en0: 1
Nov 14 05:41:31 Mac-Pro configd[112]: Update interface configuration: State:/Network/
Interface/en0/IPv6: <dictionary> {
Nov 14 05:41:31 Mac-Pro configd[112]: Addresses : <array> {
Nov 14 05:41:31 Mac-Pro configd[112]: 0 : fe80::217:f2ff:fe01:1b30
Nov 14 05:41:31 Mac-Pro configd[112]: }

Nov 14 05:41:31 Mac-Pro configd[112]: Flags : <array> {
Nov 14 05:41:31 Mac-Pro configd[112]: 0 : 0
Nov 14 05:41:31 Mac-Pro configd[112]: }
Nov 14 05:41:31 Mac-Pro configd[112]: PrefixLength : <array> {
Nov 14 05:41:31 Mac-Pro configd[112]: 0 : 64
Nov 14 05:41:31 Mac-Pro configd[112]: }
Nov 14 05:41:31 Mac-Pro configd[112]: }
Nov 14 05:41:33 Mac-Pro Language Chooser[451]: Prepared wait done.
Nov 14 05:41:34 Mac-Pro Unknown[452]: Keyboard Layouts: duplicate keyboard layout identifier -16899.
Nov 14 05:41:34 Mac-Pro Unknown[452]: Keyboard Layouts: keyboard layout identifier -16899 has been replaced with -28673.
Nov 14 05:41:34 Mac-Pro Unknown[452]: Keyboard Layouts: duplicate keyboard layout identifier -16900.
Nov 14 05:41:34 Mac-Pro Unknown[452]: Keyboard Layouts: keyboard layout identifier -16900 has been replaced with -28674.
Nov 14 05:41:34 Mac-Pro configd[112]: Process IPv4 address change: en0: 1
Nov 14 05:41:34 Mac-Pro configd[112]: Update interface configuration: State:/Network/Interface/en0/IPv4: <dictionary> {
Nov 14 05:41:34 Mac-Pro configd[112]: Addresses : <array> {
Nov 14 05:41:34 Mac-Pro configd[112]: 0 : 10.0.1.124
Nov 14 05:41:34 Mac-Pro configd[112]: }
Nov 14 05:41:34 Mac-Pro configd[112]: BroadcastAddresses : <array> {
Nov 14 05:41:34 Mac-Pro configd[112]: 0 : 10.0.1.255
Nov 14 05:41:34 Mac-Pro configd[112]: }
Nov 14 05:41:34 Mac-Pro configd[112]: SubnetMasks : <array> {
Nov 14 05:41:34 Mac-Pro configd[112]: 0 : 255.255.255.0
Nov 14 05:41:34 Mac-Pro configd[112]: }
Nov 14 05:41:34 Mac-Pro configd[112]: }
Nov 14 05:41:34 Mac-Pro configd[112]: network changed: v4(en0+:10.0.1.124) DNS+ Proxy+ SMB
Nov 14 05:41:34 Mac-Pro Language Chooser[451]: Set keyboard to id: 29
Nov 14 05:41:34 Mac-Pro Language Chooser[451]: Found primary language hint "en"
Nov 14 05:41:34 Mac-Pro Language Chooser[451]: Launching the Installer using language code "en"
Nov 14 05:41:38 Mac-Pro Unknown[452]: objc[469]: Class IASUnifiedProgressClient is implemented in both /usr/lib/libIASUnifiedProgress.dylib and /System/Installation/CDIS/OS X Installer.app/Contents/MacOS/OS X Installer. One of the two will be used. Which one is undefined.
Nov 14 05:41:39 Mac-Pro OSInstaller[469]: LSEExceptions [0x7fe14250b010] loaded
Nov 14 05:41:40 Mac-Pro storagekitd[470]: Starting SKDaemon...
Nov 14 05:41:40 Mac-Pro storagekitd[470]: Client entitled for destructive operations
Nov 14 05:41:40 Mac-Pro storagekitd[470]: Adding client connection
<NSXPCCConnection: 0x7ff7f0418a60> connection from pid 469
Nov 14 05:41:44 Mac-Pro OSInstaller[469]: No mutable product specified in NVRAM.
Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Connected to daemon. Language set to: English

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Connected to daemon. Language set to: English

Nov 14 05:41:45 Mac-Pro Unknown[452]: 2015-11-14 05:41:45.170 OS X Installer[469:18900] Connected to daemon. Language set to: English

Nov 14 05:41:45 Mac-Pro Unknown[452]: 2015-11-14 05:41:45.170 OS X Installer[469:18900] Connected to daemon. Language set to: English

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: No mutable product specified on boot disk.

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Hardware: MacPro1,1 @ 2.66 GHz (x 4), 10240 MB RAM

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Running OS Build: Mac OS X 10.11 (15A284)

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: DYLD_NO_FIX_PREBINDING=1

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: PATH=/usr/bin:/bin:/usr/sbin:/sbin

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: PWD=/

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: XPC_FLAGS=0x0

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: XPC_SERVICE_NAME=0

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: SHLVL=1

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: __OSINSTALL_ENVIRONMENT=1

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: CI_DEFAULT_OPENCL_USAGE=0

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: OS_INSTALL=1

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Env: _=/System/Library/CoreServices/Language Chooser.app/Contents/MacOS/Language Chooser

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Mutable product: Looking for automation file at (null)

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: No file at (null)

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Install Config: Looking for automation file at (null)

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: No file at /System/Installation/Packages/Extras/mininstallconfig.xml

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Looking for automation file at (null)

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Install will not be automated.

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Install will performed using distribution/collection at /System/Installation/Packages/OSInstall.collection.

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Install will be a collection install.

Nov 14 05:41:45 Mac-Pro Installer Progress[445]: Started phase named: OS Installer

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Investigating path from collection: /System/Installation/Packages/OSInstall.mpkg

Nov 14 05:41:45 Mac-Pro OSInstaller[469]: Investigating package: /System/Installation/Packages/OSInstall.mpkg

Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Investigating path from collection: /System/Installation/Packages/pikify.pkg

Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Investigating package: /System/Installation/Packages/pikify.pkg

Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Waiting for target evaluation.

Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Starting target evaluation queue.

Nov 14 05:41:46 Mac-Pro OSInstaller[469]: PKDistributionController: Using client-provided SystemVersion.plist: 10.11 (15A284)

Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating install check for (null)
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating install check for (null)
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Install check successful.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating 19 disks
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk14
Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk3s2
Mount point: /Volumes/Image Volume Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Install OS X El Capitan is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk8
Mount point: /private/var/tmp Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk16
Mount point: /Library/Preferences/SystemConfiguration Role:
kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk11
Mount point: /private/var/db Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk18
Mount point: /private/var/tmp/RecoveryTemp Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk5s1
Mount point: / Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: OS X Base System is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk2s2
Mount point: /Volumes/Macintosh HD Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Macintosh HD is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk13
Mount point: /private/var/root/Library Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk7
Mount point: /Volumes Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk6
Mount point: /private/var/log Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk15
Mount point: /Library/Preferences Role: kSKDiskRoleLegacyMacData Type:

kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk10
Mount point: /System/Installation Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk17
Mount point: /Library/Keychains Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2
Mount point: /Volumes/Sue's Drive Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Sue's Drive is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk4s2
Mount point: /Volumes/Mac OS X Install DVD Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: OS X Install ESD is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk12
Mount point: /private/var/folders Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk9
Mount point: /private/var/run Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk0s2
Mount point: /Volumes/Media Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Media is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Finished target evaluation.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: ISAP: Abort progress UI called.
Nov 14 05:41:46 Mac-Pro Installer Progress[445]: Sending end progress UI to delegate.
Nov 14 05:41:46 Mac-Pro Installer Progress[445]: End progress UI called...
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating 19 disks
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk14
Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk3s2
Mount point: /Volumes/Image Volume Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Install OS X El Capitan is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk8
Mount point: /private/var/tmp Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk16

Mount point: /Library/Preferences/SystemConfiguration Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk11
Mount point: /private/var/db Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk18
Mount point: /private/var/tmp/RecoveryTemp Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk5s1
Mount point: / Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: OS X Base System is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk2s2
Mount point: /Volumes/Macintosh HD Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Macintosh HD is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk13
Mount point: /private/var/root/Library Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk7
Mount point: /Volumes Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk6
Mount point: /private/var/log Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk15
Mount point: /Library/Preferences Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk10
Mount point: /System/Installation Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk17
Mount point: /Library/Keychains Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2
Mount point: /Volumes/Sue's Drive Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Sue's Drive is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk4s2
Mount point: /Volumes/Mac OS X Install DVD Role: kSKDiskRoleLegacyMacData Type:

kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: OS X Install ESD is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk12
Mount point: /private/var/folders Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk9
Mount point: /private/var/run Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk0s2
Mount point: /Volumes/Media Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:46 Mac-Pro OSInstaller[469]: Media is a valid target.
Nov 14 05:41:46 Mac-Pro Unknown[452]: Keyboard Layouts: duplicate keyboard layout
identifier -16899.
Nov 14 05:41:46 Mac-Pro Unknown[452]: Keyboard Layouts: keyboard layout identifier
-16899 has been replaced with -28673.
Nov 14 05:41:46 Mac-Pro Unknown[452]: Keyboard Layouts: duplicate keyboard layout
identifier -16900.
Nov 14 05:41:46 Mac-Pro Unknown[452]: Keyboard Layouts: keyboard layout identifier
-16900 has been replaced with -28674.
Nov 14 05:41:46 Mac-Pro Language Chooser[451]: Not hiding Language Chooser in
window counter
Nov 14 05:41:46 Mac-Pro Language Chooser[451]: ISAP: Done with phase "Language
Chooser"
Nov 14 05:41:50 Mac-Pro OSInstaller[469]: LSEExceptions [0x7fe14250b010] unloaded
Nov 14 05:41:52 Mac-Pro Unknown[452]: 2015-11-14 05:41:52.811 Disk
Utility[473:19449] NSColorList could not parse color list file /System/Library/Colors/
System.clr
Nov 14 05:41:53 Mac-Pro storagekitd[470]: Client entitled for destructive operations
Nov 14 05:41:53 Mac-Pro storagekitd[470]: Adding client connection
<NSXPCCConnection: 0x7ff7f07036b0> connection from pid 473
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Starting target evaluation queue.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: PKDistributionController: Using client-
provided SystemVersion.plist: 10.11 (15A284)
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating install check for (null)
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating install check for (null)
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Install check successful.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating 19 disks
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk14
Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk3s2
Mount point: /Volumes/Image Volume Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Install OS X El Capitan is a valid target.

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk8
Mount point: /private/var/tmp Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk16
Mount point: /Library/Preferences/SystemConfiguration Role:
kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk11
Mount point: /private/var/db Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk18
Mount point: /private/var/tmp/RecoveryTemp Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk5s1
Mount point: / Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: OS X Base System is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk2s2
Mount point: /Volumes/Macintosh HD Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Macintosh HD is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk13
Mount point: /private/var/root/Library Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk7
Mount point: /Volumes Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk6
Mount point: /private/var/log Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk15
Mount point: /Library/Preferences Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk10
Mount point: /System/Installation Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk17
Mount point: /Library/Keychains Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2

Mount point: /Volumes/Sue's Drive Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Sue's Drive is a valid target.

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk4s2
Mount point: /Volumes/Mac OS X Install DVD Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: OS X Install ESD is a valid target.

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk12
Mount point: /private/var/folders Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk9
Mount point: /private/var/run Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: untitled is a valid target.

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk0s2
Mount point: /Volumes/Media Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:53 Mac-Pro OSInstaller[469]: Media is a valid target.

Nov 14 05:41:53 Mac-Pro Disk Utility[473]: Connected to daemon. Language set to:
English

Nov 14 05:41:53 Mac-Pro Disk Utility[473]: Connected to daemon. Language set to:
English

Nov 14 05:41:53 Mac-Pro Unknown[452]: 2015-11-14 05:41:53.627 Disk
Utility[473:19467] Connected to daemon. Language set to: English

Nov 14 05:41:53 Mac-Pro Unknown[452]: 2015-11-14 05:41:53.627 Disk
Utility[473:19467] Connected to daemon. Language set to: English

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating 19 disks

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk3s2
Mount point: /Volumes/Image Volume Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Install OS X El Capitan is a valid target.

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk13
Mount point: /private/var/root/Library Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk2s2
Mount point: /Volumes/Macintosh HD Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Macintosh HD is a valid target.

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk18
Mount point: /private/var/tmp/RecoveryTemp Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk12
Mount point: /private/var/folders Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk8
Mount point: /private/var/tmp Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk17
Mount point: /Library/Keychains Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk11
Mount point: /private/var/db Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk6
Mount point: /private/var/log Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2
Mount point: /Volumes/Sue's Drive Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Sue's Drive is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk16
Mount point: /Library/Preferences/SystemConfiguration Role:
kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk10
Mount point: /System/Installation Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk4s2
Mount point: /Volumes/Mac OS X Install DVD Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: OS X Install ESD is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk0s2
Mount point: /Volumes/Media Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Media is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk15
Mount point: /Library/Preferences Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk9
Mount point: /private/var/run Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk5s1
Mount point: / Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro OSInstaller[469]: OS X Base System is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk7
Mount point: /Volumes Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: untitled is a valid target.
Nov 14 05:41:54 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk14
Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.418 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk14 Mount
point: Not Mounted Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.418 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk8 Mount
point: /private/var/tmp Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.419 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk16 Mount
point: /Library/Preferences/SystemConfiguration Role: kSKDiskRoleLegacyMacData
Type: kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.419 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk11 Mount
point: /private/var/db Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.420 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk18 Mount
point: /private/var/tmp/RecoveryTemp Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.420 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk13 Mount
point: /private/var/root/Library Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.421 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk7 Mount
point: /Volumes Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.421 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk6 Mount
point: /private/var/log Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.421 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk15 Mount
point: /Library/Preferences Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.422 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk10 Mount
point: /System/Installation Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.422 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk17 Mount
point: /Library/Keychains Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.423 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk12 Mount
point: /private/var/folders Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:54 Mac-Pro Unknown[452]: 2015-11-14 05:41:54.423 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk9 Mount
point: /private/var/run Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.237 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk14 Mount
point: Not Mounted Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.238 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk8 Mount
point: /private/var/tmp Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.238 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk16 Mount
point: /Library/Preferences/SystemConfiguration Role: kSKDiskRoleLegacyMacData
Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.238 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk11 Mount
point: /private/var/db Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.239 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk18 Mount
point: /private/var/tmp/RecoveryTemp Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.239 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk13 Mount
point: /private/var/root/Library Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.239 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk7 Mount
point: /Volumes Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.239 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk6 Mount
point: /private/var/log Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.240 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk15 Mount
point: /Library/Preferences Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.240 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk10 Mount
point: /System/Installation Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.240 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk17 Mount
point: /Library/Keychains Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.241 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk12 Mount
point: /private/var/folders Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:41:55 Mac-Pro Unknown[452]: 2015-11-14 05:41:55.241 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk9 Mount
point: /private/var/run Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.683 Disk

Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk14 Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.683 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk8 Mount point: /private/var/tmp Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.683 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk16 Mount point: /Library/Preferences/SystemConfiguration Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.683 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk11 Mount point: /private/var/db Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.684 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk18 Mount point: /private/var/tmp/RecoveryTemp Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.684 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk13 Mount point: /private/var/root/Library Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.685 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk7 Mount point: /Volumes Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.685 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk6 Mount point: /private/var/log Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.685 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk15 Mount point: /Library/Preferences Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.685 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk10 Mount point: /System/Installation Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.686 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk17 Mount point: /Library/Keychains Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.686 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk12 Mount point: /private/var/folders Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro Unknown[452]: 2015-11-14 05:42:45.686 Disk
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk9 Mount point: /private/var/run Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:42:45 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolPartitionDisk changeGUIDKeysToPartIDKeys:forDictionary:]: inPartitionsArr=(
 {
 Flags = 1;
 GUID = "D3C521ED-1BC1-43FD-9AB6-9F2E24DF9690";


```

    Name = "EFI System Partition";
    Offset = 40;
    "Partition ID" = 1;
    Size = 409600;
    Type = EFI;
},
{
    Flags = 9;
    GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
    Name = "El Capitan";
    Offset = 409640;
    "Partition ID" = 2;
    Size = 1952853344;
    Type = "Apple_HFS";
}
) inoutDict(bef)={
    "9349ED75-0216-434E-AE9D-157F2507793C" = {
        Erase = 0;
        Existed = 0;
        FilesystemName = "Journaled HFS+";
        Name = "El Capitan";
        Newfs = 1;
        Size = 0;
    };
};
}

```

Nov 14 05:42:45 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
changeGUIDKeysToPartIDKeys:forDictionary:]: listOfKeys=(
"9349ED75-0216-434E-AE9D-157F2507793C"

)
Nov 14 05:42:45 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
changeGUIDKeysToPartIDKeys:forDictionary:]: . k=9349ED75-0216-434E-
AE9D-157F2507793C p={
 Flags = 9;
 GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
 Name = "El Capitan";
 Offset = 409640;
 "Partition ID" = 2;
 Size = 1952853344;
 Type = "Apple_HFS";
}

Nov 14 05:42:45 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
changeGUIDKeysToPartIDKeys:forDictionary:]: . CHANGING KEY:
old=9349ED75-0216-434E-AE9D-157F2507793C new=2

Nov 14 05:42:45 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolPartitionDisk
changeGUIDKeysToPartIDKeys:forDictionary:]: retVal=0 inoutDict(aft)={
 2 = {
 Erase = 0;

```
    Existed = 0;  
    FileSystemName = "Journaled HFS+";  
    Name = "El Capitan";  
    Newfs = 1;  
    Size = 0;  
};  
}
```

```
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.023 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk14 Mount  
point: Not Mounted Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.023 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk8 Mount  
point: /private/var/tmp Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.024 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk16 Mount  
point: /Library/Preferences/SystemConfiguration Role: kSKDiskRoleLegacyMacData  
Type: kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.024 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk11 Mount  
point: /private/var/db Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro OSInstaller[469]: Evaluating 1 disks  
Nov 14 05:42:46 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2  
Mount point: Not Mounted Role: kSKDiskRoleMacData Type: kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.024 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk18 Mount  
point: /private/var/tmp/RecoveryTemp Role: kSKDiskRoleLegacyMacData Type:  
kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.024 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk13 Mount  
point: /private/var/root/Library Role: kSKDiskRoleLegacyMacData Type:  
kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.025 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk7 Mount  
point: /Volumes Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.025 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk6 Mount  
point: /private/var/log Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.025 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk15 Mount  
point: /Library/Preferences Role: kSKDiskRoleLegacyMacData Type:  
kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.025 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk10 Mount  
point: /System/Installation Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }  
Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.026 Disk  
Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk17 Mount  
point: /Library/Keychains Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
```

Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.026 Disk Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk12 Mount point: /private/var/folders Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:42:46 Mac-Pro Unknown[452]: 2015-11-14 05:42:46.027 Disk Utility[473:19449] Failed to get physical whole disk: SKDisk { BSD Name: disk9 Mount point: /private/var/run Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:42:53 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolBootPreference updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure dlt:hadToWrite:]: inDisk=0x700000320950=disk1s1=EFI inNewPartNum=1 inDolt=1

Nov 14 05:42:53 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolBootPreference updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure dlt:hadToWrite:]: retErr=0 outApt=0 outExists=0 outAble=0 outNeedsUpdate=0 outEnsuredIt=0 outHadToWrite=0

Nov 14 05:42:53 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolBootPreference updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure dlt:hadToWrite:]: inDisk=0x700000320950=disk1s2=El Capitan inNewPartNum=2 inDolt=1

Nov 14 05:42:53 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolBootPreference updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure dlt:hadToWrite:]: retErr=0 outApt=0 outExists=0 outAble=0 outNeedsUpdate=0 outEnsuredIt=0 outHadToWrite=0

Nov 14 05:42:53 Mac-Pro storagekitd[470]: Erase Complete, Mount Point: (null)

Nov 14 05:42:53 Mac-Pro storagekitd[470]: Recache Complete, Mount Point: (null)

Nov 14 05:42:53 Mac-Pro OSInstaller[469]: Evaluating 1 disks

Nov 14 05:42:53 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2 Mount point: /Volumes/El Capitan Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:42:53 Mac-Pro OSInstaller[469]: El Capitan is a valid target.

Nov 14 05:42:58 Mac-Pro Unknown[452]: 2015-11-14 05:42:58.598 Disk Utility[473:19449] 05:42:58.598 WARNING: 997: Failure to setup sound, err = -50

Nov 14 05:43:00 Mac-Pro Unknown[452]: Connected to daemon. Language set to: English

Nov 14 05:43:00 Mac-Pro Unknown[452]: Connected to daemon. Language set to: English

Nov 14 05:43:00 Mac-Pro storagekitd[470]: Removing client connection <SKDaemonConnection: 0x7ff7f070a710>

Nov 14 05:43:03 Mac-Pro Unknown[452]: 2015-11-14 05:43:03.762 OS X Installer[469:17824] NSColorList could not parse color list file /System/Library/Colors/System.clr

Nov 14 05:43:10 Mac-Pro OSInstaller[469]: Disabling system idle sleep.

Nov 14 05:43:11 Mac-Pro OSInstaller[469]: X file:///Volumes/El%20Capitan/: Missing CoreServices.

Nov 14 05:43:11 Mac-Pro OSInstaller[469]: Dist disk is not root.

Nov 14 05:43:11 Mac-Pro OSInstaller[469]: OSI: com.apple.pkg.BaseSystemResources remapped external root path to: /

Nov 14 05:43:11 Mac-Pro OSInstaller[469]: Dist disk is not root.

Nov 14 05:43:11 Mac-Pro OSInstaller[469]: Won't convert to CS, machine is not a

portable

Nov 14 05:43:12 Mac-Pro OSInstaller[469]: Can not connect to /var/run/systemkeychaincheck.socket: No such file or directory

Nov 14 05:43:13 Mac-Pro OSInstaller[469]: Repairing file system.

Nov 14 05:43:13 Mac-Pro OSInstaller[469]: Evaluating 1 disks

Nov 14 05:43:13 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2
Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:43:13 Mac-Pro OSInstaller[469]: Checking Journaled HFS Plus volume.

Nov 14 05:43:13 Mac-Pro OSInstaller[469]: Checking extents overflow file.

Nov 14 05:43:13 Mac-Pro OSInstaller[469]: Checking catalog file.

Nov 14 05:43:15 Mac-Pro OSInstaller[469]: Checking multi-linked files.

Nov 14 05:43:15 Mac-Pro OSInstaller[469]: Checking catalog hierarchy.

Nov 14 05:43:15 Mac-Pro OSInstaller[469]: Checking extended attributes file.

Nov 14 05:43:17 Mac-Pro OSInstaller[469]: Checking volume bitmap.

Nov 14 05:43:18 Mac-Pro OSInstaller[469]: Checking volume information.

Nov 14 05:43:18 Mac-Pro OSInstaller[469]: The volume El Capitan appears to be OK.

Nov 14 05:43:18 Mac-Pro OSInstaller[469]: File system check exit code is 0.

Nov 14 05:43:18 Mac-Pro OSInstaller[469]: Updating boot support partitions for the volume as required.

Nov 14 05:43:19 Mac-Pro OSInstaller[469]: Evaluating 1 disks

Nov 14 05:43:19 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2
Mount point: /Volumes/El Capitan Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:43:19 Mac-Pro OSInstaller[469]: El Capitan is a valid target.

Nov 14 05:43:19 Mac-Pro OSInstaller[469]: Evaluating 1 disks

Nov 14 05:43:19 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2
Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:43:20 Mac-Pro OSInstaller[469]: Evaluating 1 disks

Nov 14 05:43:20 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2
Mount point: /Volumes/El Capitan Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }

Nov 14 05:43:20 Mac-Pro OSInstaller[469]: El Capitan is a valid target.

Nov 14 05:43:20 Mac-Pro OSInstaller[469]: Repair completed successfully.

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: inParams={

Bless = 1;

DIAGDMGChunkFile = "/Volumes/Mac OS X Install DVD/

AppleDiagnostics.chunklist";

DIAGDMGFile = "/Volumes/Mac OS X Install DVD/AppleDiagnostics.dmg";

DonorDiskUDSW = "disk1s2 El Capitan";

OSXDMGChunkFile = "/Volumes/Mac OS X Install DVD/

BaseSystem.chunklist";

OSXDMGFile = "/Volumes/Mac OS X Install DVD/BaseSystem.dmg";

RepairDonor = 0;

VerifyImage = 0;

}

Nov 14 05:43:20 Mac-Pro storagekitd[470]: Install recovery system operation began
Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: donor disk's storage system is simple so it itself
will be the donor

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: normalized donor:

logical=0x7f889ac04c78=disk1s2=El Capitan=(iflvuuid=(null))

physical=0x700000320c20=disk1s2=El Capitan=disk1s2 storage=(null)

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: at DoneCheckingDontPushWindowsOSPast4

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolRecoveryPartition
findDiagnosticsGivenDMG:givenCHK:searchHost:foundDMG:foundCHK:hadToSearch:]:
inGivenDIAGDMGFile=/Volumes/Mac OS X Install DVD/AppleDiagnostics.dmg
inGivenDIAGDMGChkFile=/Volumes/Mac OS X Install DVD/AppleDiagnostics.chunklist
inHost=0x7f889ac04c78=disk1s2=El Capitan

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolRecoveryPartition
findDiagnosticsGivenDMG:givenCHK:searchHost:foundDMG:foundCHK:hadToSearch:]:
retErr=0 outDIAGDMGFile=/Volumes/Mac OS X Install DVD/AppleDiagnostics.dmg
outDIAGDMGChkFile=/Volumes/Mac OS X Install DVD/AppleDiagnostics.chunklist
outHadToSearch=0

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: aft look for Apple Diagnostics dmg+chunklist,
err=(not fatal, just means no diags)=0 DMG=/Volumes/Mac OS X Install DVD/
AppleDiagnostics.dmg CHK=/Volumes/Mac OS X Install DVD/
AppleDiagnostics.chunklist

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: and did we have to look around to find it (vs. just
being passed-in) = usingOldDIAG=0

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ->T-[DMRecoveryFileCopier
setOSXImageFile:DIAGSImageFile:OSXChunkListFile:DIAGSChunkListFile:doCopyBo
otCodeFromOSXImage:doVerifyImages:badDIAGSIsSoftError:withDMTool:statusReport
ingDisk:]: OSXDMG=/Volumes/Mac OS X Install DVD/BaseSystem.dmg DIAGSDMG=/
Volumes/Mac OS X Install DVD/AppleDiagnostics.dmg OSXChunkList=/Volumes/Mac
OS X Install DVD/BaseSystem.chunklist DIAGSChunkList=/Volumes/Mac OS X Install
DVD/AppleDiagnostics.chunklist cpBootSW=1 doVfy=0 badDIAGSok=0
DMT=0x7f889ae0e560 statusDisk=0x7f889ac04c78=disk1s2=El Capitan

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM <-T-[DMRecoveryFileCopier
setOSXImageFile:DIAGSImageFile:OSXChunkListFile:DIAGSChunkListFile:doCopyBo
otCodeFromOSXImage:doVerifyImages:badDIAGSIsSoftError:withDMTool:statusReport
ingDisk:]: err=0

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: bef attaching and mounting dmg(s)

Nov 14 05:43:20 Mac-Pro diskmanagementd[471]: DM ->T-[DMRecoveryFileCopier
attachAndMountAtPercentBegin:percentEnd:]: pct=6..15

Nov 14 05:43:20 Mac-Pro storagekitd[470]: DM Message: Attaching disk image /
Volumes/Mac OS X Install DVD/BaseSystem.dmg

Nov 14 05:43:20 Mac-Pro OSInstaller[469]: Attaching disk image /Volumes/Mac OS X Install DVD/BaseSystem.dmg
Nov 14 05:43:21 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:43:21 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk19s1 Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:43:21 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:43:21 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk19s1 Mount point: /Volumes/OS X Base System 1 Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:43:21 Mac-Pro OSInstaller[469]: OS X Base System is a valid target.
Nov 14 05:43:22 Mac-Pro storagekitd[470]: DM Message: Attaching disk image / Volumes/Mac OS X Install DVD/AppleDiagnostics.dmg
Nov 14 05:43:22 Mac-Pro OSInstaller[469]: Attaching disk image /Volumes/Mac OS X Install DVD/AppleDiagnostics.dmg
Nov 14 05:43:23 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:43:23 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk20s2 Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:43:23 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:43:23 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk20s2 Mount point: /Volumes/AppleDiagnostics Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:43:23 Mac-Pro OSInstaller[469]: AppleDiagnostics is a valid target.
Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM <-T-[DMRecoveryFileCopier attachAndMountAtPercentBegin:percentEnd:]: retErr=0
Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition ensureRecoveryPartitionForVolume:]: aft attaching and mounting dmg(s) err=0 ; note that if DidDiagSearch=0 and attach err then Diags will NOT be rebuilt (preserved)
Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition ensureRecoveryPartitionForVolume:]: checking for existence, and calculating sizes, of files in dmg(s)
Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ->T-[DMRecoveryFileCopier calculateFileSizeAtPercentBegin:percentEnd:fileSize:]: pct=15..15
Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMRecoveryFileCopier calculateFileSizeAtPercentBegin:percentEnd:fileSize:]: chosen boot program file path=/Volumes/OS X Base System 1/System/Library/CoreServices/boot.efi size=314880
Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMRecoveryFileCopier calculateFileSizeAtPercentBegin:percentEnd:fileSize:]: chosen kernelcache file path=/Volumes/OS X Base System 1/System/Library/PrelinkedKernels/prelinkedkernel size=21837607
Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM <-T-[DMRecoveryFileCopier calculateFileSizeAtPercentBegin:percentEnd:fileSize:]: retErr=0 outFileSize=509927651
Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition ensureRecoveryPartitionForVolume:]: CALC result phase 1/5 (after adding up logical file

sizes in dmg + expected to create ourselves)

requiredFileSpaceForRecoveryFilesULL=509927651 =Sbydiv=995952 =MiBbydiv=486
=MBbydiv=509

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: CALC result phase 2/5 (converted to iomedia
desired size) desiredMinRecoveryDiskIOMediaSizeULL=526704867 =Sbydiv=1028720
=MiBbydiv=502

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: CALC result phase 3/5 (after adding BootRoot
iomedia allocation) desiredMinRecoveryDiskIOMediaSizeULL=627368163
=Sbydiv=1225328 =MiBbydiv=598

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: CALC result phase 4/5 (after applying minimum)
desiredMinRecoveryDiskIOMediaSizeULL=650000000 =Sbydiv=1269531
=MiBbydiv=619 =MBbydiv=650

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: checking against recovery partition limit
MAXimum

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureRecoveryPartitionForVolume:]: CALC result phase 5/5 (after applying MAXimum)
desiredMinRecoveryDiskIOMediaSizeULL=650000000 =Sbydiv=1269531
=MiBbydiv=619 =MBbydiv=650

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolRecoveryPartition
ensureBooter:storage:phyUDS:logUDS:phyREF:logREF:copierForRecoveryFiles:hostO
SXForBootRootFiles:recBSD:percentBegin:percentEnd:]: inMinSizeB=650000000
inSTORorNOT=(null) inPhyUDS=0x700000320c20=disk1s2=El Capitan
inLogUDS=0x7f889ac04c78=disk1s2=El Capitan inPhyREF=(null) inLogREF=(null)
inLogMP=/Volumes/El Capitan inFileCopier=0x7f889ad5e090 inPct=16..95

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureBooter:storage:phyUDS:logUDS:phyREF:logREF:copierForRecoveryFiles:hostO
SXForBootRootFiles:recBSD:percentBegin:percentEnd:]: existing conditions right after
PHY=disk1s2: usedOrNotSpaceB=134221312 hasBooter=0 booterPartID/disk=0/(null)
booterLocB/SizeB=0/0

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureBooter:storage:phyUDS:logUDS:phyREF:logREF:copierForRecoveryFiles:hostO
SXForBootRootFiles:recBSD:percentBegin:percentEnd:]: existing booter GUID=(nil if no
booter)=(null)

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureBooter:storage:phyUDS:logUDS:phyREF:logREF:copierForRecoveryFiles:hostO
SXForBootRootFiles:recBSD:percentBegin:percentEnd:]: existing conditions of PHY:
disk1s2 loc=S=409640=B=209735680

siz=S=1952853344=B=999860912128=N=999860912128

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
ensureBooter:storage:phyUDS:logUDS:phyREF:logREF:copierForRecoveryFiles:hostO
SXForBootRootFiles:recBSD:percentBegin:percentEnd:]: existing conditions of LOG:
disk1s2 (could be whole so no loc)

siz=S=1952853344=B=999860912128=N=999860912128

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition ensureBooter:storage:phyUDS:logUDS:phyREF:logREF:copierForRecoveryFiles:hostOSXForBootRootFiles:recBSD:percentBegin:percentEnd:]: READY TO DO CASE: case=Create_Carve_Simple spaceDeltaB=515781120 booterDeltaB=0 (advicelfUnable=-69886)

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolBootPreference testBootIniFilesUpdatabilityOnWholeDisk:]: inWholeDisk=0x700000320840=disk1

Nov 14 05:43:24 Mac-Pro storagekitd[470]: DM Message: Shrinking host partition and creating new recovery partition

Nov 14 05:43:24 Mac-Pro OSInstaller[469]: Shrinking host partition and creating new recovery partition

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolBootPreference updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure dlt:hadToWrite:]: inDisk=0x7000003203b0=disk1s1=EFI inNewPartNum=1 inDolt=0

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolBootPreference updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure dlt:hadToWrite:]: retErr=0 outApt=0 outExists=0 outAble=0 outNeedsUpdate=0 outEnsuredIt=0 outHadToWrite=0

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolBootPreference testBootIniFilesUpdatabilityOnWholeDisk:]: . did updateBootIniFileOnDisk(do=N); fileFound=0 canHandle=0 needsUpdate=0

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolBootPreference updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure dlt:hadToWrite:]: inDisk=0x7000003203b0=disk1s2=El Capitan inNewPartNum=2 inDolt=0

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolBootPreference updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure dlt:hadToWrite:]: retErr=0 outApt=0 outExists=0 outAble=0 outNeedsUpdate=0 outEnsuredIt=0 outHadToWrite=0

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolBootPreference testBootIniFilesUpdatabilityOnWholeDisk:]: . did updateBootIniFileOnDisk(do=N); fileFound=0 canHandle=0 needsUpdate=0

Nov 14 05:43:24 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolBootPreference testBootIniFilesUpdatabilityOnWholeDisk:]: retErr=0

Nov 14 05:43:24 Mac-Pro storagekitd[470]: DM Message: Verifying file system.

Nov 14 05:43:24 Mac-Pro OSInstaller[469]: Verifying file system.

Nov 14 05:43:24 Mac-Pro OSInstaller[469]: Evaluating 1 disks

Nov 14 05:43:24 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2 Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }

Nov 14 05:43:24 Mac-Pro storagekitd[470]: DM Message: Checking Journaled HFS Plus volume.

Nov 14 05:43:24 Mac-Pro OSInstaller[469]: Checking Journaled HFS Plus volume.

Nov 14 05:43:24 Mac-Pro storagekitd[470]: DM Message: Checking extents overflow file.

Nov 14 05:43:24 Mac-Pro OSInstaller[469]: Checking extents overflow file.

Nov 14 05:43:24 Mac-Pro storagekitd[470]: DM Message: Checking catalog file.

Nov 14 05:43:24 Mac-Pro OSInstaller[469]: Checking catalog file.
Nov 14 05:43:26 Mac-Pro storagekitd[470]: DM Message: Checking multi-linked files.
Nov 14 05:43:26 Mac-Pro OSInstaller[469]: Checking multi-linked files.
Nov 14 05:43:26 Mac-Pro storagekitd[470]: DM Message: Checking catalog hierarchy.
Nov 14 05:43:26 Mac-Pro storagekitd[470]: DM Message: Checking extended attributes file.
Nov 14 05:43:26 Mac-Pro OSInstaller[469]: Checking catalog hierarchy.
Nov 14 05:43:26 Mac-Pro OSInstaller[469]: Checking extended attributes file.
Nov 14 05:43:28 Mac-Pro storagekitd[470]: DM Message: Checking volume bitmap.
Nov 14 05:43:28 Mac-Pro OSInstaller[469]: Checking volume bitmap.
Nov 14 05:43:29 Mac-Pro storagekitd[470]: DM Message: Checking volume information.
Nov 14 05:43:29 Mac-Pro OSInstaller[469]: Checking volume information.
Nov 14 05:43:29 Mac-Pro storagekitd[470]: DM Message: The volume El Capitan appears to be OK.
Nov 14 05:43:29 Mac-Pro OSInstaller[469]: The volume El Capitan appears to be OK.
Nov 14 05:43:29 Mac-Pro storagekitd[470]: DM Message: File system check exit code is 0.
Nov 14 05:43:29 Mac-Pro OSInstaller[469]: File system check exit code is 0.
Nov 14 05:43:30 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition ensureBooter:storage:phyUDS:logUDS:phyREF:logREF:copierForRecoveryFiles:hostOSXForBootRootFiles:recBSD:percentBegin:percentEnd:]: done fsck of donor slice; err=0
Nov 14 05:43:30 Mac-Pro storagekitd[470]: DM Message: Shrinking target volume from 999860912128 to 999345127424 bytes
Nov 14 05:43:30 Mac-Pro storagekitd[470]: DM Message: Shrinking file system
Nov 14 05:43:30 Mac-Pro OSInstaller[469]: Shrinking target volume from 999860912128 to 999345127424 bytes
Nov 14 05:43:30 Mac-Pro OSInstaller[469]: Shrinking file system
Nov 14 05:43:30 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:43:30 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2 Mount point: /Volumes/El Capitan Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:43:30 Mac-Pro OSInstaller[469]: El Capitan is a valid target.
Nov 14 05:43:31 Mac-Pro storagekitd[470]: DM Message: Shrinking partition and creating new recovery partition
Nov 14 05:43:31 Mac-Pro OSInstaller[469]: Shrinking partition and creating new recovery partition
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolPartitionDisk editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:newEntriesCreated:lmbroption:percentBegin:percentEnd:partitionDataDelegate:]: inSliceDisk=0x700000320c20=disk1s2=El Capitan inPct=26..34 inNewSize=999345127424(B)=1951845952(S) inMode=AddRecoveryEntryDuringTargetShrinkOrNoChange inOptionSize=0(B)=0(S) inNewEntriesRequested=(null) inFormatNewEntries=0 inLMBROption=(null) inDelegate=(null)
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:newEntriesCreated:lmbroption:percentBegin:percentEnd:partitionDataDelegate:]:

ensured valid mode

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
ensured not (newSize=0=GrowToFit specified together with a special mode)

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
ensured not (AddRecoveryEntry mode plus triples specified)

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
ensured target is slice; ensured scheme is GPT; parent wholeDiskBSD/UDS=disk1

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
oldsize = 999860912128 B = 1952853344 S

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
newsize = 999345127424 B = 1951845952 S

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
ensured not (size delta indicates grow yet shrink-specific modes are asked for)

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
ensured not (size delta indicates shrink yet a grow-specific mode was asked for)

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
targetPartID=2

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
targetHasBooterAtPartID=(nil if no booter)=(null) GUID=(null) size=(null) name=(null)

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: doing
DARegisterDiskPeekCallback to avoid DA dialogs

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: bef
MKMediaCreateWithPath dev=/dev/rdisk1 opts={

 "Shared Writer" = 1;

 Writable = 1;

```

    }
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:lmbOption:percentBegin:percentEnd:partitionDataDelegate:]: aft
MKMediaCreateWithPath err=0
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:lmbOption:percentBegin:percentEnd:partitionDataDelegate:]:
blocksize=512 kMINALIGNMENT=4096 kSECTORSIZE=512=512 alignment=8
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:lmbOption:percentBegin:percentEnd:partitionDataDelegate:]: bef
MKCFReadMedia device=<MKMediaRef>: /dev/rdisk1=0x7f889ad69110 opts={
    "Include all" = 1;
}
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:lmbOption:percentBegin:percentEnd:partitionDataDelegate:]: aft
MKCFReadMedia err=0 media={
    Schemes = (
        {
            ID = GPT;
            Name = "GPT Partition Scheme";
            Sections = (
                {
                    GUID = "A7956193-4BF9-44D4-A8DD-5BB5FA96A990";
                    ID = MAP;
                    "Media Block Count" = 1953525101;
                    "Media Offset" = 34;
                    Offset = 34;
                    Overhead = 67;
                    Partitions = (
                        {
                            GUID = "D3C521ED-1BC1-43FD-9AB6-9F2E24DF9690";
                            Name = "EFI System Partition";
                            Offset = 40;
                            "Partition ID" = 1;
                            Size = 409600;
                            Type = EFI;
                        },
                        {
                            GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
                            Name = "El Capitan";
                            Offset = 409640;
                            "Partition ID" = 2;
                            Size = 1952853344;
                            Type = "Apple_HFS";
                        }
                    )
                }
            )
        }
    )
}

```

```

    }
    );
    Revision = 65536;
    "_Reference" = <30aee19a 887f0000>;
  }
);
}
);
}
);
}

```

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
making DEL/ADD lists: RP mode: DEL+=none; ADD+=recovery

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
booterReqB roundup for UAM: rounded-512 up by 0 ; now booterReqB=0

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
booterReqB roundup for ALIGN: rounded-4096 up by 0 ; now booterReqB=0

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: done
making DEL/ADD lists: DEL=(

```

    ) ADD=(
        {
            IOContent = "Apple_Boot";
            Name = "Recovery HD";
            Size = 0;
        }
    ) ADDOPTS=(
        {
            "Direct Mode" = 1;
            "Retain existing content" = 0;
        }
    )
)

```

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: bef
doomPartitionsByPartID oldEntriesToDelArr=(

```

)

```

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: aft
doomPartitionsByPartID err=0

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk

```

editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: bef
MKCFUpdateMedia() (del) media={
    Schemes = (
        {
            ID = GPT;
            Name = "GPT Partition Scheme";
            Sections = (
                {
                    GUID = "A7956193-4BF9-44D4-A8DD-5BB5FA96A990";
                    ID = MAP;
                    "Media Block Count" = 1953525101;
                    "Media Offset" = 34;
                    Offset = 34;
                    Overhead = 67;
                    Partitions = (
                        {
                            GUID = "D3C521ED-1BC1-43FD-9AB6-9F2E24DF9690";
                            Name = "EFI System Partition";
                            Offset = 40;
                            "Partition ID" = 1;
                            Size = 409600;
                            Type = EFI;
                        },
                        {
                            GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
                            Name = "El Capitan";
                            Offset = 409640;
                            "Partition ID" = 2;
                            Size = 1952853344;
                            Type = "Apple_HFS";
                        }
                    );
                    Revision = 65536;
                    "_Reference" = <30aee19a 887f0000>;
                }
            );
        }
    );
} lib=CFBundle 0x7f889af04b70 </System/Library/PrivateFrameworks/
MediaKit.framework/Loaders/MKDrivers.bundle> (not loaded) align=8 opts={
    "Flexible Allocation" = 1;
    "Generate Freespace Records" = 1;
    "Legacy Mode" = 0;
    "UEFI Mode" = 0;
}

```

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk

```
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:lmbrOption:percentBegin:percentEnd:partitionDataDelegate:]: aft
MKCFUpdateMedia() (del) err=0 media={
```

```
    Schemes = (
        {
            Alignment = 8;
            ID = GPT;
            Name = "GPT Partition Scheme";
            Sections = (
                {
                    GUID = "A7956193-4BF9-44D4-A8DD-5BB5FA96A990";
                    ID = MAP;
                    "Media Block Count" = 1953525101;
                    "Media Offset" = 34;
                    Offset = 34;
                    Overhead = 67;
                    Partitions = (
                        {
                            GUID = "D3C521ED-1BC1-43FD-9AB6-9F2E24DF9690";
                            Name = "EFI System Partition";
                            Offset = 40;
                            "Partition ID" = 1;
                            Size = 409600;
                            Type = EFI;
                        },
                        {
                            GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
                            Name = "El Capitan";
                            Offset = 409640;
                            "Partition ID" = 2;
                            Size = 1952853344;
                            Type = "Apple_HFS";
                        }
                    );
                    Revision = 65536;
                    "_Reference" = <30aee19a 887f0000>;
                }
            );
        }
    );
}
```

```
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:lmbrOption:percentBegin:percentEnd:partitionDataDelegate:]: bef
adjustPartitionsAtPartID2 newEntriesToAddArr=(
```

```
{
    IOContent = "Apple_Boot";
```

```

        Name = "Recovery HD";
        Size = 0;
    }
)
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:lmbrOption:percentBegin:percentEnd:partitionDataDelegate:]: aft
adjustPartitionsAtPartID2 err=0 updatedMediaDict={
    Schemes = (
        {
            Alignment = 8;
            ID = GPT;
            Name = "GPT Partition Scheme";
            Sections = (
                {
                    GUID = "A7956193-4BF9-44D4-A8DD-5BB5FA96A990";
                    ID = MAP;
                    "Media Block Count" = 1953525101;
                    "Media Offset" = 34;
                    Offset = 34;
                    Overhead = 67;
                    Partitions = (
                        {
                            GUID = "D3C521ED-1BC1-43FD-9AB6-9F2E24DF9690";
                            Name = "EFI System Partition";
                            Offset = 40;
                            "Partition ID" = 1;
                            Size = 409600;
                            Type = EFI;
                        },
                        {
                            GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
                            Name = "El Capitan";
                            Offset = 409640;
                            Options = {
                                "Direct Mode" = 1;
                                "Retain existing content" = 1;
                            };
                            "Partition ID" = 2;
                            Size = 1951845952;
                            Type = "Apple_HFS";
                        },
                        {
                            GUID = "0B364287-1494-45B7-AED0-F4C7169D2DB8";
                            Name = "Recovery HD";
                            Offset = 19522
Nov 14 05:43:31 Mac-Pro
diskmanagementd[471]: DM ..T-[DMToolPartitionDisk

```

```
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: bef
MKCFUpdateMedia() (changesize+add) media={
```

```
    Schemes = (
        {
            Alignment = 8;
            ID = GPT;
            Name = "GPT Partition Scheme";
            Sections = (
                {
                    GUID = "A7956193-4BF9-44D4-A8DD-5BB5FA96A990";
                    ID = MAP;
                    "Media Block Count" = 1953525101;
                    "Media Offset" = 34;
                    Offset = 34;
                    Overhead = 67;
                    Partitions = (
                        {
                            GUID = "D3C521ED-1BC1-43FD-9AB6-9F2E24DF9690";
                            Name = "EFI System Partition";
                            Offset = 40;
                            "Partition ID" = 1;
                            Size = 409600;
                            Type = EFI;
                        },
                        {
                            GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
                            Name = "El Capitan";
                            Offset = 409640;
                            Options = (
                                {
                                    "Direct Mode" = 1;
                                    "Retain existing content" = 1;
                                }
                            );
                            "Partition ID" = 2;
                            Size = 1951845952;
                            Type = "Apple_HFS";
                        },
                        {
                            GUID = "0B364287-1494-45B7-AED0-F4C7169D2DB8";
                            Name = "Recovery HD";
                            Offset = 1952255592;
```

```
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: aft
MKCFUpdateMedia() (changesize+add) err=0 media={
```

```
    Schemes = (
        {
```



```

Alignment = 8;
ID = GPT;
Name = "GPT Partition Scheme";
Sections = (
    {
        GUID = "A7956193-4BF9-44D4-A8DD-5BB5FA96A990";
        ID = MAP;
        "Media Block Count" = 1953525101;
        "Media Offset" = 34;
        Offset = 34;
        Overhead = 67;
        Partitions = (
            {
                GUID = "D3C521ED-1BC1-43FD-9AB6-9F2E24DF9690";
                Name = "EFI System Partition";
                Offset = 40;
                "Partition ID" = 1;
                Size = 409600;
                Type = EFI;
            },
            {
                GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
                Name = "EI Capitan";
                Offset = 409640;
                Options = (
                    {
                        "Direct Mode" = 1;
                        "Retain existing content" = 1;
                    }
                );
                "Partition ID" = 2;
                Size = 1951845952;
                Type = "Apple_HFS";
            },
            {
                Flags = 9;
                GUID = "0B364287-1494-45B7-AED0-F4C7169D2DB8";
                Name = "Recovery HD";
            }
        )
    }
)

```

Nov 14 05:43:31 Mac-Pro storagekitd[470]: DM Message: Modifying partition map

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: bef MKCFWriteMedia() media={

```

    Schemes = (
        {
            Alignment = 8;
            ID = GPT;
            Name = "GPT Partition Scheme";
        }
    )

```

```

Sections = (
    {
        GUID = "A7956193-4BF9-44D4-A8DD-5BB5FA96A990";
        ID = MAP;
        "Media Block Count" = 1953525101;
        "Media Offset" = 34;
        Offset = 34;
        Overhead = 67;
        Partitions = (
            {
                GUID = "D3C521ED-1BC1-43FD-9AB6-9F2E24DF9690";
                Name = "EFI System Partition";
                Offset = 40;
                "Partition ID" = 1;
                Size = 409600;
                Type = EFI;
            },
            {
                GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
                Name = "El Capitan";
                Offset = 409640;
                Options = {
                    "Direct Mode" = 1;
                    "Retain existing content" = 1;
                };
                "Partition ID" = 2;
                Size = 1951845952;
                Type = "Apple_HFS";
            },
            {
                Flags = 9;
                GUID = "0B364287-1494-45B7-AED0-F4C7169D2DB8";
                Name = "Recovery HD";
                Nov 14 05:43:31 Mac-Pro OSInstaller[469]: Modifying partition

```

map

```

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: aft
MKCFWriteMedia() err=0 mediaDict={

```

```

    Schemes = (
        {
            Alignment = 8;
            ID = GPT;
            Name = "GPT Partition Scheme";
            Sections = (
                {
                    GUID = "A7956193-4BF9-44D4-A8DD-5BB5FA96A990";

```

```

ID = MAP;
"Media Block Count" = 1953525101;
"Media Offset" = 34;
Offset = 34;
Overhead = 67;
Partitions = (
    {
        GUID = "D3C521ED-1BC1-43FD-9AB6-9F2E24DF9690";
        Name = "EFI System Partition";
        Offset = 40;
        "Partition ID" = 1;
        Size = 409600;
        Type = EFI;
    },
    {
        GUID = "9349ED75-0216-434E-AE9D-157F2507793C";
        Name = "El Capitan";
        Offset = 409640;
        Options = {
            "Direct Mode" = 1;
            "Retain existing content" = 1;
        };
        "Partition ID" = 2;
        Size = 1951845952;
        Type = "Apple_HFS";
    },
    {
        Flags = 9;
        GUID = "0B364287-1494-45B7-AED0-F4C7169D2DB8";
        Name = "Recovery HD";
    }
);

```

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-

[DMToolPartitionDisk

editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
closing dev with MK

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: MK
closed; disks will now reappear, no BSD ordering guaranteed, so will use GUID-UUID
match

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
looking for 1 new disks

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: . new

```
iter: now newEntriesToDiscoverDict={
    "0B364287-1494-45B7-AED0-F4C7169D2DB8" = {
        IOContent = "Apple_Boot";
        Name = "Recovery HD";
        Size = 0;
    };
}
```

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: . a
(any) MK-reported new child of 0x7000003203b0=disk1 is

GUID=0B364287-1494-45B7-AED0-F4C7169D2DB8 ; looking in IOReg

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: .
MATCH: NewDisk GUID=0B364287-1494-45B7-AED0-F4C7169D2DB8 appeared in
IOReg

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: . got
from ioreg without expecting DA to know about it yet =

NewDisk=0x700000320190=disk1s3

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: .
NewPartition of 0x7000003203b0=disk1 is GUID=0B364287-1494-45B7-AED0-
F4C7169D2DB8 BSD=disk1s3

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: .

```
NewEntryDict={
    IOContent = "Apple_Boot";
    Name = "Recovery HD";
    Size = 0;
}
```

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: .
removing 0B364287-1494-45B7-AED0-F4C7169D2DB8 from to-do dict

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: . after
removal, now num new entries still to do = 0

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: . retry
discovery unless timeout

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: . new
iter: now newEntriesToDiscoverDict={
}

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: at
FoundAllNewDisks

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
updating Windows boot.ini files as needed

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolBootPreference
updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure
dlt:hadToWrite:]: inDisk=0x70000031ff10=disk1s1=EFI inNewPartNum=1 inDolt=1

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolBootPreference
updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure
dlt:hadToWrite:]: retErr=0 outApt=0 outExists=0 outAble=0 outNeedsUpdate=0
outEnsuredIt=0 outHadToWrite=0

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolBootPreference
updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure
dlt:hadToWrite:]: inDisk=0x70000031ff10=disk1s2=El Capitan inNewPartNum=2
inDolt=1

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolBootPreference
updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure
dlt:hadToWrite:]: retErr=0 outApt=0 outExists=0 outAble=0 outNeedsUpdate=0
outEnsuredIt=0 outHadToWrite=0

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolBootPreference
updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure
dlt:hadToWrite:]: inDisk=0x70000031ff10=disk1s3 inNewPartNum=3 inDolt=1

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolBootPreference
updateBootIniFileOnDisk:newPartNum:dolt:appropriate:exists:able:needsUpdate:ensure
dlt:hadToWrite:]: retErr=-69846 outApt=0 outExists=0 outAble=0 outNeedsUpdate=0
outEnsuredIt=0 outHadToWrite=0

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: if=1
DAUnregisterCallback for disk peeks

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]: if=1
lower the DMT interrupt level

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
releases

Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolPartitionDisk
editMapAtPartition:newSize:mode:optionSize:newEntriesRequested:formatNewEntries:
newEntriesCreated:ImbrOption:percentBegin:percentEnd:partitionDataDelegate:]:
outErr=0 outNewEntriesCreated=(
 disk1s3
)
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ->T-[DMToolRecoveryPartition
populateBooter:verifyType:verifyMinSize:clearMode:copierForRecoveryFiles:hostOSXF
orBootRootFiles:statusReportingDisk:percentBegin:percentEnd:]:
inPartitionUDS=0x7000003208e0=disk1s3 inVfyType/MinSize=Apple_Boot/650002432
inClearMode=Format inRecCopier=0x7f889ad5e090 inBRHostMP=/Volumes/EI Capitan
inStatusDisk=0x7f889ac04c78=disk1s2=EI Capitan inPct=35..87
Nov 14 05:43:31 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
populateBooter:verifyType:verifyMinSize:clearMode:copierForRecoveryFiles:hostOSXF
orBootRootFiles:statusReportingDisk:percentBegin:percentEnd:]: Format Mode, so
arrange to newfs it
Nov 14 05:43:31 Mac-Pro storagekitd[470]: DM Message: Formatting booter
Nov 14 05:43:31 Mac-Pro OSInstaller[469]: Formatting booter
Nov 14 05:43:31 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:43:31 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2
Mount point: /Volumes/EI Capitan Role: kSKDiskRoleLegacyMacData Type:
kSKDiskTypeHFS }
Nov 14 05:43:31 Mac-Pro OSInstaller[469]: EI Capitan is a valid target.
Nov 14 05:43:31 Mac-Pro storagekitd[470]: DM Message: Initialized /dev/rdisk1s3 as a
620 MB case-insensitive HFS Plus volume with a 8192k journal
Nov 14 05:43:31 Mac-Pro OSInstaller[469]: Initialized /dev/rdisk1s3 as a 620 MB case-
insensitive HFS Plus volume with a 8192k journal
Nov 14 05:43:32 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition
populateBooter:verifyType:verifyMinSize:clearMode:copierForRecoveryFiles:hostOSXF
orBootRootFiles:statusReportingDisk:percentBegin:percentEnd:]: successful creation of
RecoverySystem directory on booter volume
Nov 14 05:43:32 Mac-Pro diskmanagementd[471]: DM ->T-[DMRecoveryFileCopier
copyFilesToPath:atPercentBegin:percentEnd:]: inFilesDstPath=/Volumes/Recovery HD/
com.apple.recovery.boot pct=37..81
Nov 14 05:43:32 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference
copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: bef copyfile srcPath=/Volumes/OS X Base System 1/System/Library/CoreServices/
boot.efi dstPath=/Volumes/Recovery HD/com.apple.recovery.boot/boot.efi
Nov 14 05:43:32 Mac-Pro storagekitd[470]: DM Message: Creating recovery system
directory
Nov 14 05:43:32 Mac-Pro storagekitd[470]: DM Message: Copying boot loader
Nov 14 05:43:32 Mac-Pro OSInstaller[469]: Creating recovery system directory
Nov 14 05:43:32 Mac-Pro OSInstaller[469]: Copying boot loader
Nov 14 05:43:32 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference
copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: aft copyfile retCode=0 errno=2
Nov 14 05:43:32 Mac-Pro storagekitd[470]: DM Message: Copying kernel

Nov 14 05:43:32 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: bef copyfile srcPath=/Volumes/OS X Base System 1/System/Library/
PrelinkedKernels/prelinkedkernel dstPath=/Volumes/Recovery HD/
com.apple.recovery.boot/prelinkedkernel
Nov 14 05:43:32 Mac-Pro OSInstaller[469]: Copying kernel
Nov 14 05:43:33 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: aft copyfile retCode=0 errno=2
Nov 14 05:43:33 Mac-Pro storagekitd[470]: DM Message: Copying base system image
Nov 14 05:43:33 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: bef copyfile srcPath=/Volumes/Mac OS X Install DVD/BaseSystem.dmg dstPath=
Volumes/Recovery HD/com.apple.recovery.boot/BaseSystem.dmg
Nov 14 05:43:33 Mac-Pro OSInstaller[469]: Copying base system image
Nov 14 05:43:58 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: aft copyfile retCode=0 errno=2
Nov 14 05:43:58 Mac-Pro storagekitd[470]: DM Message: Copying base system version
plist
Nov 14 05:43:58 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: bef copyfile srcPath=/Volumes/OS X Base System 1/System/Library/CoreServices/
SystemVersion.plist dstPath=/Volumes/Recovery HD/com.apple.recovery.boot/
SystemVersion.plist
Nov 14 05:43:58 Mac-Pro OSInstaller[469]: Copying base system version plist
Nov 14 05:43:58 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: aft copyfile retCode=0 errno=2
Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: bef copyfile srcPath=/Volumes/OS X Base System 1/System/Library/CoreServices/
com.apple.recovery.boot/PlatformSupport.plist dstPath=/Volumes/Recovery HD/
com.apple.recovery.boot/PlatformSupport.plist
Nov 14 05:43:59 Mac-Pro storagekitd[470]: DM Message: Copying platform support
plist
Nov 14 05:43:59 Mac-Pro OSInstaller[469]: Copying platform support plist
Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: aft copyfile retCode=0 errno=2
Nov 14 05:43:59 Mac-Pro storagekitd[470]: DM Message: Copying system image chunk
list
Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke
^: bef copyfile srcPath=/Volumes/Mac OS X Install DVD/BaseSystem.chunklist
dstPath=/Volumes/Recovery HD/com.apple.recovery.boot/BaseSystem.chunklist
Nov 14 05:43:59 Mac-Pro OSInstaller[469]: Copying system image chunk list

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke ^: aft copyfile retCode=0 errno=2

Nov 14 05:43:59 Mac-Pro storagekitd[470]: DM Message: Creating boot plist

Nov 14 05:43:59 Mac-Pro OSInstaller[469]: Creating boot plist

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke ^: bef copyfile srcPath=/Volumes/AppleDiagnostics/System/Library/CoreServices/.diagnostics/Info.plist dstPath=/Volumes/Recovery HD/com.apple.recovery.boot/.diagnostics/Info.plist

Nov 14 05:43:59 Mac-Pro storagekitd[470]: DM Message: Creating diagnostics directory and copying diagnostics image

Nov 14 05:43:59 Mac-Pro OSInstaller[469]: Creating diagnostics directory and copying diagnostics image

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke ^: aft copyfile retCode=0 errno=2

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke ^: bef copyfile srcPath=/Volumes/Mac OS X Install DVD/AppleDiagnostics.dmg dstPath=/Volumes/Recovery HD/com.apple.recovery.boot/.diagnostics/AppleDiagnostics.dmg

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke ^: aft copyfile retCode=0 errno=2

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke ^: bef copyfile srcPath=/Volumes/Mac OS X Install DVD/AppleDiagnostics.chunklist dstPath=/Volumes/Recovery HD/com.apple.recovery.boot/.diagnostics/AppleDiagnostics.chunklist

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T__90-[DMToolBootPreference copyFileFromPath:toDirAtPath:newName:disk:percentBegin:percentEnd:]_block_invoke ^: aft copyfile retCode=0 errno=2

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolRecoveryFileCopier copyFilesToPath:atPercentBegin:percentEnd:]: retErr=0

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolRecoveryPartition populateBooter:verifyType:verifyMinSize:clearMode:copierForRecoveryFiles:hostOSXF orBootRootFiles:statusReportingDisk:percentBegin:percentEnd:]: retErr=0

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolRecoveryPartition ensureBooter:storage:phyUDS:logUDS:phyREF:logREF:copierForRecoveryFiles:hostO SXForBootRootFiles:recBSD:percentBegin:percentEnd:]: retErr=0 outDisk=disk1s3

Nov 14 05:43:59 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition ensureRecoveryPartitionForVolume:]: final

booter=recoveryDisk=disk1s3=0x700000320ae0=disk1s3=Recovery HD

Nov 14 05:44:00 Mac-Pro storagekitd[470]: DM Message: Mounting recovery partition

Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Mounting recovery partition

Nov 14 05:44:00 Mac-Pro storagekitd[470]: DM Message: Blessing boot file

Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Blessing boot file
Nov 14 05:44:00 Mac-Pro storagekitd[470]: DM Message: Marking recovery partition
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Marking recovery partition
Nov 14 05:44:00 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition ensureRecoveryPartitionForVolume:]: at Exit; err=0
Nov 14 05:44:00 Mac-Pro diskmanagementd[471]: DM ..T-[DMToolRecoveryPartition ensureRecoveryPartitionForVolume:]: output recoveryDiskBSD=disk1s3
physicalDonorBSD=disk1s2
Nov 14 05:44:00 Mac-Pro diskmanagementd[471]: DM ->T-[DMRecoveryFileCopier unmountAndDetachAtPercentBegin:percentEnd:]: pct=99..99
Nov 14 05:44:00 Mac-Pro storagekitd[470]: DM Message: Detaching Base System disk image
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk19s1 Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Detaching Base System disk image
Nov 14 05:44:00 Mac-Pro storagekitd[470]: DM Message: Detaching Diagnostics disk image
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Detaching Diagnostics disk image
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk20s2 Mount point: Not Mounted Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:44:00 Mac-Pro diskmanagementd[471]: DM <-T-[DMRecoveryFileCopier unmountAndDetachAtPercentBegin:percentEnd:]: err=0
Nov 14 05:44:00 Mac-Pro diskmanagementd[471]: DM <-T-[DMToolRecoveryPartition ensureRecoveryPartitionForVolume:]
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Ensure recovery completed successfully.
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Preparing disk for OS Install.
Nov 14 05:44:00 Mac-Pro OSInstaller[469]: Removing background color for incompatible machine Mac-F42C88C8
Nov 14 05:44:01 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:44:01 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2 Mount point: /Volumes/El Capitan Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:44:01 Mac-Pro OSInstaller[469]: El Capitan is a valid target.
Nov 14 05:44:01 Mac-Pro storagekitd[470]: Journaling already enabled for disk: <DADisk 0x7ff7f0606040 [0x10e5c2890]>{id = /dev/disk1s2}
Nov 14 05:44:01 Mac-Pro OSInstaller[469]: Evaluating 1 disks
Nov 14 05:44:01 Mac-Pro OSInstaller[469]: Evaluating SKDisk { BSD Name: disk1s2 Mount point: /Volumes/El Capitan Role: kSKDiskRoleLegacyMacData Type: kSKDiskTypeHFS }
Nov 14 05:44:01 Mac-Pro OSInstaller[469]: El Capitan is a valid target.
Nov 14 05:44:02 Mac-Pro OSInstaller[469]: Activated virtual memory backing store at mount point '/Volumes/El Capitan'
Nov 14 05:44:02 Mac-Pro OSInstaller[469]: Enabled OS Install core dumps

Nov 14 05:44:02 Mac-Pro OSInstaller[469]: Will try to attach log to: /Volumes/EI Capitan/private/var/log/install.log

Nov 14 05:44:03 Mac-Pro OSInstaller[469]: PackageKit: Enqueuing install with default quality of service (utility)

Nov 14 05:44:03 Mac-Pro OSInstaller[469]: PackageKit: ----- Begin install -----

Nov 14 05:44:03 Mac-Pro OSInstaller[469]: PackageKit: request=PKInstallRequest <4 packages, destination=/Volumes/EI Capitan>

Nov 14 05:44:03 Mac-Pro OSInstaller[469]: PackageKit: packages=(
 "PKLeopardPackage <file:///System/Installation/Packages/
BaseSystemResources.pkg>",
 "PKLeopardPackage <file:///System/Installation/Packages/Essentials.pkg>",
 "PKLeopardPackage <file:///System/Installation/Packages/OSInstall.pkg>",
 "PKLeopardPackage <file:///System/Installation/Packages/X11redirect.pkg>"
)

Nov 14 05:44:04 Mac-Pro OSInstaller[469]: PackageKit: Using / as external payload root for package com.apple.pkg.BaseSystemResources

Nov 14 05:44:04 Mac-Pro OSInstaller[469]: PackageKit: Extracting file:///System/Installation/Packages/BaseSystemResources.pkg (destination=/Volumes/EI Capitan/.OSInstallSandboxPath/Root, uid=0)

Nov 14 05:47:38 Mac-Pro OSInstaller[469]: PackageKit: Extracting file:///System/Installation/Packages/Essentials.pkg (destination=/Volumes/EI Capitan/.OSInstallSandboxPath/Root, uid=0)

Nov 14 05:55:09 Mac-Pro OSInstaller[469]: PackageKit: Extracting file:///System/Installation/Packages/X11redirect.pkg (destination=/Volumes/EI Capitan/.OSInstallSandboxPath/Root, uid=0)

Nov 14 05:55:09 Mac-Pro OSInstaller[469]: PackageKit: update_dyld_shared_cache - root /Volumes/EI Capitan/.OSInstallSandboxPath/Root

Nov 14 05:55:35 Mac-Pro OSInstaller[469]:
update_dyld_shared_cache(548,0x10472c000) malloc: *** error for object 0x7f81338568b8: incorrect checksum for freed object - object was probably modified after being freed.

Nov 14 05:55:35 Mac-Pro OSInstaller[469]: *** set a breakpoint in malloc_error_break to debug

Nov 14 05:55:35 Mac-Pro OSInstaller[469]: update_dyld_shared_cache exited with 6

Nov 14 05:55:35 Mac-Pro OSInstaller[469]: PackageKit: Triggering XPC service cache rebuild on next boot

Nov 14 05:55:35 Mac-Pro OSInstaller[469]: PackageKit: Executing script "preinstall" in /Volumes/EI Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.BaseSystemResources.Raqrez

Nov 14 05:55:38 Mac-Pro OSInstaller[469]: PackageKit: Executing script "preinstall" in /Volumes/EI Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.Essentials.QLmHXI

Nov 14 05:55:38 Mac-Pro OSInstaller[469]: PackageKit: Executing script "preinstall" in /Volumes/EI Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.OSInstall.PagWFK

Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2 - Client: ReportCrash, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2 - ODNodeCreateWithNameAndOptions request, SessionID:

00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2 - loading configuration for '/Local/'
from '/System/Library/OpenDirectory/Configurations/Local.plist'
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: Loaded bundle at path '/System/Library/
OpenDirectory/Modules/PlistFile.bundle'
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2 - unable to find authentication
module 'AppleID'
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2 - unable to find service discovery
callback for module 'PlistFile'
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: Registering for network changes
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: Registered subnode with name '/Local/
Default'
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 123.3 - Block: nodestate '/Local/'
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: failed to open local node for internal
record copy
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2.4 - Block: nodestate '/Local/
Default'
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: Registering for power changes
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2.4, Module: PlistFile - Node is 10.7
or later
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: Registering for network power changes
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2.4 - nodestate - flagging '/Local/
Default' online
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 123.3 - nodestate - flagging '/Local/'
online
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2.4 - Block completed
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 123.3 - Block completed
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2, Node: /Local/Default - node
assigned UUID - 3F71A15E-27AD-4C49-A820-D587D92F19CA
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.2, Node: /Local/Default -
ODNodeCreateWithNameAndOptions completed
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.5 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.5 - ODNodeCopyDetails request,
NodeID: 3F71A15E-27AD-4C49-A820-D587D92F19CA, Keys:
dsAttrTypeStandard:NodePath
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.5, Node: /Local/Default, Module:
PlistFile - ODNodeCopyDetails completed, delivered 1 result
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.6 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.6 - ODNodeRelease request,
NodeID: 3F71A15E-27AD-4C49-A820-D587D92F19CA
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.6, Node: /Local/Default -
ODNodeRelease completed
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.7 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.7 -

ODNodeCreateWithNameAndOptions request, SessionID:
00000000-0000-0000-0000-000000000000, Name: /Search, Options: 0x0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.7 -
ODNodeCreateWithNameAndOptions failed with error 'Unknown node name' (2000)
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.8 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.8 -
ODNodeCreateWithNameAndOptions request, SessionID:
00000000-0000-0000-0000-000000000000, Name: /Search, Options: 0x0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.8 -
ODNodeCreateWithNameAndOptions failed with error 'Unknown node name' (2000)
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.9 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.9 -
ODNodeCreateWithNameAndOptions request, SessionID:
00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.9, Node: /Local/Default - node
assigned UUID - FE496FBF-A255-4220-8256-D68082A77287
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.9, Node: /Local/Default -
ODNodeCreateWithNameAndOptions completed
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.10 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.10 - ODQueryCreateWithNode
request, NodeID: FE496FBF-A255-4220-8256-D68082A77287, RecordType(s):
dsRecTypeStandard:Users, Attribute: dsAttrTypeStandard:RecordName, MatchType:
Any, Equality: CaseIgnore, Value(s): dsRecordsAll, Requested Attributes:
dsAttrTypeStandard:GeneratedUID,dsAttrTypeNative:LinkedIdentity,dsAttrTypeStandard
:RealName,dsAttrTypeStandard:GroupMembership,dsAttrTypeNative:IsHidden,dsAttrTy
peStandard:Picture,dsAttrTypeStandard:UserCertificate,dsAttrTypeStandard:AppleMeta
NodeLocation,dsAttrTypeStandard:RecordType,dsAttrTypeStandard:Comment,dsAttrTy
peStandard:NestedGroups,dsAttrTypeStandard:PrimaryGroupID,dsAttrTypeStandard:A
uthenticationAuthority,dsAttrTypeStandard:Keywords,dsAttrTypeStandard:RecordName,
dsAttrTypeStandard:JPEGPhoto,dsAttrTypeNative:_guest,dsAttrTypeStandard:AppleMe
taRecordName,dsAttrTypeStandard:UserShell,dsAttrTypeStandard:GroupMembers,dsA
ttrTypeStandard:UniqueID,dsAttrTypeStandard:EmailAddress,dsAttrTypeStandard:NFS
HomeDirectory, Max Results: 2147483647
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.10, Node: /Local/Default, Module:
PlistFile - ODQueryCreateWithNode completed, delivered 86 results
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.11 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.11 - ODNodeRelease request,
NodeID: FE496FBF-A255-4220-8256-D68082A77287
Nov 14 05:55:42 Mac-Pro opendirectoryd[123]: 549.11, Node: /Local/Default -
ODNodeRelease completed
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Process:
update_dyld_shared_cache [548]
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Path: /usr/bin/

update_dyld_shared_cache
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Identifier:
update_dyld_shared_cache
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Version: 360.14
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Code Type: X86-64 (Native)
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Parent Process: OS X Installer [469]
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Responsible:
update_dyld_shared_cache [548]
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: User ID: 0
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Date/Time: 2015-11-14
05:55:38.466 -0800
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: OS Version: Mac OS X 10.11
(15A284)
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Report Version: 11
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Anonymous UUID: 46409939-
B965-47C5-B173-398986061541
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Time Awake Since Boot: 920 seconds
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: System Integrity Protection: disabled
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Crashed Thread: 0 Dispatch queue:
com.apple.main-thread
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Exception Type: EXC_CRASH
(SIGABRT)
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Exception Codes:
0x0000000000000000, 0x0000000000000000
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Exception Note:
EXC_CORPSE_NOTIFY
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Application Specific Information:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: abort() called
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: *** error for object 0x7f81338568b8:
incorrect checksum for freed object - object was probably modified after being freed.
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Thread 0 Crashed:: Dispatch queue:
com.apple.main-thread
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0 libsystem_kernel.dylib
0x000000001045c60ae __pthread_kill + 10
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 1 libsystem_pthread.dylib
0x00000000104726500 pthread_kill + 90
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 2 libsystem_c.dylib
0x000000001044c037b abort + 129

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 3 libsystem_malloc.dylib
0x00000001046313a6 szone_error + 626

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 4 libsystem_malloc.dylib
0x0000000104624c13 tiny_malloc_from_free_list + 1351

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 5 libsystem_malloc.dylib
0x0000000104623715 szone_malloc_should_clear + 292

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 6 libsystem_malloc.dylib
0x00000001046235b1 malloc_zone_malloc + 71

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 7 libsystem_malloc.dylib
0x00000001046220dc malloc + 42

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 8 libc++.1.dylib
0x0000000103afd7de operator new(unsigned long) + 30

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 9 update_dyld_shared_cache
0x0000000102f5b925

```
std::__1::unique_ptr<std::__1::__hash_node<std::__1::__hash_value_type<char const*,
std::__1::pair<unsigned long long, unsigned long long> >, void*>,
std::__1::__hash_node_destructor<std::__1::allocator<std::__1::__hash_node<std::__1:
::__hash_value_type<char const*, std::__1::pair<unsigned long long, unsigned long
long> >, void*> > > std::__1::__hash_table<std::__1::__hash_value_type<char const*,
std::__1::pair<unsigned long long, unsigned long long> >,
std::__1::__unordered_map_hasher<char const*, std::__1::__hash_value_type<char
const*, std::__1::pair<unsigned long long, unsigned long long> >, objc_opt::hashstr,
true>, std::__1::__unordered_map_equal<char const*,
std::__1::__hash_value_type<char const*, std::__1::pair<unsigned long long, unsigned
long long> >, objc_opt::eqstr, true>,
std::__1::allocator<std::__1::__hash_value_type<char const*, std::__1::pair<unsigned
long long, unsigned long long> > >::__construct_node<std::__1::pair<char const*
const, std::__1::pair<unsigned long long, unsigned long long> > >(std::__1::pair<char
const* const, std::__1::pair<unsigned long long, unsigned long long> >&&) + 33
```

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 10 update_dyld_shared_cache
0x0000000102f5b8ca

```
std::__1::__hash_iterator<std::__1::__hash_node<std::__1::__hash_value_type<char
const*, std::__1::pair<unsigned long long, unsigned long long> >, void*>*>
std::__1::__hash_table<std::__1::__hash_value_type<char const*,
std::__1::pair<unsigned long long, unsigned long long> >,
std::__1::__unordered_map_hasher<char const*, std::__1::__hash_value_type<char
const*, std::__1::pair<unsigned long long, unsigned long long> >, objc_opt::hashstr,
true>, std::__1::__unordered_map_equal<char const*,
std::__1::__hash_value_type<char const*, std::__1::pair<unsigned long long, unsigned
long long> >, objc_opt::eqstr, true>,
std::__1::allocator<std::__1::__hash_value_type<char const*, std::__1::pair<unsigned
long long, unsigned long long> > >::__insert_multi<std::__1::pair<char const* const,
std::__1::pair<unsigned long long, unsigned long long> > >(std::__1::pair<char const*
const, std::__1::pair<unsigned long long, unsigned long long> >&&) + 34
```

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 11 update_dyld_shared_cache
0x0000000102f74368 ClassListBuilder<x86_64>::visitClass(SharedCache<x86_64>*,
macho_header<Pointer64<LittleEndian> > const*, objc_class_t<x86_64>*) + 238

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 12 update_dyld_shared_cache
0x00000000102f6ecd0 ClassWalker<x86_64, ClassListBuilder<x86_64>
>::walk(SharedCache<x86_64>*, macho_header<Pointer64<LittleEndian> > const*) +
102

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 13 update_dyld_shared_cache
0x00000000102f66098 SharedCache<x86_64>::optimizeObjC(std::__1::vector<void*,
std::__1::allocator<void*> >&) + 1560

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 14 update_dyld_shared_cache
0x00000000102f3b935 SharedCache<x86_64>::update(bool, bool, bool, int, int, bool,
bool) + 4499

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 15 update_dyld_shared_cache
0x00000000102f35e8e main + 3688

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 16 libdyld.dylib
0x000000001043e85ad start + 1

Nov 14 05:55:43 Mac-Pro ReportCrash[549]:

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Thread 0 crashed with X86 Thread State
(64-bit):

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: rax: 0x0000000000000000 rbx:
0x0000000000000006 rcx: 0x00007fff5cccc628 rdx: 0x0000000000000000

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: rdi: 0x00000000000000307 rsi:
0x0000000000000006 rbp: 0x00007fff5cccc650 rsp: 0x00007fff5cccc628

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: r8: 0x00000000ffffff0 r9:
0x0000000000000010 r10: 0x0000000008000000 r11: 0x0000000000000206

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: r12: 0x0000000000000001 r13:
0x00000000103ba9000 r14: 0x0000000010472c000 r15: 0x00000000102fe1000

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: rip: 0x000000001045c60ae rfl:
0x00000000000000206 cr2: 0x000000001047242b0

Nov 14 05:55:43 Mac-Pro ReportCrash[549]:

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Logical CPU: 0

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Error Code: 0x02000148

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Trap Number: 133

Nov 14 05:55:43 Mac-Pro ReportCrash[549]:

Nov 14 05:55:43 Mac-Pro ReportCrash[549]:

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Binary Images:

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x102f31000 - 0x102fb4fff
update_dyld_shared_cache (360.14) <31BD3C01-1603-3B2C-B998-5070238C0455> /
usr/bin/update_dyld_shared_cache

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x102fe3000 - 0x103260ffb
com.apple.security (7.0 - 57336.1.9) <E44CA10F-E1E2-3DC5-BCF3-EF76649A0918> /
System/Library/Frameworks/Security.framework/Versions/A/Security

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1033cf000 - 0x103843ff7
com.apple.CoreFoundation (6.9 - 1253) <A8A44D66-A3B2-3B5D-B75B-
EC2DC968F4BD> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/
CoreFoundation

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x103ac1000 - 0x103b14ff7 libc
++.1.dylib (120.1) <54190E1B-EE49-3D6D-AC29-2813D7380BA5> /usr/lib/libc++.
1.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x103b74000 - 0x103b75ffb
libSystem.B.dylib (1225.1.1) <E48AAE3F-370E-34AE-AECA-4CA28F211479> /usr/lib/
libSystem.B.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x103b80000 - 0x103b81fff
libDiagnosticMessagesClient.dylib (100) <F2D8CFCC-A00A-3675-9C01-
EF0C663F2445> /usr/lib/libDiagnosticMessagesClient.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x103b8e000 - 0x103b9efff
libbsm.0.dylib (34) <F1E41935-5C5D-3704-AE9D-AEA1F2BCF8B1> /usr/lib/libbsm.
0.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x103baa000 - 0x103f14ddf
libobjc.A.dylib (680) <CE3C3C78-A7BB-3147-8375-55424032FF5E> /usr/lib/
libobjc.A.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x103ff5000 - 0x10403bff7
libauto.dylib (186) <460B0167-C89B-37EC-823C-52F684B31C26> /usr/lib/libauto.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104055000 - 0x104063fff
libxar.1.dylib (302) <898402AF-0DF3-341D-83EA-4A1B1770E718> /usr/lib/libxar.1.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104074000 - 0x104085fff libz.
1.dylib (60) <43317BEA-ACA2-34C2-AF37-902AA926C83A> /usr/lib/libz.1.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104091000 - 0x1041aefff
libsqlite3.dylib (216) <6ED840B7-716E-3CA9-BBA0-7BE4B6E85A4F> /usr/lib/
libsqlite3.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1041cd000 - 0x1041d1fff
libpam.2.dylib (20) <7F986CE8-EF74-3BC3-BB7E-5267E24EAF FE> /usr/lib/libpam.
2.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1041dd000 - 0x104250fff
com.apple.framework.IOKit (2.0.2 - 1178.1.4) <B30239A0-B11E-36E9-
AB49-2C53942A6447> /System/Library/Frameworks/IOKit.framework/Versions/A/IOKit

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104291000 - 0x104291fff
libOpenScriptingUtil.dylib (169) <5C4A51D4-09A9-3209-8E57-15F112725CC4> /usr/lib/
libOpenScriptingUtil.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10429a000 - 0x10429efff
libcache.dylib (75) <4948E2C8-867F-3E9D-AAE7-2F30F0B345C6> /usr/lib/system/
libcache.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1042ab000 - 0x1042b6ff7
libcommonCrypto.dylib (60074) <BD1DCF19-8353-3F6A-AFFA-EBBA29A302A8> /usr/
lib/system/libcommonCrypto.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1042c7000 - 0x1042ceff7
libcompiler_rt.dylib (62) <253B36E5-572D-377D-AE99-A02CE32590E5> /usr/lib/
system/libcompiler_rt.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1042e1000 - 0x1042e9fff
libcopyfile.dylib (127) <CA2602AB-E8B7-3CD8-A0C5-D86E35FDA09F> /usr/lib/system/
libcopyfile.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1042f7000 - 0x10436efc7
libcorecrypto.dylib (334) <4E1B969F-8449-3B21-9880-51AD58E25AA6> /usr/lib/
system/libcorecrypto.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10438d000 - 0x1043bafff
libdispatch.dylib (500.1.5) <6B38497E-9448-3433-9D6B-6223F2A99431> /usr/lib/

system/libdispatch.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1043e5000 - 0x1043e8ffb
libdyld.dylib (360.14) <F9D64D8C-4C33-3D06-B7F8-697F13292894> /usr/lib/system/
libdyld.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1043f6000 - 0x1043f6ff7
libkeymgr.dylib (28) <47080280-8B57-3D75-8A20-9E100864DE27> /usr/lib/system/
libkeymgr.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104401000 - 0x104401ff7
liblaunch.dylib (755.1.19) <7EC0F297-43CC-3D11-B46B-7E72E372648A> /usr/lib/
system/liblaunch.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104409000 - 0x10440eff7
libmacho.dylib (875.1) <A9EC23EC-11A0-3B4F-A8AC-B990C8267A6E> /usr/lib/
system/libmacho.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104419000 - 0x10441bff7
libquarantine.dylib (80) <1693C5FE-EA0A-3122-85EB-7950ECC7435A> /usr/lib/
system/libquarantine.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104423000 - 0x104424ffb
libremovefile.dylib (41) <C7CFF5F2-AFFB-3C8D-BDB4-D66D50E657C0> /usr/lib/
system/libremovefile.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104430000 - 0x104447fff
libsystem_asl.dylib (322) <97D794DA-8CE5-3676-AC5E-364F6D172BDA> /usr/lib/
system/libsystem_asl.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10445c000 - 0x10445dfff
libsystem_blocks.dylib (65) <1B4F1F10-823E-3781-8162-6884D14DF0D6> /usr/lib/
system/libsystem_blocks.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104462000 - 0x1044effe7
libsystem_c.dylib (1081.1.3) <A60CE86D-1FF3-32AD-A672-C7597F884529> /usr/lib/
system/libsystem_c.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104521000 - 0x104523ff7
libsystem_configuration.dylib (801.1.1) <EB55C3D8-048D-350E-
BF24-0CBD4479D51C> /usr/lib/system/libsystem_configuration.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10452c000 - 0x10452efff
libsystem_coreservices.dylib (19) <692631A0-1923-32CA-9BD5-044B1382FFDE> /usr/
lib/system/libsystem_coreservices.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104534000 - 0x104548fff
libsystem_coretls.dylib (82) <21EDACF1-D9B3-3086-9821-60EB75E7F965> /usr/lib/
system/libsystem_coretls.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104557000 - 0x10455fffb
libsystem_dnssd.dylib (624.1.2) <DB6AB206-4AD8-369D-BF57-1D246AD60582> /usr/
lib/system/libsystem_dnssd.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10456c000 - 0x104595ff7
libsystem_info.dylib (476) <65D0643A-C8AE-3E8D-9F6E-E4AD823F16B2> /usr/lib/
system/libsystem_info.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1045af000 - 0x1045cdfff
libsystem_kernel.dylib (3247.1.106) <7DD242A1-E2BF-39D1-8787-B174046E4F15> /
usr/lib/system/libsystem_kernel.dylib

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1045e3000 - 0x104612fc3

libsystem_m.dylib (3105) <07D50372-30ED-3B03-9FA0-0662BF8F0098> /usr/lib/
system/libsystem_m.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104621000 - 0x10463dff7
libsystem_malloc.dylib (67) <1B57A614-3D60-3F87-876F-7DB4AF38120F> /usr/lib/
system/libsystem_malloc.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10464c000 - 0x1046aafff
libsystem_network.dylib (582.1.4) <14ECA259-D471-3E47-A843-FF0990577893> /usr/
lib/system/libsystem_network.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1046e4000 - 0x1046ecfff
libsystem_networkextension.dylib (384.1.2) <4736FCC5-9DBA-31F4-AAC8-
CD0A177CF502> /usr/lib/system/libsystem_networkextension.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1046fd000 - 0x104706ffb
libsystem_notify.dylib (149) <56ABC155-CB99-30A8-A8B1-C204B5615092> /usr/lib/
system/libsystem_notify.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10470f000 - 0x104717fef
libsystem_platform.dylib (73.1.1) <3F4D2390-E3DE-3C24-A515-95DFAC8671C4> /usr/
lib/system/libsystem_platform.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104720000 - 0x104729ff7
libsystem_pthread.dylib (137.1.1) <1373D0F1-C6CA-364E-A6BA-8BDBD0D34670> /
usr/lib/system/libsystem_pthread.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104738000 - 0x10473bfff
libsystem_sandbox.dylib (459.1.8) <2F36D536-482C-39EC-BAFD-72297728F0A4> /
usr/lib/system/libsystem_sandbox.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104748000 - 0x104749fff
libsystem_secinit.dylib (20) <932ED582-E80F-39DA-B0FA-F1BC5F1AD2F8> /usr/lib/
system/libsystem_secinit.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104754000 - 0x104765ff7
libsystem_trace.dylib (200) <E26A91EA-AD67-3FA2-A3B6-79A93DCC716E> /usr/lib/
system/libsystem_trace.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104774000 - 0x104774ff7
libunc.dylib (29) <D9B0C7B1-8648-3AAC-931C-E7CD362FAA8A> /usr/lib/system/
libunc.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10477e000 - 0x104783ff3
libunwind.dylib (35.3) <FDA18078-A775-3BAF-A5A6-8A7B75D6AA99> /usr/lib/system/
libunwind.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10478e000 - 0x1047b7fff
libxpc.dylib (755.1.19) <3E09C275-A33B-357A-B0AB-A2DDF88EC9D5> /usr/lib/
system/libxpc.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x1047d9000 - 0x104802fff libc+
+abi.dylib (125) <F5027B46-1801-344D-BD51-2E6D188C8900> /usr/lib/libc++abi.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104815000 - 0x104823ff7
libbz2.1.0.dylib (38) <99C5121D-8147-3B51-8D79-66245C863338> /usr/lib/
libbz2.1.0.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x10482f000 - 0x10491efff
libxml2.2.dylib (29) <0702E13C-D726-3DAF-B0D1-77F7B9EF6A37> /usr/lib/
libxml2.2.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104956000 - 0x104b63fff

```

libcucore.A.dylib (551.24) <DEB70F32-DA94-323B-B6D1-03D09C8FB10C> /usr/lib/
libcucore.A.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104c2f000 - 0x104c2ffff
libenergytrace.dylib (10) <64F779D4-2192-37EC-8DB5-EC55BAE50058> /usr/lib/
libenergytrace.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x104c34000 - 0x104c3fff
libkxld.dylib (3247.1.106) <D38002C3-A391-361B-ACD3-5FF2EDA51EDC> /usr/lib/
system/libkxld.dylib
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: 0x7fff632e4000 - 0x7fff6331af5f dyld
(360.14) <DF977301-4A63-32ED-9939-1EE3122D18D4> /usr/lib/dyld
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: External Modification Summary:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Calls made by other processes targeting
this process:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: task_for_pid: 0
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: thread_create: 0
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: thread_set_state: 0
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Calls made by this process:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: task_for_pid: 0
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: thread_create: 0
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: thread_set_state: 0
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Calls made by all processes on this
machine:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: task_for_pid: 18
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: thread_create: 0
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: thread_set_state: 0
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: VM Region Summary:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: ReadOnly portion of Libraries:
Total=25.1M resident=0K(0%) swapped_out_or_unallocated=25.1M(100%)
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Writable regions: Total=1.5G
written=0K(0%) resident=0K(0%) swapped_out=0K(0%) unallocated=1.5G(100%)
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
VIRTUAL REGION
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: REGION TYPE SIZE
COUNT (non-coalesced)
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: =====
=====
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Activity Tracing 2048K 2
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Dispatch continuations 8192K
2
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Kernel Alloc Once 8K 3
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: MALLOC 743.4M 25
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: MALLOC guard page 16K
4
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: MALLOC_LARGE (reserved)
256.0M 2 reserved VM address space (unallocated)

```

```

Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Process Corpse Info          2048K
2
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: STACK GUARD                56.0M
2
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: Stack                      8192K      2
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: VM_ALLOCATE                 486.0M
4
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: __DATA                     3220K      70
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: __LINKEDIT                 5456K      57
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: __TEXT                     19.8M      57
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: __UNICODE                   552K       2
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: mapped file                962.7M     20
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: shared memory              8K         3
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: =====
=====
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: TOTAL                      2.5G      241
Nov 14 05:55:43 Mac-Pro ReportCrash[549]: TOTAL, minus reserved VM space  2.2G
241
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:55:43 Mac-Pro ReportCrash[549]:
Nov 14 05:56:24 Mac-Pro OSInstaller[469]: PackageKit: Using system content trashcan
path /Volumes/EI Capitan/.OSInstallSandboxPath/Trashes for sandbox /Volumes/EI
Capitan/.OSInstallSandboxPath
Nov 14 05:56:24 Mac-Pro OSInstaller[469]: PackageKit: Shoving /Volumes/EI
Capitan/.OSInstallSandboxPath/Root (19 items) to /Volumes/EI Capitan
Nov 14 05:56:25 Mac-Pro OSInstaller[469]: PackageKit: kextcache -update-volume /
Volumes/EI Capitan -Installer
Nov 14 05:56:38 Mac-Pro opendirectoryd[123]: 549 - Client: 'ReportCrash', exited with 0
session(s), 0 node(s) and 0 active request(s)
Nov 14 05:58:16 Mac-Pro OSInstaller[469]: PackageKit: Executing script "postinstall"
in /Volumes/EI Capitan/.OSInstallSandboxPath/Scripts/
com.apple.pkg.BaseSystemResources.Raqrez
Nov 14 05:58:16 Mac-Pro OSInstaller[469]: PackageKit: Executing script "postinstall"
in /Volumes/EI Capitan/.OSInstallSandboxPath/Scripts/
com.apple.pkg.Essentials.QLmHxI
Nov 14 05:58:16 Mac-Pro _mdnsresponder[564]: Running Install Scripts . . .
Nov 14 05:58:16 Mac-Pro _mdnsresponder[566]: Begin script: aclmodify.pl
Nov 14 05:58:30 Mac-Pro OSInstaller[469]: postinstall: chmod: Failed to clear ACL on
file /Volumes/EI Capitan/System/Library/User Template/Non_localized/Downloads/About
Downloads.lpdf: No such file or directory
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1706]: End script: aclmodify.pl
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1707]: Begin script: addLoginItem.pl
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1710]: End script: addLoginItem.pl
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1711]: Begin script: apacheConfigFix
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1714]: End script: apacheConfigFix
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1715]: Begin script: createJavaExtDir.sh
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1722]: End script: createJavaExtDir.sh

```

Nov 14 05:58:30 Mac-Pro _mdnsresponder[1723]: Begin script: createPPDsDirectory
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1725]: End script: createPPDsDirectory
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1726]: Begin script: createSynthesizersDir
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1733]: End script: createSynthesizersDir
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1734]: Begin script: efi-perf
Nov 14 05:58:30 Mac-Pro OSInstaller[469]: postinstall: /Volumes/EI
Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.Essentials.QLmHXI/
postinstall_actions/efi-perf: line 3: /usr/bin/efi-perf: No such file or directory
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1737]: End script: efi-perf
Nov 14 05:58:30 Mac-Pro _mdnsresponder[1738]: Begin script: generateCache
Nov 14 05:58:39 Mac-Pro OSInstaller[469]: postinstall: 2015-11-14 05:58:39.909
update_automator_cache[1742:25625] Error registering Automator.app at path /
Applications/Automator.app: -10822
Nov 14 05:58:40 Mac-Pro OSInstaller[469]: postinstall: /Volumes/EI
Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.Essentials.QLmHXI/
postinstall_actions/generateCache: line 7: 1742 Segmentation fault: 11 /usr/sbin/chroot
"\$3" /System/Library/Frameworks/Automator.framework/Versions/A/Support/
update_automator_cache --system --force
Nov 14 05:58:40 Mac-Pro _mdnsresponder[1746]: End script: generateCache
Nov 14 05:58:40 Mac-Pro _mdnsresponder[1747]: Begin script:
installerFailureRequests
Nov 14 05:58:40 Mac-Pro _mdnsresponder[1751]: End script: installerFailureRequests
Nov 14 05:58:40 Mac-Pro _mdnsresponder[1752]: Begin script: moveAsideHome
Nov 14 05:58:40 Mac-Pro _mdnsresponder[1755]: End script: moveAsideHome
Nov 14 05:58:40 Mac-Pro _mdnsresponder[1756]: Begin script: moveFBA
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1760]: End script: moveFBA
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1761]: Begin script: moveStoreManifest
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1763]: End script: moveStoreManifest
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1764]: Begin script: permissions
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1767]: End script: permissions
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1768]: Begin script: postfixChrooted
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: dyld: Library not loaded: /
System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: Referenced from: /System/
Library/Frameworks/ImageIO.framework/Versions/A/ImageIO
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: Reason: no suitable image
found. Did find:
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: /System/Library/
Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type,
first eight bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: /Volumes/EI
Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.Essentials.QLmHXI/
postinstall_actions/postfixChrooted: line 9: 1773 Trace/BPT trap: 5 /usr/sbin/chroot
"\$3" /usr/sbin/postfix start
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: dyld: Library not loaded: /
System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: Referenced from: /System/

Library/Frameworks/ImageIO.framework/Versions/A/ImageIO
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: Reason: no suitable image found. Did find:
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: /System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type, first eight bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: /Volumes/EI Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.Essentials.QLmHXI/postinstall_actions/postfixChrooted: line 10: 1774 Trace/BPT trap: 5 /usr/sbin/chroot "\$3" /usr/sbin/postfix set-permissions
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: dyld: Library not loaded: /System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: Referenced from: /System/Library/Frameworks/ImageIO.framework/Versions/A/ImageIO
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: Reason: no suitable image found. Did find:
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: /System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type, first eight bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00
Nov 14 05:58:41 Mac-Pro OSInstaller[469]: postinstall: /Volumes/EI Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.Essentials.QLmHXI/postinstall_actions/postfixChrooted: line 11: 1775 Trace/BPT trap: 5 /usr/sbin/chroot "\$3" /usr/sbin/postfix stop
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1779]: End script: postfixChrooted
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1780]: Begin script: removeIncompatibleJava
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1783]: End script: removeIncompatibleJava
Nov 14 05:58:41 Mac-Pro _mdnsresponder[1784]: Begin script: rmQTPluginMIMEplist
Nov 14 05:58:41 Mac-Pro opendirectoryd[123]: 1786.12 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:41 Mac-Pro opendirectoryd[123]: 1786.12 - ODNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0
Nov 14 05:58:41 Mac-Pro opendirectoryd[123]: 1786.12, Node: /Local/Default - node assigned UUID - A95FFAFB-5785-4093-8D38-31BA456D0E99
Nov 14 05:58:41 Mac-Pro opendirectoryd[123]: 1786.12, Node: /Local/Default - ODNodeCreateWithNameAndOptions completed
Nov 14 05:58:41 Mac-Pro opendirectoryd[123]: 1786.13 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:41 Mac-Pro opendirectoryd[123]: 1786.13 - ODNodeCopyDetails request, NodeID: A95FFAFB-5785-4093-8D38-31BA456D0E99, Keys: dsAttrTypeStandard:RecordType
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.13, Node: /Local/Default, Module: PlistFile - ODNodeCopyDetails completed, delivered 1 result
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.14 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.14 - ODQueryCreateWithNode

request, NodeID: A95FFAFB-5785-4093-8D38-31BA456D0E99, RecordType(s):
dsRecTypeStandard:users, Attribute: dsAttrTypeStandard:RecordName, MatchType:
Any, Equality: CaseExact, Value(s): dsRecordsAll, Requested Attributes:
dsAttrTypeStandard:RecordName,dsAttrTypeStandard:RecordType,dsAttrTypeStandard
:GeneratedUID,dsAttrTypeStandard:AppleMetaRecordName,dsAttrTypeStandard:Apple
MetaNodeLocation, Max Results: 1
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.14, Node: /Local/Default, Module:
PlistFile - ODQueryCreateWithNode failed with error 'Unknown record attribute
type' (4200)
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.15 - Client: dscl, UID: 0, EUID: 0,
GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.15 - ODNodeCopyDetails request,
NodeID: A95FFAFB-5785-4093-8D38-31BA456D0E99, Keys:
dsAttrTypeStandard:RecordType
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.15, Node: /Local/Default, Module:
PlistFile - ODNodeCopyDetails completed, delivered 1 result
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.16 - Client: dscl, UID: 0, EUID: 0,
GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.16 - ODQueryCreateWithNode
request, NodeID: A95FFAFB-5785-4093-8D38-31BA456D0E99, RecordType(s):
dsRecTypeStandard:Users, Attribute: dsAttrTypeStandard:RecordName, MatchType:
Any, Equality: CaseIgnore, Value(s): dsRecordsAll, Requested Attributes:
dsAttrTypeStandard:RecordName,dsAttrTypeStandard:RecordType,dsAttrTypeStandard
:GeneratedUID,dsAttrTypeStandard:AppleMetaRecordName,dsAttrTypeStandard:Apple
MetaNodeLocation, Max Results: 2147483647
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.17 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.17 -
ODNodeCreateWithNameAndOptions request, SessionID:
00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.17, Node: /Local/Default - node
assigned UUID - D4E9767F-0152-4450-8AC0-33941EB74EB1
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.17, Node: /Local/Default -
ODNodeCreateWithNameAndOptions completed
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.18 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.18 - ODNodeCopyDetails request,
NodeID: D4E9767F-0152-4450-8AC0-33941EB74EB1, Keys:
dsAttrTypeStandard:NodePath
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.18, Node: /Local/Default, Module:
PlistFile - ODNodeCopyDetails completed, delivered 1 result
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.19 - Client: ReportCrash, UID: 0,
EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.19 - ODNodeRelease request,
NodeID: D4E9767F-0152-4450-8AC0-33941EB74EB1
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.19, Node: /Local/Default -
ODNodeRelease completed

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.20 - Client: ReportCrash, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.20 - ODNNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Search, Options: 0x0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.20 - ODNNodeCreateWithNameAndOptions failed with error 'Unknown node name' (2000)
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.21 - Client: ReportCrash, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.21 - ODNNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Search, Options: 0x0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.21 - ODNNodeCreateWithNameAndOptions failed with error 'Unknown node name' (2000)
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.22 - Client: ReportCrash, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.22 - ODNNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.22, Node: /Local/Default - node assigned UUID - 54467B69-A631-4FED-AF67-3316254D0F34
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.22, Node: /Local/Default - ODNNodeCreateWithNameAndOptions completed
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.23 - Client: ReportCrash, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.23 - ODQueryCreateWithNode request, NodeID: 54467B69-A631-4FED-AF67-3316254D0F34, RecordType(s): dsRecTypeStandard:Users, Attribute: dsAttrTypeStandard:RecordName, MatchType: Any, Equality: CaseIgnore, Value(s): dsRecordsAll, Requested Attributes: dsAttrTypeStandard:GeneratedUID,dsAttrTypeNative:LinkedIdentity,dsAttrTypeStandard:RealName,dsAttrTypeStandard:GroupMembership,dsAttrTypeNative:IsHidden,dsAttrTypeStandard:Picture,dsAttrTypeStandard:UserCertificate,dsAttrTypeStandard:AppleMetaNodeLocation,dsAttrTypeStandard:RecordType,dsAttrTypeStandard:Comment,dsAttrTypeStandard:NestedGroups,dsAttrTypeStandard:PrimaryGroupID,dsAttrTypeStandard:AuthenticationAuthority,dsAttrTypeStandard:Keywords,dsAttrTypeStandard:RecordName,dsAttrTypeStandard:JPEGPhoto,dsAttrTypeNative:_guest,dsAttrTypeStandard:AppleMetaRecordName,dsAttrTypeStandard:UserShell,dsAttrTypeStandard:GroupMembers,dsAttrTypeStandard:UniqueID,dsAttrTypeStandard:EmailAddress,dsAttrTypeStandard:NFSHomeDirectory, Max Results: 2147483647
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.23, Node: /Local/Default, Module: PlistFile - ODQueryCreateWithNode completed, delivered 86 results
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.24 - Client: ReportCrash, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.24 - ODNNodeRelease request, NodeID: 54467B69-A631-4FED-AF67-3316254D0F34
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1743.24, Node: /Local/Default - ODNNodeRelease completed

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.16, Node: /Local/Default, Module: PlistFile - ODQueryCreateWithNode completed, delivered 86 results
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.25 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.25 - ODNodeRelease request, NodeID: A95FFAFB-5785-4093-8D38-31BA456D0E99
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786.25, Node: /Local/Default - ODNodeRelease completed
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1786 - Client: 'dscl', exited with 0 session(s), 0 node(s) and 0 active request(s)
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.26 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.26 - ODNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.26, Node: /Local/Default - node assigned UUID - B22F71D6-09FE-49E0-AFFB-8792231CD1C1
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.26, Node: /Local/Default - ODNodeCreateWithNameAndOptions completed
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.27 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.27 - ODNodeCopyDetails request, NodeID: B22F71D6-09FE-49E0-AFFB-8792231CD1C1, Keys: dsAttrTypeStandard:RecordType
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.27, Node: /Local/Default, Module: PlistFile - ODNodeCopyDetails completed, delivered 1 result
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28 - ODNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Configure, Options: 0x0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28 - loading configuration for '/Configure' from '/System/Library/OpenDirectory/Configurations/Configure.plist'
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Process: postfix [1774]
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Path: /usr/sbin/postfix
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Identifier: postfix
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Version: ???
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Code Type: X86-64 (Native)
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Parent Process: sh [1769]
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Responsible: postfix [1774]
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: User ID: 0
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Date/Time: 2015-11-14 05:58:41.347 -0800
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: OS Version: Mac OS X 10.11 (15A284)
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Report Version: 11

Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Anonymous UUID: 46409939-B965-47C5-B173-398986061541
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Time Awake Since Boot: 1100 seconds
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: System Integrity Protection: disabled
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Crashed Thread: 0
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Exception Type:
EXC_BREAKPOINT (SIGTRAP)
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Exception Codes:
0x0000000000000002, 0x0000000000000000
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Exception Note:
EXC_CORPSE_NOTIFY
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Application Specific Information:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: dyld: launch, loading dependent libraries
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Dyld Error Message:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Library not loaded: /System/Library/
Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Referenced from: /System/Library/
Frameworks/ImageIO.framework/Versions/A/ImageIO
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Reason: no suitable image found. Did
find:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: /System/Library/Frameworks/
ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type, first eight
bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Binary Images:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: 0x7fff69950000 - 0x7fff69986f5f
dyld (360.14) <DF977301-4A63-32ED-9939-1EE3122D18D4> /usr/lib/dyld
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Process: postfix [1773]
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Path: /usr/sbin/postfix
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Identifier: postfix
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Version: ???
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Code Type: X86-64 (Native)
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Parent Process: sh [1769]
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Responsible: postfix [1773]
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: User ID: 0
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Date/Time: 2015-11-14
05:58:41.320 -0800

Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: OS Version: Mac OS X 10.11 (15A284)
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Report Version: 11
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Anonymous UUID: 46409939-B965-47C5-B173-398986061541
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Time Awake Since Boot: 1100 seconds
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: System Integrity Protection: disabled
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Crashed Thread: 0
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Exception Type: EXC_BREAKPOINT (SIGTRAP)
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Exception Codes: 0x0000000000000002, 0x0000000000000000
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Exception Note: EXC_CORPSE_NOTIFY
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Application Specific Information:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: dyld: launch, loading dependent libraries
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Dyld Error Message:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Library not loaded: /System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Referenced from: /System/Library/Frameworks/ImageIO.framework/Versions/A/ImageIO
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Reason: no suitable image found. Did find:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: /System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type, first eight bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Binary Images:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: 0x7fff62bcd000 - 0x7fff62c03f5f dyld (360.14) <DF977301-4A63-32ED-9939-1EE3122D18D4> /usr/lib/dyld
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Process: postfix [1775]
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Path: /usr/sbin/postfix
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Identifier: postfix
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Version: ???
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Code Type: X86-64 (Native)
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Parent Process: sh [1769]
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Responsible: postfix [1775]
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: User ID: 0

Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Date/Time: 2015-11-14
05:58:41.372 -0800
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: OS Version: Mac OS X 10.11
(15A284)
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Report Version: 11
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Anonymous UUID: 46409939-
B965-47C5-B173-398986061541
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Time Awake Since Boot: 1100 seconds
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: System Integrity Protection: disabled
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Crashed Thread: 0
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Exception Type:
EXC_BREAKPOINT (SIGTRAP)
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Exception Codes:
0x0000000000000002, 0x0000000000000000
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Exception Note:
EXC_CORPSE_NOTIFY
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Application Specific Information:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: dyld: launch, loading dependent libraries
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Dyld Error Message:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Library not loaded: /System/Library/
Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Referenced from: /System/Library/
Frameworks/ImageIO.framework/Versions/A/ImageIO
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Reason: no suitable image found. Did
find:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: /System/Library/Frameworks/
ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type, first eight
bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: Binary Images:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]: 0x7fff6ae7f000 - 0x7fff6aeb5f5f
dyld (360.14) <DF977301-4A63-32ED-9939-1EE3122D18D4> /usr/lib/dyld
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: Loaded bundle at path '/System/Library/
OpenDirectory/Modules/configure.bundle'
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28 - unable to find session module
'keychain'
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28 - unable to find authentication

module 'keychain'

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28 - unable to find service discovery callback for module 'configure'

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28 - unable to find service discovery module 'keychain'

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28.29 - Block: nodestate '/Configure'

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28.29 - nodestate - flagging '/Configure' online

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28.29 - Block completed

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28, Node: /Configure - node assigned UUID - 53BF728E-4B77-447C-AD5A-1E08D81C0755

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.28, Node: /Configure - ODNodeCreateWithNameAndOptions completed

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.30 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.30 - ODQueryCreateWithNode request, NodeID: 53BF728E-4B77-447C-AD5A-1E08D81C0755, RecordType(s): dsRecTypeStandard:AttributeTypes, Attribute: dsAttrTypeStandard:RecordName, MatchType: Any, Equality: CaseExact, Value(s): dsRecordsAll, Requested Attributes: dsAttrTypeStandard:RecordName,dsAttrTypeStandard:RecordType,dsAttrTypeStandard:GeneratedUID,dsAttrTypeStandard:AppleMetaRecordName,dsAttrTypeStandard:AppleMetaNodeLocation, Max Results: 2147483647

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.30, Node: /Configure, Module: configure - ODQueryCreateWithNode completed, delivered 152 results

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.31 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.31 - ODNodeRelease request, NodeID: 53BF728E-4B77-447C-AD5A-1E08D81C0755

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.31, Node: /Configure - ODNodeRelease completed

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.32 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.32 - ODQueryCreateWithNode request, NodeID: B22F71D6-09FE-49E0-AFFB-8792231CD1C1, RecordType(s): dsRecTypeStandard:Users, Attribute: dsAttrTypeStandard:RecordName, MatchType: EqualTo, Equality: CaseIgnore, Value(s): daemon, Requested Attributes: dsAttrTypeStandard:RecordName,dsAttrTypeStandard:RecordType,dsAttrTypeStandard:GeneratedUID,dsAttrTypeStandard:NFSHomeDirectory,dsAttrTypeStandard:AppleMetaRecordName,dsAttrTypeStandard:AppleMetaNodeLocation, Max Results: 2147483647

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.32, Node: /Local/Default, Module: PlistFile - ODQueryCreateWithNode completed, delivered 1 result

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.33 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.33 - ODNodeRelease request, NodeID: B22F71D6-09FE-49E0-AFFB-8792231CD1C1

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787.33, Node: /Local/Default -

ODNodeRelease completed

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1787 - Client: 'dscl', exited with 0 session(s), 0 node(s) and 0 active request(s)

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.34 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.34 -

ODNodeCreateWithNameAndOptions request, SessionID:

00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.34, Node: /Local/Default - node assigned UUID - 053371CC-24C5-417A-9D78-FBD81CB7737D

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.34, Node: /Local/Default -

ODNodeCreateWithNameAndOptions completed

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.35 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.35 - ODNodeCopyDetails request, NodeID: 053371CC-24C5-417A-9D78-FBD81CB7737D, Keys:

dsAttrTypeStandard:RecordType

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.35, Node: /Local/Default, Module: PlistFile - ODNodeCopyDetails completed, delivered 1 result

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.36 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.36 -

ODNodeCreateWithNameAndOptions request, SessionID:

00000000-0000-0000-0000-000000000000, Name: /Configure, Options: 0x0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.36, Node: /Configure - node assigned UUID - C974D6A3-0573-465D-B9D9-A0F4EBED1564

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.36, Node: /Configure -

ODNodeCreateWithNameAndOptions completed

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.37 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.37 - ODQueryCreateWithNode request, NodeID: C974D6A3-0573-465D-B9D9-A0F4EBED1564, RecordType(s):

dsRecTypeStandard:AttributeTypes, Attribute: dsAttrTypeStandard:RecordName,

MatchType: Any, Equality: CaseExact, Value(s): dsRecordsAll, Requested Attributes:

dsAttrTypeStandard:RecordName,dsAttrTypeStandard:RecordType,dsAttrTypeStandard:GeneratedUID,dsAttrTypeStandard:AppleMetaRecordName,dsAttrTypeStandard:AppleMetaNodeLocation, Max Results: 2147483647

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.37, Node: /Configure, Module: configure - ODQueryCreateWithNode completed, delivered 152 results

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.38 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.38 - ODNodeRelease request, NodeID: C974D6A3-0573-465D-B9D9-A0F4EBED1564

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.38, Node: /Configure -

ODNodeRelease completed

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.39 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0

Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.39 - ODQueryCreateWithNode request, NodeID: 053371CC-24C5-417A-9D78-FBD81CB7737D, RecordType(s): dsRecTypeStandard:Users, Attribute: dsAttrTypeStandard:RecordName, MatchType: EqualTo, Equality: CaseIgnore, Value(s): nobody, Requested Attributes: dsAttrTypeStandard:RecordName,dsAttrTypeStandard:RecordType,dsAttrTypeStandard:GeneratedUID,dsAttrTypeStandard:NFSHomeDirectory,dsAttrTypeStandard:AppleMetaRecordName,dsAttrTypeStandard:AppleMetaNodeLocation, Max Results: 2147483647
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.39, Node: /Local/Default, Module: PlistFile - ODQueryCreateWithNode completed, delivered 1 result
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.40 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.40 - ODNodeRelease request, NodeID: 053371CC-24C5-417A-9D78-FBD81CB7737D
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788.40, Node: /Local/Default - ODNodeRelease completed
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1788 - Client: 'dscl', exited with 0 session(s), 0 node(s) and 0 active request(s)
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.41 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.41 - ODNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Local/Default, Options: 0x0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.41, Node: /Local/Default - node assigned UUID - 268D54D2-B9BF-42DE-8590-5FA5E7D51534
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.41, Node: /Local/Default - ODNodeCreateWithNameAndOptions completed
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.42 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.42 - ODNodeCopyDetails request, NodeID: 268D54D2-B9BF-42DE-8590-5FA5E7D51534, Keys: dsAttrTypeStandard:RecordType
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.42, Node: /Local/Default, Module: PlistFile - ODNodeCopyDetails completed, delivered 1 result
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.43 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.43 - ODNodeCreateWithNameAndOptions request, SessionID: 00000000-0000-0000-0000-000000000000, Name: /Configure, Options: 0x0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.43, Node: /Configure - node assigned UUID - 71DF6AEC-F96F-4956-9BA9-5AF2B6FB0BC1
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.43, Node: /Configure - ODNodeCreateWithNameAndOptions completed
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.44 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.44 - ODQueryCreateWithNode request, NodeID: 71DF6AEC-F96F-4956-9BA9-5AF2B6FB0BC1, RecordType(s): dsRecTypeStandard:AttributeTypes, Attribute: dsAttrTypeStandard:RecordName,

MatchType: Any, Equality: CaseExact, Value(s): dsRecordsAll, Requested Attributes: dsAttrTypeStandard:RecordName,dsAttrTypeStandard:RecordType,dsAttrTypeStandard:GeneratedUID,dsAttrTypeStandard:AppleMetaRecordName,dsAttrTypeStandard:AppleMetaNodeLocation, Max Results: 2147483647
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.44, Node: /Configure, Module: configure - ODQueryCreateWithNode completed, delivered 152 results
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.45 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.45 - ODNodeRelease request, NodeID: 71DF6AEC-F96F-4956-9BA9-5AF2B6FB0BC1
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.45, Node: /Configure - ODNodeRelease completed
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.46 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.46 - ODQueryCreateWithNode request, NodeID: 268D54D2-B9BF-42DE-8590-5FA5E7D51534, RecordType(s): dsRecTypeStandard:Users, Attribute: dsAttrTypeStandard:RecordName, MatchType: EqualTo, Equality: CaseIgnore, Value(s): root, Requested Attributes: dsAttrTypeStandard:RecordName,dsAttrTypeStandard:RecordType,dsAttrTypeStandard:GeneratedUID,dsAttrTypeStandard:NFSHomeDirectory,dsAttrTypeStandard:AppleMetaRecordName,dsAttrTypeStandard:AppleMetaNodeLocation, Max Results: 2147483647
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.46, Node: /Local/Default, Module: PlistFile - ODQueryCreateWithNode completed, delivered 1 result
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.47 - Client: dscl, UID: 0, EUID: 0, GID: 0, EGID: 0
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.47 - ODNodeRelease request, NodeID: 268D54D2-B9BF-42DE-8590-5FA5E7D51534
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789.47, Node: /Local/Default - ODNodeRelease completed
Nov 14 05:58:42 Mac-Pro opendirectoryd[123]: 1789 - Client: 'dscl', exited with 0 session(s), 0 node(s) and 0 active request(s)
Nov 14 05:58:42 Mac-Pro _mdnsresponder[1790]: End script: rmQTPluginMIMEplist
Nov 14 05:58:42 Mac-Pro _mdnsresponder[1791]: Begin script: runChrooted.sh
Nov 14 05:58:45 Mac-Pro OSInstaller[469]: postinstall: /private/tmp/runChrooted.2itgzY/buildKeychains: line 11: 1804 Segmentation fault: 11 /usr/sbin/systemkeychain -C
Nov 14 05:58:45 Mac-Pro OSInstaller[469]: postinstall: /Volumes/EI Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.Essentials.QLmHXI/postinstall_actions/runChrooted.sh: line 21: 1805 Segmentation fault: 11 /usr/sbin/chroot "\$3" /usr/libexec/makewhatis
Nov 14 05:58:45 Mac-Pro _mdnsresponder[1809]: End script: runChrooted.sh
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Process: systemkeychain [1804]
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Path: /usr/sbin/systemkeychain
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Identifier: systemkeychain
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Version: 55205
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Code Type: X86-64 (Native)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Parent Process: ??? [1802]

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Responsible: systemkeychain
[1804]
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: User ID: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Date/Time: 2015-11-14
05:58:45.160 -0800
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: OS Version: Mac OS X 10.11
(15A284)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Report Version: 11
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Anonymous UUID: 46409939-
B965-47C5-B173-398986061541
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Time Awake Since Boot: 1100 seconds
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: System Integrity Protection: disabled
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Crashed Thread: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Exception Type:
EXC_BAD_ACCESS (SIGSEGV)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Exception Codes:
KERN_INVALID_ADDRESS at 0x00000007795154d9
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Exception Note:
EXC_CORPSE_NOTIFY
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: VM Regions Near 0x7795154d9:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Process Corpse Info
000000010220c000-000000010240c000 [2048K] rw-/rwx SM=COW
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: -->
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: STACK GUARD
00007fff5b670000-00007fff5ee70000 [56.0M] ---/rwx SM=NUL stack guard for thread 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Application Specific Information:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: dyld: launch, loading dependent libraries
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: /usr/lib/libsqlite3.dylib
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Thread 0 Crashed:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0 dyld
0x00007fff69888d62 ImageLoaderMachOCompressed::trieWalk(unsigned char const*,
unsigned char const*, char const*) + 130
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 1 dyld
0x00007fff69888ef2 ImageLoaderMachOCompressed::findExportedSymbol(char const*,
ImageLoader const**) const + 82
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 2 dyld
0x00007fff69883387 ImageLoaderMachO::findExportedSymbol(char const*, bool,
ImageLoader const**) const + 39

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 3 dyld
0x00007fff698833e2 ImageLoaderMachO::findExportedSymbol(char const*, bool,
ImageLoader const**) const + 130
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 4 dyld
0x00007fff6988962b
ImageLoaderMachOCompressed::resolveTwolevel(ImageLoader::LinkContext const&,
ImageLoader const*, bool, char const*, bool, ImageLoader const**) + 91
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 5 dyld
0x00007fff698898d5
ImageLoaderMachOCompressed::resolve(ImageLoader::LinkContext const&, char
const*, unsigned char, long, ImageLoader const*,
ImageLoaderMachOCompressed::LastLookup*, bool) + 277
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 6 dyld
0x00007fff698899b6
ImageLoaderMachOCompressed::bindAt(ImageLoader::LinkContext const&, unsigned
long, unsigned char, char const*, unsigned char, long, long, char const*,
ImageLoaderMachOCompressed::LastLookup*, bool) + 70
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 7 dyld
0x00007fff69889e55
ImageLoaderMachOCompressed::eachBind(ImageLoader::LinkContext const&,
unsigned long (ImageLoaderMachOCompressed::*)(ImageLoader::LinkContext const&,
unsigned long, unsigned char, char const*, unsigned char, long, long, char const*,
ImageLoaderMachOCompressed::LastLookup*, bool)) + 917
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 8 dyld
0x00007fff69889a3f
ImageLoaderMachOCompressed::doBind(ImageLoader::LinkContext const&, bool) + 63
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 9 dyld
0x00007fff6987feee ImageLoader::recursiveBind(ImageLoader::LinkContext const&,
bool, bool) + 168
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 10 dyld
0x00007fff6987fec3 ImageLoader::recursiveBind(ImageLoader::LinkContext const&,
bool, bool) + 125
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 11 dyld
0x00007fff6987fec3 ImageLoader::recursiveBind(ImageLoader::LinkContext const&,
bool, bool) + 125
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 12 dyld
0x00007fff6987f5cc ImageLoader::link(ImageLoader::LinkContext const&, bool, bool,
bool, ImageLoader::RPathChain const&) + 184
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 13 dyld
0x00007fff69875a12 dyld::link(ImageLoader*, bool, bool, ImageLoader::RPathChain
const&) + 149
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 14 dyld
0x00007fff69876b97 dyld::_main(macho_header const*, unsigned long, int, char
const**, char const**, char const**, unsigned long*) + 3083
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 15 dyld
0x00007fff69872276 dyldbootstrap::start(macho_header const*, int, char const**, long,
macho_header const*, unsigned long*) + 512

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 16 dyld
0x00007fff69872036 _dyld_start + 54
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Thread 0 crashed with X86 Thread State
(64-bit):
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: rax: 0x0000000101b514e9 rbx:
0x0000000067000000 rcx: 0x0000000000000063 rdx: 0x0000000101781269
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: rdi: 0x0000000101b502a8 rsi:
0x0000000101b52a70 rbp: 0x00007fff5f66e460 rsp: 0x00007fff5f66e450
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: r8: 0x0000000101b514e8 r9:
0x000000006779c3ff0 r10: 0x0000000101b50308 r11: 0x0000000000000007
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: r12: 0x00007fff698b3f68 r13:
0x0000000101b52a70 r14: 0x0000000101b50307 r15: 0x0000000101781267
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: rip: 0x00007fff69888d62 rfi:
0x0000000000010206 cr2: 0x00000007795154d9
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Logical CPU: 3
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Error Code: 0x00000004
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Trap Number: 14
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Binary Images:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100590000 - 0x1005a5ff3
systemkeychain (55205) <06D46BCB-F01D-3295-AF8B-B53865810508> /usr/sbin/
systemkeychain
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1005b5000 - 0x100832ffb
com.apple.security (7.0 - 57336.1.9) <E44CA10F-E1E2-3DC5-BCF3-EF76649A0918> /
System/Library/Frameworks/Security.framework/Versions/A/Security
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x10099e000 - 0x100e12ff7
com.apple.CoreFoundation (6.9 - 1253) <A8A44D66-A3B2-3B5D-B75B-
EC2DC968F4BD> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/
CoreFoundation
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101093000 - 0x1010e6ff7
libc++.1.dylib (120.1) <54190E1B-EE49-3D6D-AC29-2813D7380BA5> /usr/lib/libc++.
1.dylib
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101143000 - 0x101144ffb
libSystem.B.dylib (1225.1.1) <E48AAE3F-370E-34AE-AECA-4CA28F211479> /usr/lib/
libSystem.B.dylib
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x10114c000 - 0x10114dfff
libDiagnosticMessagesClient.dylib (100) <F2D8CFCC-A00A-3675-9C01-
EF0C663F2445> /usr/lib/libDiagnosticMessagesClient.dylib
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101159000 - 0x101169fff
libbsm.0.dylib (34) <F1E41935-5C5D-3704-AE9D-AEA1F2BCF8B1> /usr/lib/libbsm.
0.dylib
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101177000 - 0x1014e1ddf
libobjc.A.dylib (680) <CE3C3C78-A7BB-3147-8375-55424032FF5E> /usr/lib/
libobjc.A.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1015c8000 - 0x10160eff7
libauto.dylib (186) <460B0167-C89B-37EC-823C-52F684B31C26> /usr/lib/libauto.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101628000 - 0x101636fff
libxar.1.dylib (302) <898402AF-0DF3-341D-83EA-4A1B1770E718> /usr/lib/libxar.1.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101644000 - 0x101655fff
libz.1.dylib (60) <43317BEA-ACA2-34C2-AF37-902AA926C83A> /usr/lib/libz.1.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x10165e000 - 0x10177bfff
libsqlite3.dylib (216) <6ED840B7-716E-3CA9-BBA0-7BE4B6E85A4F> /usr/lib/
libsqlite3.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x10179a000 - 0x10179efff
libpam.2.dylib (20) <7F986CE8-EF74-3BC3-BB7E-5267E24EAF FE> /usr/lib/libpam.
2.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1017ab000 - 0x10181efff
com.apple.framework.IOKit (2.0.2 - 1178.1.4) <B30239A0-B11E-36E9-
AB49-2C53942A6447> /System/Library/Frameworks/IOKit.framework/Versions/A/IOKit

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x10185a000 - 0x10185afff
libOpenScriptingUtil.dylib (169) <5C4A51D4-09A9-3209-8E57-15F112725CC4> /usr/lib/
libOpenScriptingUtil.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101866000 - 0x10186afff
libcache.dylib (75) <4948E2C8-867F-3E9D-AAE7-2F30F0B345C6> /usr/lib/system/
libcache.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101877000 - 0x101882fff
libcommonCrypto.dylib (60074) <BD1DCF19-8353-3F6A-AFFA-EBBA29A302A8> /usr/
lib/system/libcommonCrypto.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101890000 - 0x101897fff
libcompiler_rt.dylib (62) <253B36E5-572D-377D-AE99-A02CE32590E5> /usr/lib/
system/libcompiler_rt.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1018a5000 - 0x1018adfff
libcopyfile.dylib (127) <CA2602AB-E8B7-3CD8-A0C5-D86E35FDA09F> /usr/lib/system/
libcopyfile.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1018b4000 - 0x10192bfc7
libcorecrypto.dylib (334) <4E1B969F-8449-3B21-9880-51AD58E25AA6> /usr/lib/
system/libcorecrypto.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101948000 - 0x101975fff
libdispatch.dylib (500.1.5) <6B38497E-9448-3433-9D6B-6223F2A99431> /usr/lib/
system/libdispatch.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1019a1000 - 0x1019a4ffb
libdyld.dylib (360.14) <F9D64D8C-4C33-3D06-B7F8-697F13292894> /usr/lib/system/
libdyld.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1019b2000 - 0x1019b2fff
libkeymgr.dylib (28) <47080280-8B57-3D75-8A20-9E100864DE27> /usr/lib/system/
libkeymgr.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1019be000 - 0x1019befff
liblaunch.dylib (755.1.19) <7EC0F297-43CC-3D11-B46B-7E72E372648A> /usr/lib/
system/liblaunch.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1019c8000 - 0x1019cdfff
libmacho.dylib (875.1) <A9EC23EC-11A0-3B4F-A8AC-B990C8267A6E> /usr/lib/

system/libmacho.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1019d8000 - 0x1019daff7

libquarantine.dylib (80) <1693C5FE-EA0A-3122-85EB-7950ECC7435A> /usr/lib/

system/libquarantine.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1019e3000 - 0x1019e4ffb

libremovefile.dylib (41) <C7CFF5F2-AFFB-3C8D-BDB4-D66D50E657C0> /usr/lib/

system/libremovefile.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1019ea000 - 0x101a01fff

libsystem_asl.dylib (322) <97D794DA-8CE5-3676-AC5E-364F6D172BDA> /usr/lib/

system/libsystem_asl.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101a10000 - 0x101a11fff

libsystem_blocks.dylib (65) <1B4F1F10-823E-3781-8162-6884D14DF0D6> /usr/lib/

system/libsystem_blocks.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101a19000 - 0x101aa6fe7

libsystem_c.dylib (1081.1.3) <A60CE86D-1FF3-32AD-A672-C7597F884529> /usr/lib/

system/libsystem_c.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101ad9000 - 0x101adbff7

libsystem_configuration.dylib (801.1.1) <EB55C3D8-048D-350E-

BF24-0CBD4479D51C> /usr/lib/system/libsystem_configuration.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101ae2000 - 0x101ae4fff

libsystem_coreservices.dylib (19) <692631A0-1923-32CA-9BD5-044B1382FFDE> /usr/

lib/system/libsystem_coreservices.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101aee000 - 0x101b02fff

libsystem_coretls.dylib (82) <21EDACF1-D9B3-3086-9821-60EB75E7F965> /usr/lib/

system/libsystem_coretls.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101b11000 - 0x101b19ffb

libsystem_dnssd.dylib (624.1.2) <DB6AB206-4AD8-369D-BF57-1D246AD60582> /usr/

lib/system/libsystem_dnssd.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101b22000 - 0x101b4bff7

libsystem_info.dylib (476) <65D0643A-C8AE-3E8D-9F6E-E4AD823F16B2> /usr/lib/

system/libsystem_info.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101b61000 - 0x101b7ffff

libsystem_kernel.dylib (3247.1.106) <7DD242A1-E2BF-39D1-8787-B174046E4F15> /

usr/lib/system/libsystem_kernel.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101b9a000 - 0x101bc9fc3

libsystem_m.dylib (3105) <07D50372-30ED-3B03-9FA0-0662BF8F0098> /usr/lib/

system/libsystem_m.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101bda000 - 0x101bf6ff7

libsystem_malloc.dylib (67) <1B57A614-3D60-3F87-876F-7DB4AF38120F> /usr/lib/

system/libsystem_malloc.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101c06000 - 0x101c64fff

libsystem_network.dylib (582.1.4) <14ECA259-D471-3E47-A843-FF0990577893> /usr/

lib/system/libsystem_network.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101c9e000 - 0x101ca6fff

libsystem_networkextension.dylib (384.1.2) <4736FCC5-9DBA-31F4-AAC8-

CD0A177CF502> /usr/lib/system/libsystem_networkextension.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101cb9000 - 0x101cc2ffb

libsystem_notify.dylib (149) <56ABC155-CB99-30A8-A8B1-C204B5615092> /usr/lib/
 system/libsystem_notify.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101ccf000 - 0x101cd7fef
 libsystem_platform.dylib (73.1.1) <3F4D2390-E3DE-3C24-A515-95DFAC8671C4> /usr/
 lib/system/libsystem_platform.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101ce4000 - 0x101cedff7
 libsystem_pthread.dylib (137.1.1) <1373D0F1-C6CA-364E-A6BA-8BDBD0D34670> /
 usr/lib/system/libsystem_pthread.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101cfd000 - 0x101d00fff
 libsystem_sandbox.dylib (459.1.8) <2F36D536-482C-39EC-BAFD-72297728F0A4> /
 usr/lib/system/libsystem_sandbox.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101d0d000 - 0x101d0efff
 libsystem_secinit.dylib (20) <932ED582-E80F-39DA-B0FA-F1BC5F1AD2F8> /usr/lib/
 system/libsystem_secinit.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101d16000 - 0x101d27ff7
 libsystem_trace.dylib (200) <E26A91EA-AD67-3FA2-A3B6-79A93DCC716E> /usr/lib/
 system/libsystem_trace.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101d38000 - 0x101d38fff
 libunc.dylib (29) <D9B0C7B1-8648-3AAC-931C-E7CD362FAA8A> /usr/lib/system/
 libunc.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101d3d000 - 0x101d42fff
 libunwind.dylib (35.3) <FDA18078-A775-3BAF-A5A6-8A7B75D6AA99> /usr/lib/system/
 libunwind.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101d51000 - 0x101d7afff
 libxpc.dylib (755.1.19) <3E09C275-A33B-357A-B0AB-A2DDF88EC9D5> /usr/lib/
 system/libxpc.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101d99000 - 0x101dc2fff libc
 ++abi.dylib (125) <F5027B46-1801-344D-BD51-2E6D188C8900> /usr/lib/libc++abi.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101dd5000 - 0x101de3fff
 libbz2.1.0.dylib (38) <99C5121D-8147-3B51-8D79-66245C863338> /usr/lib/
 libbz2.1.0.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101df0000 - 0x101edffff
 libxml2.2.dylib (29) <0702E13C-D726-3DAF-B0D1-77F7B9EF6A37> /usr/lib/
 libxml2.2.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101f19000 - 0x102126fff
 libicucore.A.dylib (551.24) <DEB70F32-DA94-323B-B6D1-03D09C8FB10C> /usr/lib/
 libicucore.A.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1021f2000 - 0x1021f2fff
 libenergytrace.dylib (10) <64F779D4-2192-37EC-8DB5-EC55BAE50058> /usr/lib/
 libenergytrace.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1021fb000 - 0x102206fff
 libkxld.dylib (3247.1.106) <D38002C3-A391-361B-ACD3-5FF2EDA51EDC> /usr/lib/
 system/libkxld.dylib
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x7fff69871000 - 0x7fff698a7f5f
 dyld (360.14) <DF977301-4A63-32ED-9939-1EE3122D18D4> /usr/lib/dyld
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
 Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: External Modification Summary:

```

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Calls made by other processes
targeting this process:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: task_for_pid: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_create: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_set_state: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Calls made by this process:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: task_for_pid: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_create: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_set_state: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Calls made by all processes on this
machine:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: task_for_pid: 22
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_create: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_set_state: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: VM Region Summary:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: ReadOnly portion of Libraries:
Total=24.6M resident=0K(0%) swapped_out_or_unallocated=24.6M(100%)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Writable regions: Total=10.4M
written=0K(0%) resident=0K(0%) swapped_out=0K(0%) unallocated=10.4M(100%)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: REGION TYPE          VIRTUAL  REGION
COUNT (non-coalesced)                                SIZE
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: =====
=====
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Process Corpse Info          2048K
2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: STACK GUARD                56.0M
2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Stack                    8192K    2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: VM_ALLOCATE                4K
2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: __DATA                    3232K    70
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: __LINKEDIT                 5316K    57
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: __TEXT                     19.4M    57
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: __UNICODE                   552K     2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: shared memory                8K       3
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: =====
=====
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: TOTAL                      94.3M   188
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro _mdnsresponder[1810]: Begin script: setACLs
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Process:          makewhatis [1805]
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Path:              /usr/libexec/makewhatis
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Identifier:        makewhatis

```

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Version: 51
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Code Type: X86-64 (Native)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Parent Process: sh [1792]
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Responsible: makewhatis [1805]
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: User ID: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Date/Time: 2015-11-14
05:58:45.297 -0800
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: OS Version: Mac OS X 10.11
(15A284)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Report Version: 11
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Anonymous UUID: 46409939-
B965-47C5-B173-398986061541
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Time Awake Since Boot: 1100 seconds
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: System Integrity Protection: disabled
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Crashed Thread: 0 Dispatch queue:
com.apple.main-thread
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Exception Type:
EXC_BAD_ACCESS (SIGSEGV)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Exception Codes:
KERN_INVALID_ADDRESS at 0x0000000778ae84d9
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Exception Note:
EXC_CORPSE_NOTIFY
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: VM Regions Near 0x778ae84d9:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Process Corpse Info
0000000101b29000-0000000101d29000 [2048K] rw-/rwx SM=COW
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: -->
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: MALLOC_TINY
00007ff4a9400000-00007ff4a9800000 [4096K] rw-/rwx SM=PRV
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Thread 0 Crashed:: Dispatch queue:
com.apple.main-thread
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0 dyld
0x00007fff6af16d62 ImageLoaderMachOCompressed::trieWalk(unsigned char const*,
unsigned char const*, char const*) + 130
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 1 dyld
0x00007fff6af16ef2 ImageLoaderMachOCompressed::findExportedSymbol(char const*,
ImageLoader const**) const + 82
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 2 dyld
0x00007fff6af11387 ImageLoaderMachO::findExportedSymbol(char const*, bool,
ImageLoader const**) const + 39

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 3 dyld
0x00007fff6af113e2 ImageLoaderMachO::findExportedSymbol(char const*, bool,
ImageLoader const**) const + 130
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 4 dyld
0x00007fff6af1762b
ImageLoaderMachOCompressed::resolveTwolevel(ImageLoader::LinkContext const&,
ImageLoader const*, bool, char const*, bool, ImageLoader const**) + 91
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 5 dyld
0x00007fff6af178d5
ImageLoaderMachOCompressed::resolve(ImageLoader::LinkContext const&, char
const*, unsigned char, long, ImageLoader const*,
ImageLoaderMachOCompressed::LastLookup*, bool) + 277
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 6 dyld
0x00007fff6af19291
ImageLoaderMachOCompressed::doBindFastLazySymbol(unsigned int,
ImageLoader::LinkContext const&, void (*)(), void (*)()) + 545
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 7 dyld
0x00007fff6af03063 dyld::fastBindLazySymbol(ImageLoader**, unsigned long) + 90
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 8 libdyld.dylib
0x00000000100f7c262 dyld_stub_binder + 282
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 9 ???
0x00000000100e14008 0 + 4309729288
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 10 makewhatis
0x00000000100e12429 0x100e11000 + 5161
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 11 makewhatis
0x00000000100e121ed 0x100e11000 + 4589
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 12 libdyld.dylib
0x00000000100f7e5ad start + 1
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Thread 0 crashed with X86 Thread State
(64-bit):
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: rax: 0x000000001011244e9 rbx:
0x0000000067000000 rcx: 0x0000000000000063 rdx: 0x00000000100e15101
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: rdi: 0x000000001011232a8 rsi:
0x00000000101125a70 rbp: 0x00007fff5edecd60 rsp: 0x00007fff5edecd50
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: r8: 0x000000001011244e8 r9:
0x000000006779c3ff0 r10: 0x00000000101123308 r11: 0x00000000100e14007
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: r12: 0x00007fff6af41138 r13:
0x00000000101125a70 r14: 0x00000000101123307 r15: 0x00000000100e150ff
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: rip: 0x00007fff6af16d62 rfl:
0x00000000000010206 cr2: 0x00000000778ae84d9
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Logical CPU: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Error Code: 0x00000004
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Trap Number: 14
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Binary Images:

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100e11000 - 0x100e13fff
makewhatis (51) <13EBA99B-3276-324D-8589-6999FAE1C185> /usr/libexec/
makewhatis

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100e1b000 - 0x100e2cfff libz.
1.dylib (60) <43317BEA-ACA2-34C2-AF37-902AA926C83A> /usr/lib/libz.1.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100e35000 - 0x100e36ffb
libSystem.B.dylib (1225.1.1) <E48AAE3F-370E-34AE-AECA-4CA28F211479> /usr/lib/
libSystem.B.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100e40000 - 0x100e44fff
libcache.dylib (75) <4948E2C8-867F-3E9D-AAE7-2F30F0B345C6> /usr/lib/system/
libcache.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100e4b000 - 0x100e56ff7
libcommonCrypto.dylib (60074) <BD1DCF19-8353-3F6A-AFFA-EBBA29A302A8> /usr/
lib/system/libcommonCrypto.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100e66000 - 0x100e6dff7
libcompiler_rt.dylib (62) <253B36E5-572D-377D-AE99-A02CE32590E5> /usr/lib/
system/libcompiler_rt.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100e80000 - 0x100e88fff
libcopyfile.dylib (127) <CA2602AB-E8B7-3CD8-A0C5-D86E35FDA09F> /usr/lib/system/
libcopyfile.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100e90000 - 0x100f07fc7
libcorecrypto.dylib (334) <4E1B969F-8449-3B21-9880-51AD58E25AA6> /usr/lib/
system/libcorecrypto.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100f22000 - 0x100f4ffff
libdispatch.dylib (500.1.5) <6B38497E-9448-3433-9D6B-6223F2A99431> /usr/lib/
system/libdispatch.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100f7b000 - 0x100f7effb
libdyld.dylib (360.14) <F9D64D8C-4C33-3D06-B7F8-697F13292894> /usr/lib/system/
libdyld.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100f86000 - 0x100f86ff7
libkeymgr.dylib (28) <47080280-8B57-3D75-8A20-9E100864DE27> /usr/lib/system/
libkeymgr.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100f8d000 - 0x100f8dff7
liblaunch.dylib (755.1.19) <7EC0F297-43CC-3D11-B46B-7E72E372648A> /usr/lib/
system/liblaunch.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100f97000 - 0x100f9cff7
libmacho.dylib (875.1) <A9EC23EC-11A0-3B4F-A8AC-B990C8267A6E> /usr/lib/
system/libmacho.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100fa7000 - 0x100fa9ff7
libquarantine.dylib (80) <1693C5FE-EA0A-3122-85EB-7950ECC7435A> /usr/lib/
system/libquarantine.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100fb2000 - 0x100fb3ffb
libremovefile.dylib (41) <C7CFF5F2-AFFB-3C8D-BDB4-D66D50E657C0> /usr/lib/
system/libremovefile.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100fbc000 - 0x100fd3fff
libsystem_asl.dylib (322) <97D794DA-8CE5-3676-AC5E-364F6D172BDA> /usr/lib/

system/libsystem_asl.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100fe7000 - 0x100fe8fff

libsystem_blocks.dylib (65) <1B4F1F10-823E-3781-8162-6884D14DF0D6> /usr/lib/

system/libsystem_blocks.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x100fed000 - 0x10107afe7

libsystem_c.dylib (1081.1.3) <A60CE86D-1FF3-32AD-A672-C7597F884529> /usr/lib/

system/libsystem_c.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1010aa000 - 0x1010acff7

libsystem_configuration.dylib (801.1.1) <EB55C3D8-048D-350E-

BF24-0CBD4479D51C> /usr/lib/system/libsystem_configuration.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1010ba000 - 0x1010bcfff

libsystem_coreservices.dylib (19) <692631A0-1923-32CA-9BD5-044B1382FFDE> /usr/

lib/system/libsystem_coreservices.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1010c8000 - 0x1010dcfff

libsystem_coretls.dylib (82) <21EDACF1-D9B3-3086-9821-60EB75E7F965> /usr/lib/

system/libsystem_coretls.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1010e6000 - 0x1010eeffb

libsystem_dnssd.dylib (624.1.2) <DB6AB206-4AD8-369D-BF57-1D246AD60582> /usr/

lib/system/libsystem_dnssd.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1010f5000 - 0x10111eff7

libsystem_info.dylib (476) <65D0643A-C8AE-3E8D-9F6E-E4AD823F16B2> /usr/lib/

system/libsystem_info.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101138000 - 0x101156fff

libsystem_kernel.dylib (3247.1.106) <7DD242A1-E2BF-39D1-8787-B174046E4F15> /

usr/lib/system/libsystem_kernel.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101170000 - 0x10119ffc3

libsystem_m.dylib (3105) <07D50372-30ED-3B03-9FA0-0662BF8F0098> /usr/lib/

system/libsystem_m.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1011ad000 - 0x1011c9ff7

libsystem_malloc.dylib (67) <1B57A614-3D60-3F87-876F-7DB4AF38120F> /usr/lib/

system/libsystem_malloc.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1011d4000 - 0x101232fff

libsystem_network.dylib (582.1.4) <14ECA259-D471-3E47-A843-FF0990577893> /usr/

lib/system/libsystem_network.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101268000 - 0x101270fff

libsystem_networkextension.dylib (384.1.2) <4736FCC5-9DBA-31F4-AAC8-

CD0A177CF502> /usr/lib/system/libsystem_networkextension.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101283000 - 0x10128cfff

libsystem_notify.dylib (149) <56ABC155-CB99-30A8-A8B1-C204B5615092> /usr/lib/

system/libsystem_notify.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101295000 - 0x10129dfef

libsystem_platform.dylib (73.1.1) <3F4D2390-E3DE-3C24-A515-95DFAC8671C4> /usr/

lib/system/libsystem_platform.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1012ac000 - 0x1012b5fff

libsystem_pthread.dylib (137.1.1) <1373D0F1-C6CA-364E-A6BA-8BDBD0D34670> /

usr/lib/system/libsystem_pthread.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1012c4000 - 0x1012c7fff

libsystem_sandbox.dylib (459.1.8) <2F36D536-482C-39EC-BAFD-72297728F0A4> /usr/lib/system/libsystem_sandbox.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1012cf000 - 0x1012d0fff
libsystem_secinit.dylib (20) <932ED582-E80F-39DA-B0FA-F1BC5F1AD2F8> /usr/lib/system/libsystem_secinit.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1012db000 - 0x1012ecff7
libsystem_trace.dylib (200) <E26A91EA-AD67-3FA2-A3B6-79A93DCC716E> /usr/lib/system/libsystem_trace.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1012fb000 - 0x1012fbff7
libunc.dylib (29) <D9B0C7B1-8648-3AAC-931C-E7CD362FAA8A> /usr/lib/system/libunc.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101301000 - 0x101306ff3
libunwind.dylib (35.3) <FDA18078-A775-3BAF-A5A6-8A7B75D6AA99> /usr/lib/system/libunwind.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101313000 - 0x10133cfff
libxpc.dylib (755.1.19) <3E09C275-A33B-357A-B0AB-A2DDF88EC9D5> /usr/lib/system/libxpc.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101360000 - 0x1016caddf
libobjc.A.dylib (680) <CE3C3C78-A7BB-3147-8375-55424032FF5E> /usr/lib/libobjc.A.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1017ab000 - 0x1017f1ff7
libauto.dylib (186) <460B0167-C89B-37EC-823C-52F684B31C26> /usr/lib/libauto.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101807000 - 0x101830fff libc++abi.dylib (125) <F5027B46-1801-344D-BD51-2E6D188C8900> /usr/lib/libc++abi.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x101843000 - 0x101896ff7
libc++.1.dylib (120.1) <54190E1B-EE49-3D6D-AC29-2813D7380BA5> /usr/lib/libc++.1.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x1018f4000 - 0x1018f5fff
libDiagnosticMessagesClient.dylib (100) <F2D8CFCC-A00A-3675-9C01-EF0C663F2445> /usr/lib/libDiagnosticMessagesClient.dylib

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: 0x7fff6aeff000 - 0x7fff6af35f5f dyld (360.14) <DF977301-4A63-32ED-9939-1EE3122D18D4> /usr/lib/dyld

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: External Modification Summary:

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Calls made by other processes targeting this process:

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: task_for_pid: 0

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_create: 0

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_set_state: 0

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Calls made by this process:

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: task_for_pid: 0

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_create: 0

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_set_state: 0

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Calls made by all processes on this machine:

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: task_for_pid: 22

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_create: 0

```

Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: thread_set_state: 0
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: VM Region Summary:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: ReadOnly portion of Libraries:
Total=9840K resident=0K(0%) swapped_out_or_unallocated=9840K(100%)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Writable regions: Total=48.5M
written=0K(0%) resident=0K(0%) swapped_out=0K(0%) unallocated=48.5M(100%)
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: REGION TYPE                VIRTUAL REGION
COUNT (non-coalesced)                                SIZE
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: =====
=====
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Activity Tracing                2048K      2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Kernel Alloc Once                  4K        2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: MALLOC                          36.2M      8
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: MALLOC guard page                  16K
4
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Process Corpse Info                2048K
2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: STACK GUARD                      56.0M
2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: Stack                            8192K      2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: VM_ALLOCATE                      4K
2
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: __DATA                          1452K     52
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: __LINKEDIT                      2124K     44
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: __TEXT                          7716K     44
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: shared memory                     8K        3
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: =====
=====
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]: TOTAL                          115.2M    155
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:45 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro _mdnsresponder[1860]: End script: setACLs
Nov 14 05:58:46 Mac-Pro _mdnsresponder[1861]: 18 Install Scripts run.
Nov 14 05:58:46 Mac-Pro OSInstaller[469]: PackageKit: Executing script "postinstall"
in /Volumes/EI Capitan/.OSInstallSandboxPath/Scripts/
com.apple.pkg.OSInstall.PagWFK
Nov 14 05:58:46 Mac-Pro _mdnsresponder[1864]: Running Install Scripts . . .
Nov 14 05:58:46 Mac-Pro _mdnsresponder[1866]: Begin script: postinstall
Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: dyld: Library not loaded: /
System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib
Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: Referenced from: /System/
Library/Frameworks/ImageIO.framework/Versions/A/ImageIO
Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: Reason: no suitable image
found. Did find:

```

Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: /System/Library/
Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type,
first eight bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00
Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: /Volumes/EI
Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.OSInstall.PagWFK/
postinstall_actions/postinstall: line 17: 1871 Trace/BPT trap: 5 chroot "\$3" /usr/sbin/
kextcache -system-caches
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Process: kextcache [1871]
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Path: /usr/sbin/kextcache
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Identifier: kextcache
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Version: ???
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Code Type: X86-64 (Native)
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Parent Process: sh [1867]
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Responsible: kextcache [1871]
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: User ID: 0
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Date/Time: 2015-11-14
05:58:46.488 -0800
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: OS Version: Mac OS X 10.11
(15A284)
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Report Version: 11
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Anonymous UUID: 46409939-
B965-47C5-B173-398986061541
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Time Awake Since Boot: 1100 seconds
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: System Integrity Protection: disabled
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Crashed Thread: 0
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Exception Type:
EXC_BREAKPOINT (SIGTRAP)
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Exception Codes:
0x0000000000000002, 0x0000000000000000
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Exception Note:
EXC_CORPSE_NOTIFY
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Application Specific Information:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: dyld: launch, loading dependent libraries
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Dyld Error Message:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Library not loaded: /System/Library/
Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Referenced from: /System/Library/
Frameworks/ImageIO.framework/Versions/A/ImageIO
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Reason: no suitable image found. Did

find:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: /System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type, first eight bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Binary Images:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: 0x7fff663d4000 - 0x7fff6640af5f dyld (360.14) <DF977301-4A63-32ED-9939-1EE3122D18D4> /usr/lib/dyld

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: dyld: Library not loaded: /System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib

Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: Referenced from: /System/Library/Frameworks/ImageIO.framework/Versions/A/ImageIO

Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: Reason: no suitable image found. Did find:

Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: /System/Library/Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type, first eight bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00

Nov 14 05:58:46 Mac-Pro OSInstaller[469]: postinstall: /Volumes/EI

Capitan/.OSInstallSandboxPath/Scripts/com.apple.pkg.OSInstall.PagWFK/postinstall_actions/postinstall: line 20: 1873 Trace/BPT trap: 5 chroot "\$3" "/usr/libexec/ifsstart"

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Process: ifsstart [1873]

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Path: /usr/libexec/ifsstart

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Identifier: ifsstart

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Version: ???

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Code Type: X86-64 (Native)

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Parent Process: sh [1867]

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Responsible: ifsstart [1873]

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: User ID: 0

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Date/Time: 2015-11-14 05:58:46.537 -0800

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: OS Version: Mac OS X 10.11 (15A284)

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Report Version: 11

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Anonymous UUID: 46409939-B965-47C5-B173-398986061541

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Time Awake Since Boot: 1100 seconds

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: System Integrity Protection: disabled

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Crashed Thread: 0

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:

Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Exception Type:
EXC_BREAKPOINT (SIGTRAP)
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Exception Codes:
0x0000000000000002, 0x0000000000000000
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Exception Note:
EXC_CORPSE_NOTIFY
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Application Specific Information:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: dyld: launch, loading dependent libraries
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Dyld Error Message:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Library not loaded: /System/Library/
Frameworks/ImageIO.framework/Versions/A/Resources/libJP2.dylib
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Referenced from: /System/Library/
Frameworks/ImageIO.framework/Versions/A/ImageIO
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Reason: no suitable image found. Did
find:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: /System/Library/Frameworks/
ImageIO.framework/Versions/A/Resources/libJP2.dylib: unknown file type, first eight
bytes: 0x0F 0x7D 0x1F 0x12 0x01 0x00 0x00 0x00
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: Binary Images:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]: 0x7fff667b1000 - 0x7fff667e7f5f
dyld (360.14) <DF977301-4A63-32ED-9939-1EE3122D18D4> /usr/lib/dyld
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro ReportCrash[1743]:
Nov 14 05:58:46 Mac-Pro _mdnsresponder[1876]: End script: postinstall
Nov 14 05:58:46 Mac-Pro _mdnsresponder[1877]: Begin script: setHiddenFiles
Nov 14 05:58:47 Mac-Pro _mdnsresponder[1892]: End script: setHiddenFiles
Nov 14 05:58:47 Mac-Pro _mdnsresponder[1893]: 2 Install Scripts run.
Nov 14 05:58:47 Mac-Pro OSInstaller[469]: PackageKit: Writing system content receipt
for com.apple.pkg.BaseSystemResources to /Volumes/El Capitan