

Anonymous UUID: 7335C460-40BB-542E-A86E-4B9D6251A326

Sat Apr 6 15:06:43 2019

\*\*\* Panic Report \*\*\*

panic(cpu 0 caller 0xfffff80150dd16d): Kernel trap at 0xfffff7f95d4d9a5, type 14=page fault, registers:

CR0: 0x000000008001003b, CR2: 0x0000000000000070, CR3: 0x00000000188fd000, CR4: 0x000000000000226e0

RAX: 0x0000000000000000, RBX: 0x000000000000090f1, RCX: 0xfffff8052fc9d58, RDX: 0x0000000000000000

RSP: 0xfffff83c072b5b0, RBP: 0xfffff83c072b5c0, RSI: 0x000000000000090f1, RDI: 0x0000000000000000

R8: 0xfffff83c072b5d4, R9: 0xfffff83c072b65c, R10: 0xfffff7f95d1d9bc, R11: 0xfffff7f95d2dc98

R12: 0x000000000000090f1, R13: 0xfffff83c072b65c, R14: 0x000000000000090f1, R15: 0x0000000000000000

RFL: 0x0000000000010246, RIP: 0xfffff7f95d4d9a5, CS: 0x0000000000000008, SS: 0x0000000000000010

Fault CR2: 0x0000000000000070, Error code: 0x0000000000000000, Fault CPU: 0x0, PL: 0, VF: 1

Backtrace (CPU 0), Frame : Return Address

0xfffff83c072b080 : 0xfffff8014faf82d  
0xfffff83c072b0d0 : 0xfffff80150eb795  
0xfffff83c072b110 : 0xfffff80150dcf4a  
0xfffff83c072b180 : 0xfffff8014f5cae0  
0xfffff83c072b1a0 : 0xfffff8014faf247  
0xfffff83c072b2c0 : 0xfffff8014faf093  
0xfffff83c072b330 : 0xfffff80150dd16d  
0xfffff83c072b4a0 : 0xfffff8014f5cae0  
0xfffff83c072b4c0 : 0xfffff7f95d4d9a5  
0xfffff83c072b5c0 : 0xfffff7f95d4d72e  
0xfffff83c072b5f0 : 0xfffff7f974cceb3  
0xfffff83c072b620 : 0xfffff7f95d1d944  
0xfffff83c072b690 : 0xfffff7f95d1d7b3  
0xfffff83c072b6d0 : 0xfffff7f974bcdb7  
0xfffff83c072b7f0 : 0xfffff7f974b9fc1  
0xfffff83c072b8d0 : 0xfffff7f974beb7d  
0xfffff83c072b970 : 0xfffff7f95dbc5e5  
0xfffff83c072b9e0 : 0xfffff7f95dbc145  
0xfffff83c072ba50 : 0xfffff7f95dbbab3  
0xfffff83c072bb80 : 0xfffff7f974c1b92  
0xfffff83c072bc10 : 0xfffff7f974baaeb  
0xfffff83c072bce0 : 0xfffff7f974baeb3  
0xfffff83c072bd40 : 0xfffff7f974bb160  
0xfffff83c072bd90 : 0xfffff7f974ff10c

0xffffffff83c072be00 : 0xffffffff7f95d57d70  
0xffffffff83c072be20 : 0xffffffff7f95c66638  
0xffffffff83c072bed0 : 0xffffffff801565947c  
0xffffffff83c072bf30 : 0xffffffff8015657562  
0xffffffff83c072bf70 : 0xffffffff8015656abc  
0xffffffff83c072bfa0 : 0xffffffff8014f5c0ce

Kernel Extensions in backtrace:

com.apple.nvidia.driver.NVDAResman(12.0)[AE94AB7B-ECE1-31E6-8165-08FF46E8CF81]@0xffffffff7f95bf3000->0xffffffff7f95eccfff  
dependency: com.apple.iokit.IOPCIFamily(2.9)[54C3F778-4B95-3093-A51D-D761607C96CB]@0xffffffff7f95895000  
dependency: com.apple.iokit.IONDRVSupport(530.51)[458BF6DD-CD72-3528-9DA1-6E9803B42B77]@0xffffffff7f95bd7000  
dependency: com.apple.iokit.IOGraphicsFamily(530.60)[9E233908-09E1-332E-AE9B-CB27D514707B]@0xffffffff7f95b7e000  
dependency: com.apple.AppleGraphicsDeviceControl(3.30.14)[61BA5741-B8B8-32F6-A4D1-051861B0294D]@0xffffffff7f95be7000  
com.apple.nvidia.driver.NVDAGK100Hal(12.0)[7F98B4E9-CEB0-3354-A034-2D90A819E58B]@0xffffffff7f97405000->0xffffffff7f975b2fff  
dependency: com.apple.nvidia.driver.NVDAResman(12.0.0)[AE94AB7B-ECE1-31E6-8165-08FF46E8CF81]@0xffffffff7f95bf3000  
dependency: com.apple.iokit.IOPCIFamily(2.9)[54C3F778-4B95-3093-A51D-D761607C96CB]@0xffffffff7f95895000

BSD process name corresponding to current thread: kernel\_task

Mac OS version:  
18E226

Kernel version:  
Darwin Kernel Version 18.5.0: Mon Mar 11 20:40:32 PDT 2019; root:xnu-4903.251.3~3/RELEASE\_X86\_64  
Kernel UUID: 4170BF94-38B6-364F-A1B0-2F7C2C30F9A9  
Kernel slide: 0x0000000014c00000  
Kernel text base: 0xffffffff8014e00000  
\_\_HIB text base: 0xffffffff8014d00000  
System model name: MacPro5,1 (Mac-F221BEC8)

System uptime in nanoseconds: 6399728402574  
last loaded kext at 256492353844: com.apple.filesystems.msdosfs 1.10 (addr 0xffffffff7f97fc3000, size 69632)  
last unloaded kext at 317175168178: com.apple.filesystems.msdosfs 1.10 (addr 0xffffffff7f97fc3000, size 61440)  
loaded kexts:  
com.apple.driver.AudioAUUC 1.70  
com.apple.fileutil 20.036.15  
com.apple.filesystems.autofs 3.0

com.apple.driver.AGPM 110.25.2  
com.apple.filesystems.ntfs 3.13  
com.apple.driver.AppleMikeyHIDDriver 131  
com.apple.driver.AppleUpstreamUserClient 3.6.5  
com.apple.driver.AppleMCCSControl 1.5.6  
com.apple.driver.AppleHDA 282.54  
com.apple.driver.AppleMikeyDriver 282.54  
com.apple.driver.AppleGraphicsDevicePolicy 3.30.14  
com.apple.GeForce 12.0.0  
com.apple.AGDCPluginDisplayMetrics 3.30.14  
com.apple.driver.AppleHV 1  
com.apple.driver.AppleLPC 3.1  
com.apple.driver.AppleOSXWatchdog 1  
com.apple.driver.ACPI\_SMC\_PlatformPlugin 1.0.0  
com.apple.iokit.IOUserEthernet 1.0.1  
com.apple.iokit.IOBluetoothSerialManager 6.0.11f4  
com.apple.driver.pmtelemetry 1  
com.apple.Dont\_Steal\_Mac\_OS\_X 7.0.0  
com.apple.driver.AppleIntelSlowAdaptiveClocking 4.0.0  
com.apple.driver.AppleVirtIO 2.1.3  
com.apple.filesystems.hfs.kext 407.200.4  
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1  
com.apple.BootCache 40  
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0  
com.apple.AppleSystemPolicy 1.0  
com.apple.filesystems.apfs 945.250.134  
com.apple.driver.AppleFWOHCI 5.6.0  
com.apple.driver.Intel82574LEthernet 2.7.2  
com.apple.driver.AppleAHCIPort 329.200.2  
com.apple.private.KextAudit 1.0  
com.apple.driver.AppleHPET 1.8  
com.apple.driver.AppleRTC 2.0  
com.apple.driver.AppleACPIButtons 6.1  
com.apple.driver.AppleSMBIOS 2.1  
com.apple.driver.AppleACPIEC 6.1  
com.apple.driver.AppleAPIC 1.7  
com.apple.driver.AppleIntelCPUPowerManagementClient 220.0.0  
com.apple.nke.applicationfirewall 190  
com.apple.security.TMSafetyNet 8  
com.apple.driver.AppleIntelCPUPowerManagement 220.0.0  
com.apple.kext.triggers 1.0  
com.apple.driver.DspFuncLib 282.54  
com.apple.kext.OSvKernDSPLib 528  
com.apple.driver.AppleGraphicsControl 3.30.14  
com.apple.iokit.IOAcceleratorFamily2 404.8  
com.apple.nvidia.driver.NVDAGK100Hal 12.0.0  
com.apple.nvidia.driver.NVDAResman 12.0.0

com.apple.iokit.IONDRVSupport 530.51  
 com.apple.iokit.IOAVBFamily 740.1  
 com.apple.plugin.IOgPTPPlugin 740.2  
 com.apple.iokit.IOEthernetAVBController 1.1.0  
 com.apple.iokit.IOSkywalkFamily 1  
 com.apple.driver.AppleSMBusController 1.0.18d1  
 com.apple.iokit.IOFireWireIP 2.3.0  
 com.apple.driver.AppleSMBusPCI 1.0.14d1  
 com.apple.driver.AppleHDAController 282.54  
 com.apple.iokit.IOHDAFamily 282.54  
 com.apple.driver.IOPlatformPluginLegacy 1.0.0  
 com.apple.driver.IOPlatformPluginFamily 6.0.0d8  
 com.apple.driver.AppleSSE 1.0  
 com.apple.iokit.IOSurface 255.4.2  
 com.apple.AppleGPUWrangler 3.30.14  
 com.apple.AppleGraphicsDeviceControl 3.30.14  
 com.apple.iokit.IOGraphicsFamily530.60  
 com.apple.iokit.IOSlowAdaptiveClockingFamily 1.0.0  
 com.apple.iokit.IOAHCIBlockStorage 301.250.5  
 com.apple.driver.AppleHIDKeyboard 208  
 com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport 6.0.11f4  
 com.apple.iokit.IOBluetoothHostControllerUSBTransport 6.0.11f4  
 com.apple.iokit.IOBluetoothHostControllerTransport 6.0.11f4  
 com.apple.iokit.IOBluetoothFamily 6.0.11f4  
 com.apple.driver.usb.IOUSBHostHIDDevice 1.2  
 com.apple.iokit.IOAudioFamily 206.5  
 com.apple.vecLib.kext 1.2.0  
 com.apple.driver.usb.networking 5.0.0  
 com.apple.driver.usb.AppleUSBHostCompositeDevice 1.2  
 com.apple.driver.usb.AppleUSBHub 1.2  
 com.apple.iokit.IOSerialFamily 11  
 com.apple.filesystems.hfs.encodings.kext 1  
 com.apple.iokit.IOFireWireFamily 4.7.3  
 com.apple.iokit.IONVMeFamily 2.1.0  
 com.apple.iokit.IOAHCIFamily 288  
 com.apple.driver.usb.AppleUSBECIPCI 1.2  
 com.apple.driver.usb.AppleUSBHCIPCI 1.2  
 com.apple.driver.usb.AppleUSBHCI 1.2  
 com.apple.driver.usb.AppleUSBHCI 1.2  
 com.apple.driver.usb.AppleUSBHostPacketFilter 1.0  
 com.apple.iokit.IOUSBFamily 900.4.2  
 com.apple.driver.AppleUSBHostMergeProperties 1.2  
 com.apple.driver.AppleEFINVRAM 2.1  
 com.apple.driver.AppleEFIRuntime 2.1  
 com.apple.iokit.IOSMBusFamily 1.1  
 com.apple.iokit.IOHIDFamily 2.0.0  
 com.apple.security.quarantine 3

com.apple.security.sandbox	300.0
com.apple.kext.AppleMatch	1.0.0d1
com.apple.driver.DiskImages	493.0.0
com.apple.driver.AppleFDEKeyStore	28.30
com.apple.driver.AppleEffaceableStorage	1.0
com.apple.driver.AppleKeyStore	2
com.apple.driver.AppleUSBTDM	456.250.6
com.apple.driver.AppleMobileFileIntegrity	1.0.5
com.apple.iokit.IOUSBMassStorageDriver	145.200.2
com.apple.iokit.IOCSIBlockCommandsDevice	408.250.3
com.apple.iokit.IOCSIArchitectureModelFamily	408.250.3
com.apple.iokit.IOSTorageFamily	2.1
com.apple.kext.CoreTrust	1
com.apple.driver.AppleCredentialManager	1.0
com.apple.driver.KernelRelayHost	1
com.apple.iokit.IOUSBHostFamily	1.2
com.apple.driver.usb.AppleUSBCommon	1.0
com.apple.driver.AppleBusPowerController	1.0
com.apple.driver.AppleSEPManager	1.0.1
com.apple.driver.IOSlaveProcessor	1
com.apple.iokit.IOTimeSyncFamily	740.2
com.apple.iokit.IONetworkingFamily	3.4
com.apple.iokit.IOReportFamily	47
com.apple.driver.AppleACPIPlatform	6.1
com.apple.driver.AppleSMC	3.1.9
com.apple.iokit.IOPCIFamily	2.9
com.apple.iokit.IOACPIFamily	1.4
com.apple.kec.pthread	1
com.apple.kec.Libm	1
com.apple.kec.corecrypto	1.0

EOF

#### System Profile:

FireWire Device: built-in\_hub, Up to 800 Mb/sec

Thunderbolt Bus:

Boot Volume File System Type: apfs

PCI Card: NVIDIA Quadro K5000, Display Controller, Slot-1

PCI Card: NVIDIA Quadro K5000, NVDA,Parent, Slot-1

PCI Card: pci144d,a808, NVM Express Controller, Slot-4

PCI Card: pci1b21,625, AHCI Controller, Slot-3

Memory Module: DIMM 1, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 2, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 3, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304448302D5948392020

Memory Module: DIMM 4, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE,  
0x4D33393342314B37304448302D5948392020  
USB Device: USB Bus  
USB Device: BRCM2046 Hub  
USB Device: Bluetooth USB Host Controller  
USB Device: USB Bus  
USB Device: USB Bus  
USB Device: USB Bus  
USB Device: G500s Laser Gaming Mouse  
USB Device: USB Bus  
USB Device: USB Bus  
USB Device: USB 2.0 Bus  
USB Device: USB 2.0 Bus  
USB Device: Keyboard Hub  
USB Device: Apple Keyboard  
Serial ATA Device: Samsung SSD 860 EVO 250GB, 250.06 GB  
Serial ATA Device: WDC WD10EZEX-08WN4A0, 1 TB  
Serial ATA Device: WDC WD10EZEX-08WN4A0, 1 TB  
Serial ATA Device: WDC WD20EZRX-00D8PB0, 2 TB  
Serial ATA Device: APPLE HDD HTS547550A9E384, 500.11 GB  
Model: MacPro5,1, BootROM 141.0.0.0.0, 4 processors, Quad-Core Intel Xeon, 3.46  
GHz, 32 GB, SMC 1.39f5  
Graphics: NVIDIA Quadro K5000, NVIDIA Quadro K5000, spdisplays\_pcie\_device, 4  
GB  
Network Service: Ethernet 1, Ethernet, en0  
Bluetooth: Version 6.0.11f4, 3 services, 27 devices, 1 incoming serial ports