

Anonymous UUID: 24893191-4BA9-A785-0533-B3E27B394477

Sun Apr 30 17:48:42 2023

\*\*\* Panic Report \*\*\*

Machine-check capabilities: 0x00000000000001c09

family: 6 model: 44 stepping: 2 microcode: 31

signature: 0x206c2

Intel(R) Xeon(R) CPU X5650 @ 2.67GHz

9 error-reporting banks

Processor 12: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000

IA32\_MC1\_MISC(0x407): 0x0000000001000000

Processor 13: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000

IA32\_MC1\_MISC(0x407): 0x0000000001000000

Processor 14: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000

IA32\_MC1\_MISC(0x407): 0x0000000001000000

Processor 15: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000

IA32\_MC1\_MISC(0x407): 0x0000000001000000

Processor 16: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000

IA32\_MC1\_MISC(0x407): 0x0000000001000000

Processor 17: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000

IA32\_MC1\_MISC(0x407): 0x0000000001000000

Processor 18: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000

IA32\_MC1\_MISC(0x407): 0x0000000001000000

Processor 19: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000

IA32\_MC1\_MISC(0x407): 0x0000000001000000

Processor 20: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000

IA32\_MC1\_MISC(0x407): 0x0000000001000000

Processor 21: IA32\_MCG\_STATUS: 0x0000000000000004

IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f

IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000  
IA32\_MC1\_MISC(0x407): 0x0000000001000000  
Processor 22: IA32\_MCG\_STATUS: 0x0000000000000004  
IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f  
IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000  
IA32\_MC1\_MISC(0x407): 0x0000000001000000  
Processor 23: IA32\_MCG\_STATUS: 0x0000000000000004  
IA32\_MC1\_STATUS(0x405): 0xbe00000000400e0f  
IA32\_MC1\_ADDR(0x406): 0x000000e1e7e1e000  
IA32\_MC1\_MISC(0x407): 0x0000000001000000  
mp\_kdp\_enter() timed-out on cpu 1, NMI-ing  
mp\_kdp\_enter() NMI pending on cpus: 0 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18  
19 20 21 22 23  
mp\_kdp\_enter() timed-out during locked wait after NMI;expected 24 acks but  
received 1 after 17301440 loops in 1329999830 ticks  
panic(cpu 1 caller 0xfffff800c8db5da): "Machine Check at 0xfffff7f8e6314f0,  
registers:\n" "CR0: 0x000000008001003b, CR2: 0x000000014231f800, CR3:  
0x00000000f45d000, CR4: 0x00000000000226e0\n" "RAX: 0x0000000000000020,  
RBX: 0xfffff8066418700, RCX: 0x0000000000000001, RDX:  
0x0000000000000000\n" "RSP: 0xfffff9d91123d50, RBP: 0xfffff9d91123d80, RSI:  
0x0000000000000001, RDI: 0xfffff80669b1d80\n" "R8: 0xfffff8066a05000, R9:  
0x0000000000000000, R10: 0x0000000000000000, R11: 0xfffff853fdf6000\n" "R12:  
0xfffff7f8e64d630, R13: 0xfffff80660842c0, R14: 0x000000000000007b0, R15:  
0x0000000000000006\n" "RFL: 0x0000000000000046, RIP: 0xfffff7f8e6314f0, CS:  
0x0000000000000008, SS: 0x0000000000000010\n" "Error code:  
0x0000000000000000\n" @/BuildRoot/Library/Caches/com.apple.xbs/Sources/xnu/  
xnu-4903.278.70/osfmk/i386/trap\_native.c:168  
Backtrace (CPU 1), Frame : Return Address  
0xfffff800c551b30 : 0xfffff800c7ad5cd  
0xfffff800c551b80 : 0xfffff800c8e9245  
0xfffff800c551bc0 : 0xfffff800c8da97a  
0xfffff800c551c30 : 0xfffff800c75a9d0  
0xfffff800c551c50 : 0xfffff800c7acfe7  
0xfffff800c551d70 : 0xfffff800c7ace33  
0xfffff800c551de0 : 0xfffff800c8db5da  
0xfffff800c551ed0 : 0xfffff800c75b22f  
0xfffff9d91123d80 : 0xfffff7f8e629b89  
0xfffff9d91123e60 : 0xfffff7f8e628dce  
0xfffff9d91123f10 : 0xfffff800c8dc9ac  
0xfffff9d91123f30 : 0xfffff800c7cf207  
0xfffff9d91123f80 : 0xfffff800c7cf3f0  
0xfffff9d91123fa0 : 0xfffff800c75a0ce  
Kernel Extensions in backtrace:  
com.apple.driver.AppleIntelCPUPowerManagement(220.0)[99F2E7B9-  
A130-3CAA-88F4-0AFE406C81AC]@0xfffff7f8e627000->0xfffff7f8e64fff

BSD process name corresponding to current thread: kernel\_task

Mac OS version:  
18G9323

Kernel version:

Darwin Kernel Version 18.7.0: Tue Jun 22 19:37:08 PDT 2021;

root:xnu-4903.278.70~1/RELEASE\_X86\_64

Kernel UUID: 041B6A6D-CD16-36FA-88B9-E32FF46EF89F

Kernel slide: 0x00000000c400000

Kernel text base: 0xfffff800c600000

\_\_HIB text base: 0xfffff800c500000

System model name: MacPro5,1 (Mac-F221BEC8)

System uptime in nanoseconds: 694132371815

last loaded kext at 252059291402: com.apple.filesystems.msdosfs

1.10 (addr 0xfffff7f90a0e000, size 69632)

loaded kexts:

com.apple.filesystems.msdosfs 1.10

com.apple.driver.AppleHWSensor 1.9.5d0

com.apple.driver.AppleUpstreamUserClient 3.6.5

com.apple.driver.AppleMCCSControl 1.5.9

com.apple.kext.AMDFramebuffer 2.1.1

com.apple.driver.AppleBluetoothMultitouch 96

com.apple.fileutil 20.036.15

com.apple.kext.AMDRadeonX4000 2.1.1

com.apple.driver.AppleGraphicsDevicePolicy 3.50.16

com.apple.AGDCPluginDisplayMetrics 3.50.16

com.apple.driver.AppleHV 1

com.apple.iokit.IOUserEthernet 1.0.1

com.apple.filesystems.autofs 3.0

com.apple.iokit.IOBluetoothSerialManager 6.0.14d13

com.apple.driver.AppleMikeyHIDDriver 131

com.apple.driver.pmtelemetry 1

com.apple.driver.AppleHDAHardwareConfigDriver 282.54

com.apple.driver.AppleMikeyDriver 282.54

com.apple.Dont\_Steal\_Mac\_OS\_X 7.0.0

com.apple.driver.AGPM 110.25.11

com.apple.driver.AppleHDA 282.54

com.apple.kext.AMD9500Controller 2.1.1

com.apple.driver.AudioAUUC 1.70

com.apple.driver.Intel82574LEthernet 2.7.2

com.apple.driver.AppleGFXHDA 100.1.414

com.apple.driver.AppleLPC 3.1

com.apple.iokit.IOBluetoothUSBDFU 6.0.14d13

com.apple.driver.AppleFIVRDriver 4.1.0

com.apple.driver.AppleIntelSlowAdaptiveClocking 4.0.0

com.apple.driver.AppleOSXWatchdog 1

com.apple.driver.ACPI\_SMC\_PlatformPlugin 1.0.0

com.apple.driver.AppleUSBDisplays 380

com.apple.iokit.SCSITaskUserClient 408.250.3

com.apple.driver.AppleFileSystemDriver 3.0.1

com.apple.driver.AppleVirtIO 2.1.3

com.apple.filesystems.hfs.kext 407.200.4

com.apple.AppleFSCompression.AppleFSCompressionTypeDataless  
1.0.0d1  
com.apple.BootCache 40  
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib  
1.0.0  
com.apple.AppleSystemPolicy 1.0  
com.apple.filesystems.apfs 945.275.10  
com.apple.driver.AppleFWOHCI 5.6.0  
com.apple.driver.AppleAHCIPort 329.260.5  
com.apple.private.KextAudit 1.0  
com.apple.driver.AppleRTC 2.0  
com.apple.driver.AppleHPET 1.8  
com.apple.driver.AppleACPIButtons 6.1  
com.apple.driver.AppleSMBIOS2.1  
com.apple.driver.AppleACPIEC 6.1  
com.apple.driver.AppleAPIC 1.7  
com.apple.driver.AppleIntelCPUPowerManagementClient 220.0.0  
com.apple.nke.applicationfirewall 202  
com.apple.security.TMSafetyNet 8  
com.apple.driver.AppleIntelCPUPowerManagement 220.0.0  
com.apple.driver.AppleBluetoothHIDKeyboard 208  
com.apple.driver.AppleHIDKeyboard 208  
com.apple.driver.IOBluetoothHIDDriver 6.0.14d13  
com.apple.driver.AppleMultitouchDriver 2450.1  
com.apple.driver.AppleInputDeviceSupport 2440.4  
com.apple.kext.AMDRadeonX4000HWLibs 1.0  
com.apple.iokit.IOAcceleratorFamily2 404.15  
com.apple.kext.AMDRadeonX4000HWServices2.1.1  
com.apple.driver.AppleGraphicsControl 3.50.16  
com.apple.iokit.IOAVBFamily 760.6  
com.apple.plugin.IOGPTPlugin 740.2  
com.apple.iokit.IOEthernetAVBController 1.1.0  
com.apple.iokit.IOSkywalkFamily 1  
com.apple.driver.AppleSSE 1.0  
com.apple.iokit.IOSurface 255.6.1  
com.apple.kext.triggers 1.0  
com.apple.driver.DspFuncLib 282.54  
com.apple.kext.OSvKernDSPLib 528  
com.apple.driver.AppleSMBusController 1.0.18d1  
com.apple.AppleGPUWrangler 3.50.16  
com.apple.driver.AppleHDAController 282.54  
com.apple.iokit.IOHDAFamily 282.54  
com.apple.iokit.IONDRVSupport 530.51  
com.apple.driver.AppleSMBusPCI 1.0.14d1  
com.apple.kext.AMDSupport 2.1.1  
com.apple.AppleGraphicsDeviceControl 3.50.16  
com.apple.iokit.IOGraphicsFamily 530.68  
com.apple.iokit.IOFireWireIP 2.3.0  
com.apple.iokit.IOSlowAdaptiveClockingFamily 1.0.0  
com.apple.driver.AppleUSBAudio 315.6

com.apple.iokit.IOAudioFamily 206.5  
com.apple.vecLib.kext 1.2.0  
com.apple.driver.IOPlatformPluginLegacy 1.0.0  
com.apple.driver.IOPlatformPluginFamily 6.0.0d8  
com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport  
6.0.14d13  
com.apple.iokit.IOBluetoothHostControllerUSBTransport 6.0.14d13  
com.apple.iokit.IOBluetoothHostControllerTransport 6.0.14d13  
com.apple.iokit.IOBluetoothFamily 6.0.14d13  
com.apple.driver.usb.IOUSBHostHIDDevice 1.2  
com.apple.driver.usb.cdc 5.0.0  
com.apple.driver.usb.networking 5.0.0  
com.apple.driver.usb.AppleUSBHostCompositeDevice 1.2  
com.apple.driver.usb.AppleUSBHub 1.2  
com.apple.iokit.IOCSIMultimediaCommandsDevice 408.250.3  
com.apple.iokit.IOBDStorageFamily 1.8  
com.apple.iokit.IODVDStorageFamily 1.8  
com.apple.iokit.IOCDStorageFamily 1.8  
com.apple.iokit.IOSerialFamily 11  
com.apple.filesystems.hfs.encodings.kext 1  
com.apple.driver.AppleXsanScheme 3  
com.apple.iokit.IOAHCISerialATAPI 267.50.1  
com.apple.iokit.IOFireWireFamily 4.7.3  
com.apple.driver.AppleUSBMergeNub 900.4.2  
com.apple.iokit.IOAHCIBlockStorage 301.270.1  
com.apple.driver.usb.AppleUSBEHCIPCI 1.2  
com.apple.driver.usb.AppleUSBUEHCIPCI 1.2  
com.apple.driver.usb.AppleUSBUEHCI 1.2  
com.apple.driver.usb.AppleUSBEHCI 1.2  
com.apple.iokit.IOAHCIFamily 288  
com.apple.driver.usb.AppleUSBHostPacketFilter 1.0  
com.apple.iokit.IOUSBFamily 900.4.2  
com.apple.driver.AppleEFINVRAM 2.1  
com.apple.driver.AppleUSBHostMergeProperties 1.2  
com.apple.driver.AppleEFIRuntime 2.1  
com.apple.iokit.IOSMBusFamily 1.1  
com.apple.iokit.IOHIDFamily 2.0.0  
com.apple.security.quarantine 3  
com.apple.security.sandbox 300.0  
com.apple.kext.AppleMatch 1.0.0d1  
com.apple.driver.DiskImages 493.0.0  
com.apple.driver.AppleFDEKeyStore 28.30  
com.apple.driver.AppleEffaceableStorage 1.0  
com.apple.driver.AppleKeyStore 2  
com.apple.driver.AppleUSBTDM 456.260.3  
com.apple.driver.AppleMobileFileIntegrity 1.0.5  
com.apple.iokit.IOUSBMassStorageDriver 145.200.2  
com.apple.iokit.IOCSIBlockCommandsDevice 408.250.3  
com.apple.iokit.IOCSIArchitectureModelFamily 408.250.3  
com.apple.iokit.IOStorageFamily 2.1

com.apple.kext.CoreTrust 1  
com.apple.driver.AppleCredentialManager 1.0  
com.apple.driver.KernelRelayHost 1  
com.apple.iokit.IOUSBHostFamily 1.2  
com.apple.driver.usb.AppleUSBCommon 1.0  
com.apple.driver.AppleBusPowerController 1.0  
com.apple.driver.AppleSEPManager 1.0.1  
com.apple.driver.IOSlaveProcessor 1  
com.apple.iokit.IOTimeSyncFamily 740.2  
com.apple.iokit.IONetworkingFamily 3.4  
com.apple.iokit.IOReportFamily 47  
com.apple.driver.AppleACPIPlatform 6.1  
com.apple.driver.AppleSMC 3.1.9  
com.apple.iokit.IOPCIFamily 2.9  
com.apple.iokit.IOACPIFamily 1.4  
com.apple.kec.pthread 1  
com.apple.kec.corecrypto 1.0  
com.apple.kec.Libm 1

EOF

Model: MacPro5,1, BootROM 144.0.0.0.0, 12 processors, 6-Core Intel Xeon, 2,66 GHz, 48 GB, SMC 1.39f5

Graphics: Radeon RX 580, Radeon RX 580, spdisplays\_pcie\_device, 8 GB

Memory Module: DIMM 1, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304248312D4348392020

Memory Module: DIMM 2, 8 GB, DDR3 ECC, 1333 MHz, 0x80AD, 0x484D54333147523742465234412D48392020

Memory Module: DIMM 3, 8 GB, DDR3 ECC, 1333 MHz, 0x80CE, 0x4D33393342314B37304248312D4348392020

Memory Module: DIMM 5, 8 GB, DDR3 ECC, 1333 MHz, 0x80AD, 0x484D54333147523742465234412D48392020

Memory Module: DIMM 6, 8 GB, DDR3 ECC, 1333 MHz, 0x80AD, 0x484D54333147523742465234412D48392020

Memory Module: DIMM 7, 8 GB, DDR3 ECC, 1333 MHz, 0x80AD, 0x484D54333147523742465234412D48392020

Bluetooth: Version 6.0.14d13, 3 services, 27 devices, 1 incoming serial ports

Network Service: Ethernet 1, Ethernet, en0

PCI Card: pci144d,a800, AHCI Controller, Slot-2

PCI Card: Radeon RX 580, Display Controller, Slot-1

PCI Card: pci1002,aaf0, Audio Device, Slot-1

Serial ATA Device: SAMSUNG MZHPU512HCGL-00004, 512,11 GB

Serial ATA Device: HL-DT-ST DVD-RW GH41N

Serial ATA Device: KINGSTON SH103S3120G, 120,03 GB

Serial ATA Device: WDC WD7500BPKT-00PK4T0, 750,16 GB

Serial ATA Device: ST31000528ASQ, 1 TB

Serial ATA Device: ST1000DM010-2DM162, 1 TB

USB Device: USB 2.0 Bus

USB Device: Duet USB

USB Device: Hub

USB Device: Apple Cinema HD Display

USB Device: USB 2.0 Bus  
USB Device: YAMAHA S70 XS  
USB Device: USB Bus  
USB Device: USB Bus  
USB Device: BRCM2046 Hub  
USB Device: Bluetooth USB Host Controller  
USB Device: USB Bus  
USB Device: USB Bus  
USB Device: iLok  
USB Device: USB Bus  
USB Device: USB Bus  
FireWire Device: built-in\_hub, Up to 800 Mb/sec  
Thunderbolt Bus: