

ul 2 08:04:15 MacBook-Pro-de-Pauline syslogd[34]: ASL Sender Statistics

Jul 2 08:05:27 localhost bootlog[0]: BOOT_TIME 1498975527 0

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.AccountPolicyHelper" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/asl" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any specified in ASL Module "com.apple.authd".

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/system.log" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any specified in ASL Module "com.apple.authd".

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.authd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.callhistory.asl.conf" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.cdscheduler" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.clouddocs" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.contacts.ContactsAutocomplete" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.contacts.ContactsUICore" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.coreaudio" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.CoreDuetAdmissionControl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.eventmonitor" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.family.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.icloud.fmfd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 --- last message repeated 2 times ---

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.install" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.iokit.power" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.mail" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.MessageTracer" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.mkb" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.mkb.internal" sharing output destination "/private/var/log/keybagd.log" with ASL Module "com.apple.mkb".
Output parameters from ASL Module "com.apple.mkb" override any specified in ASL Module "com.apple.mkb.internal".

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.networking.symptoms" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 --- last message repeated 2 times ---

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.performance" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

Jul 2 08:05:28 localhost syslogd[34]: Configuration Notice:
ASL Module "com.apple.secinitd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

database.

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.domain.system): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1] (com.apple.AirPlayXPCHelper):

This service is defined to be constantly running and is inherently inefficient.

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.domain.system): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:28 --- last message repeated 2 times ---

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1] (com.apple.alf): The

HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.domain.system): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:28 --- last message repeated 2 times ---

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1] (com.apple.auditd): The TimeOut key is no longer respected. It never did anything anyway.

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1] (com.apple.autofs): This service is defined to be constantly running and is inherently inefficient.

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.domain.system): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1] (com.apple.backupd-status): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:28 localhost syslogd[34]: ASL Sender Statistics

Jul 2 08:05:28 localhost com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.domain.user.0): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:28 --- last message repeated 10 times ---

Jul 2 08:05:28 localhost xpcproxy[80]: libcoreservices: _dirhelper_userdir: 523: bootstrap_look_up returned 268435459

Jul 2 08:05:28 localhost xpcproxy[96]: libcoreservices: _dirhelper_userdir: 523: bootstrap_look_up returned 268435459

Jul 2 08:05:28 localhost com.apple.apsd[77]: = mps_limit 0

Jul 2 08:05:28 localhost xpcproxy[100]: libcoreservices: _dirhelper_userdir: 523: bootstrap_look_up returned 268435459

Jul 2 08:05:28 MacBook-Pro-de-Pauline xpcproxy[63]: libcoreservices: _dirhelper_userdir: 523: bootstrap_look_up returned 268435459

Jul 2 08:05:29 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.appkit.xpc.sandboxedServiceRunner): The JoinExistingSession key is only available to Application services.

Jul 2 08:05:29 MacBook-Pro-de-Pauline xpcproxy[125]: libcoreservices: _dirhelper_userdir: 523: bootstrap_look_up returned 268435459

Jul 2 08:05:29 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.CoreRAID[39]): Endpoint has been activated through legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in(): com.apple.CoreRAID

Jul 2 08:05:29 MacBook-Pro-de-Pauline com.apple.usbmuxd[80]: notice

usbmuxd-374.913 on Mar 17 2017 at 17:43:50, running 64 bit

Jul 2 08:05:29 MacBook-Pro-de-Pauline findmydeviced[154]: objc[154]: Class FMDPrivateUtil is implemented in both /System/Library/PrivateFrameworks/FindMyDevice.framework/Versions/A/FindMyDevice (0x7fffd51ff2d0) and /usr/libexec/findmydeviced (0x10e16dc70). One of the two will be used. Which one is undefined.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.89): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:30 --- last message repeated 10 times ---

Jul 2 08:05:30 MacBook-Pro-de-Pauline WindowServer[140]: 0.001 [DFR] [DFRDisplayRegisterForNotification]

Jul 2 08:05:30 MacBook-Pro-de-Pauline WindowServer[140]: 0.001 [DFR] [DFRDisplayRegisterForNotification] create notification port 0x7f8964303910

Jul 2 08:05:30 MacBook-Pro-de-Pauline WindowServer[140]: 0.001 [DFR] [DFRDisplayRegisterForNotification] add runloop source 0x7f8964303ca0 to runloop 0x7f89641111c0

Jul 2 08:05:30 MacBook-Pro-de-Pauline WindowServer[140]: 0.001 [DFR] [__DFRDisplayRegisterForNotification_block_invoke] AddMatchingNotification ret = 0x0

Jul 2 08:05:30 MacBook-Pro-de-Pauline WindowServer[140]: 0.001 [DFR] [deviceMatch]

Jul 2 08:05:30 MacBook-Pro-de-Pauline WindowServer[140]: 0.002 [DFR] [__DFRDisplayRegisterForNotification_block_invoke] AddTerminatedNotification ret = 0x0

Jul 2 08:05:30 MacBook-Pro-de-Pauline WindowServer[140]: 0.002 [DFR] [deviceTerminate]

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.212): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:30 --- last message repeated 10 times ---

Jul 2 08:05:30 MacBook-Pro-de-Pauline xpcproxy[166]: libcoreservices: _dirhelper_userdir: 523: bootstrap_look_up returned 268435459

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.AssistiveControl.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.loginwindow.92.4294967295): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.coreservices.useractivityd): Unknown key for Boolean: DrainMessagesAfterFailedInit

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.coreservices.UASharedPasteboardProgressUI): Unknown key for Boolean: DrainMessagesAfterFailedInit

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.loginwindow.92.4294967295): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.DwellControl.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.loginwindow.92.4294967295): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.imklaunchagent): This service is defined to be constantly running and is inherently inefficient.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.loginwindow.92.4294967295): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:30 --- last message repeated 1 time ---

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.loginwindow.92.4294967295):
com.apple.noticeboard.agent: EnablePressuredExit is not compatible with KeepAlive=true. Ignoring EnablePressuredExit.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent): This service is defined to be constantly running and is inherently inefficient.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.loginwindow.92.4294967295): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:30 --- last message repeated 3 times ---

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.loginwindow.92.4294967295): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-LoginWindow): This service is defined to be constantly running and is inherently inefficient.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.domain.system): Service
"com.apple.ManagedClient.startup" tried to hijack endpoint
"com.apple.ManagedClient.agent" from owner: com.apple.ManagedClient
Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner): The JoinExistingSession key is
only available to Application services.
Jul 2 08:05:30 MacBook-Pro-de-Pauline xpcproxy[180]: libcoreservices:
_dirhelper_userdir: 523: bootstrap_look_up returned 268435459
Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.system): Service tried to register a port for an
endpoint declared in its launchd.plist(5): service = com.apple.ManagedClient,
endpoint = com.apple.mcx
Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.202): Service sets EnableTransactions=false
and EnablePressuredExit=true, which makes no sense. Enabling Transactions.
Jul 2 08:05:30 --- last message repeated 10 times ---
Jul 2 08:05:30 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner): The JoinExistingSession key is
only available to Application services.
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer:
_DirtyJetsamMemoryLimit
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Path not allowed in target
domain: type = uid, path = /System/Library/PrivateFrameworks/
FamilyControls.framework/Versions/A/XPCServices/
com.apple.FCiCloudPrefUpdater.xpc/Contents/MacOS/
com.apple.FCiCloudPrefUpdater error = 1: Operation not permitted, origin = /
System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Path not allowed in target
domain: type = uid, path = /System/Library/Frameworks/AppKit.framework/Versions/
C/XPCServices/SandboxedServiceRunner.xpc/Contents/MacOS/
SandboxedServiceRunner error = 1: Operation not permitted, origin = /System/
Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Path not allowed in target
domain: type = uid, path = /System/Library/Frameworks/Security.framework/
Versions/A/XPCServices/XPCTimeStampingService.xpc/Contents/MacOS/
XPCTimeStampingService error = 1: Operation not permitted, origin = /System/
Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Path not allowed in target
domain: type = uid, path = /System/Library/Frameworks/CoreServices.framework/
Versions/A/Frameworks/DictionaryServices.framework/Versions/A/XPCServices/
com.apple.DictionaryServiceHelper.xpc/Contents/MacOS/
com.apple.DictionaryServiceHelper error = 1: Operation not permitted, origin = /

System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Path not allowed in target
domain: type = uid, path = /System/Library/Frameworks/
ApplicationServices.framework/Versions/A/Frameworks/HIServices.framework/
Versions/A/XPCServices/com.apple.hiservices-xpcservice.xpc/Contents/MacOS/
com.apple.hiservices-xpcservice error = 1: Operation not permitted, origin = /System/
Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Path not allowed in target
domain: type = uid, path = /System/Library/Frameworks/Security.framework/
Versions/A/XPCServices/XPCKeychainSandboxCheck.xpc/Contents/MacOS/
XPCKeychainSandboxCheck error = 1: Operation not permitted, origin = /System/
Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Path not allowed in target
domain: type = uid, path = /System/Library/Frameworks/IOKit.framework/Versions/A/
XPCServices/IOServiceAuthorizeAgent.xpc/Contents/MacOS/
IOServiceAuthorizeAgent error = 1: Operation not permitted, origin = /System/
Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Path not allowed in target
domain: type = uid, path = /System/Library/PrivateFrameworks/
SpeechRecognitionCore.framework/Versions/A/XPCServices/
com.apple.SpeechRecognitionCore.brokerd.xpc/Contents/MacOS/
com.apple.SpeechRecognitionCore.brokerd error = 1: Operation not permitted, origin
= /System/Library/Frameworks/Security.framework/Versions/A/MachServices/
SecurityAgent.bundle
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Failed to bootstrap path:
path = /System/Library/Frameworks/Security.framework/Versions/A/XPCServices/
XPCTimeStampingService.xpc, error = 1: Operation not permitted
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Failed to bootstrap path:
path = /System/Library/PrivateFrameworks/SpeechRecognitionCore.framework/
Versions/A/XPCServices/com.apple.SpeechRecognitionCore.brokerd.xpc, error = 1:
Operation not permitted
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Failed to bootstrap path:
path = /System/Library/Frameworks/ApplicationServices.framework/Versions/A/
Frameworks/HIServices.framework/Versions/A/XPCServices/com.apple.hiservices-
xpcservice.xpc, error = 1: Operation not permitted
Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Failed to bootstrap path:
path = /System/Library/Frameworks/AppKit.framework/Versions/C/XPCServices/
SandboxedServiceRunner.xpc, error = 1: Operation not permitted

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Failed to bootstrap path:
path = /System/Library/Frameworks/CoreServices.framework/Versions/A/
Frameworks/DictionaryServices.framework/Versions/A/XPCServices/
com.apple.DictionaryServiceHelper.xpc, error = 1: Operation not permitted

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Failed to bootstrap path:
path = /System/Library/Frameworks/IOKit.framework/Versions/A/XPCServices/
IOServiceAuthorizeAgent.xpc, error = 1: Operation not permitted

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.pid.SecurityAgent.180): Failed to bootstrap path:
path = /System/Library/Frameworks/Security.framework/Versions/A/XPCServices/
XPCKeychainSandboxCheck.xpc, error = 1: Operation not permitted

Jul 2 08:05:31 MacBook-Pro-de-Pauline revisiond[91]: BUG in libdispatch: 16F73 -
3804 - 0x4

Jul 2 08:05:31 MacBook-Pro-de-Pauline loginwindow[92]: USER_PROCESS: 92
console

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.user.501): Service sets EnableTransactions=false
and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 10 times ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline launchd[1]: BUG in libdispatch client:
kevent[EVFILT_MACHPORT] monitored resource vanished before the source cancel
handler was invoked

Jul 2 08:05:31 MacBook-Pro-de-Pauline UserEventAgent[33]: BUG in libdispatch
client: kevent[EVFILT_MACHPORT] monitored resource vanished before the source
cancel handler was invoked

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 1 time ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): com.apple.AirPlayUIAgent:
EnablePressuredExit is not compatible with KeepAlive=true. Ignoring
EnablePressuredExit.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent): This service is defined to be constantly running and is
inherently inefficient.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 1 time ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running): The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.videoconference.camera): The Username key is not supported for non-
System services.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 8 times ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd): Unknown key for Boolean:
DrainMessagesAfterFailedInit

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.coreservices.UASharedPasteboardProgressUI): Unknown key for
Boolean: DrainMessagesAfterFailedInit

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 1 time ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.diagnostics_agent): This service is defined to be constantly running and
is inherently inefficient.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.dock.fullscreen): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.dock.server): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.dock.notificationcenter): The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.dock.appstore): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.dock.remotedesktoppicture): The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.dock.launchpad): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.dock.downloads): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.DwellControl.running): The HideUntilCheckIn property is an architectural

performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 4 times ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.gamed): The ServiceIPC key is no longer respected. Please remove it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 1 time ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.icdd):
This service is defined to be constantly running and is inherently inefficient.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 2 times ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.imklaunchagent): This service is defined to be constantly running and is
inherently inefficient.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 4 times ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.midiserver.io): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua):
com.apple.noticeboard.agent: EnablePressuredExit is not compatible with
KeepAlive=true. Ignoring EnablePressuredExit.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent): This service is defined to be constantly running and
is inherently inefficient.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.alerts): The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.customalerts): The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.extension-trampoline): The HideUntilCheckIn

property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.tcc): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.agent): This service is defined to be constantly running and is inherently inefficient.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 3 times ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.passd): Unknown key for string: com.apple.application-identifier

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 1 time ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.pluginkit.pkd.plist, caller = loginwindow.92

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 2 times ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent): The ServiceIPC key is no longer respected. Please remove it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 3 times ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.quicklook.ui.helper.active): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 2 times ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.ReportCrash): The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.ReportCrash.Self): The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 1 time ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.SafariCloudHistoryPushAgent): The UserName key is not supported for
non-System services.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 1 time ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.sharingd): This service is defined to be constantly running and is
inherently inefficient.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.Siri.running): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.soagent): Invalid type for event (event/type): events/array

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.soagent): Invalid type for event (event/type): bundleid/string

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 1 time ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Caller tried to hijack
service: path = /System/Library/LaunchAgents/com.apple.storeinstallagent.plist,
caller = loginwindow.92

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets
EnableTransactions=false and EnablePressuredExit=true, which makes no sense.
Enabling Transactions.

Jul 2 08:05:31 --- last message repeated 1 time ---

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.systemuiserver.ServiceProvider): The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.dockextra.server): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.SUIMessaging): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]
(com.apple.ipodserver): The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.systemuiserver.screencapture): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.tsm.uiserver): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.dockling.server): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.inputswitcher.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.trustd.agent.plist, caller = loginwindow.92

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.universalaccesscontrol.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.universalaccessd.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.UserEventAgent-Aqua): This service is defined to be constantly running and is inherently inefficient.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.usernoted): This service is defined to be constantly running and is inherently inefficient.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.videosubscriptionsd): The UserName key is not supported for non-System services.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.VoiceOver.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.user.domain.501.100006.Aqua): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1]

(com.apple.ZoomWindow.running): The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

Jul 2 08:05:31 MacBook-Pro-de-Pauline CommCenter[229]: objc[229]: Class CTAsciiAddress is implemented in both /System/Library/Frameworks/CoreTelephony.framework/Versions/A/CoreTelephony (0x7fffd36088f8) and /System/Library/Frameworks/CoreTelephony.framework/Support/CommCenter (0x102381958). One of the two will be used. Which one is undefined.

Jul 2 08:05:31 MacBook-Pro-de-Pauline CommCenter[229]: objc[229]: Class CTPhoneNumber is implemented in both /System/Library/Frameworks/CoreTelephony.framework/Versions/A/CoreTelephony (0x7fffd3608998) and /System/Library/Frameworks/CoreTelephony.framework/Support/CommCenter (0x102381ae8). One of the two will be used. Which one is undefined.

Jul 2 08:05:31 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.appkit.xpc.sandboxedServiceRunner): The JoinExistingSession key is only available to Application services.

Jul 2 08:05:32 MacBook-Pro-de-Pauline hidd[96]: BUG in libdispatch client: kevent[EVFILT_MACHPORT] monitored resource vanished before the source cancel handler was invoked

Jul 2 08:05:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:32 MacBook-Pro-de-Pauline mapspushd[250]: objc[250]: Class MSPUserRoutingPreferences is implemented in both /System/Library/PrivateFrameworks/MapsSupport.framework/Versions/A/MapsSupport (0x7fffd591b410) and /System/Library/CoreServices/mapspushd (0x107098918). One of the two will be used. Which one is undefined.

Jul 2 08:05:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imtranscoding.IMTranscoderAgent): Unknown key for integer: _DirtyJetsamPriority

Jul 2 08:05:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imtranscoding.IMTranscoderAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imdmessageservices.IMDMessageServicesAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:32 MacBook-Pro-de-Pauline akd[265]: objc[265]: Class AKToken is implemented in both /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/AuthKit (0x7fffd4658338) and /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/Support/akd (0x10dda36b8). One of the two will be used. Which one is undefined.

Jul 2 08:05:32 MacBook-Pro-de-Pauline akd[265]: objc[265]: Class AKMasterToken is implemented in both /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/AuthKit (0x7fffd4658388) and /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/Support/akd (0x10dda3708). One of the two will be

used. Which one is undefined.

Jul 2 08:05:32 MacBook-Pro-de-Pauline networkserviceproxy[279]: objc[279]: Class NSPFlowDivert is implemented in both /System/Library/PrivateFrameworks/NetworkServiceProxy.framework/Versions/A/NetworkServiceProxy (0x10cb54388) and /usr/libexec/networkserviceproxy (0x10ca78a10). One of the two will be used. Which one is undefined.

Jul 2 08:05:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:32 --- last message repeated 4 times ---

Jul 2 08:05:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.55): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:32 --- last message repeated 10 times ---

Jul 2 08:05:32 MacBook-Pro-de-Pauline AssetCache[283]: BUG in libdispatch: 16F73 - 3804 - 0x4

Jul 2 08:05:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.235): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:33 --- last message repeated 10 times ---

Jul 2 08:05:33 MacBook-Pro-de-Pauline xpcproxy[300]: libcoreservices: _dirhelper_userdir: 523: bootstrap_look_up returned 268435459

Jul 2 08:05:33 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.WebKit.Networking.FB4A8EE9-D929-4BA2-BE16-93DB084F3653[296]): Service exited with abnormal code: 1

Jul 2 08:05:33 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:32 --- last message repeated 5 times ---

Jul 2 08:05:32 MacBook-Pro-de-Pauline Finder[242]: assertion failed: 16F73: libxpc.dylib + 74307 [1C9AF716-69DF-359F-85E9-7DFDE362F9A2]: 0x89

Jul 2 08:05:33 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:33 --- last message repeated 2 times ---

Jul 2 08:05:33 MacBook-Pro-de-Pauline xpcproxy[359]: libcoreservices: _dirhelper_userdir: 523: bootstrap_look_up returned 268435459

Jul 2 08:05:33 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:35 --- last message repeated 2 times ---

Jul 2 08:05:35 MacBook-Pro-de-Pauline SiriTodayExtension[388]: objc[388]: Class NCJSONTransformer is implemented in both /System/Library/Frameworks/NotificationCenter.framework/Versions/A/NotificationCenter (0x7fffd3b4bd40) and /System/Library/PrivateFrameworks/NotificationCenterUI.framework/Versions/A/NotificationCenterUI (0x105768988). One of the two will be used. Which one is undefined.

Jul 2 08:05:35 MacBook-Pro-de-Pauline SiriTodayExtension[388]: objc[388]: Class NCRemoteViewServiceContainerView is implemented in both /System/Library/Frameworks/NotificationCenter.framework/Versions/A/NotificationCenter

(0x7fffd3b4c2b8) and /System/Library/PrivateFrameworks/NotificationCenterUI.framework/Versions/A/NotificationCenterUI (0x1057689b0).

One of the two will be used. Which one is undefined.

Jul 2 08:05:35 MacBook-Pro-de-Pauline SiriTodayExtension[388]: objc[388]: Class NCMaterialLayer is implemented in both /System/Library/Frameworks/NotificationCenter.framework/Versions/A/NotificationCenter (0x7fffd3b4bfe8) and /System/Library/PrivateFrameworks/NotificationCenterUI.framework/Versions/A/NotificationCenterUI (0x105768c30). One of the two will be used. Which one is undefined.

Jul 2 08:05:35 MacBook-Pro-de-Pauline SiriTodayExtension[388]: objc[388]: Class NCSelectionMaterialLayer is implemented in both /System/Library/Frameworks/NotificationCenter.framework/Versions/A/NotificationCenter (0x7fffd3b4c038) and /System/Library/PrivateFrameworks/NotificationCenterUI.framework/Versions/A/NotificationCenterUI (0x105768c80). One of the two will be used. Which one is undefined.

Jul 2 08:05:35 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:05:40 --- last message repeated 1 time ---

Jul 2 08:05:40 MacBook-Pro-de-Pauline filecoordinationd[310]: BUG in libdispatch client: kevent[EVFILT_MACHPORT] monitored resource vanished before the source cancel handler was invoked

Jul 2 08:05:40 MacBook-Pro-de-Pauline gamed[263]: BUG in libdispatch client: kevent[EVFILT_MACHPORT] monitored resource vanished before the source cancel handler was invoked

Jul 2 08:05:42 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.appkit.xpc.sandboxedServiceRunner): The JoinExistingSession key is only available to Application services.

Jul 2 08:05:42 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.200): Service sets EnableTransactions=false and EnablePressuredExit=true, which makes no sense. Enabling Transactions.

Jul 2 08:05:46 --- last message repeated 10 times ---

Jul 2 08:05:46 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:06:03 --- last message repeated 1 time ---

Jul 2 08:06:03 MacBook-Pro-de-Pauline Activity Monitor[411]: BUG in libdispatch client: kevent[EVFILT_MACHPORT] monitored resource vanished before the source cancel handler was invoked

Jul 2 08:06:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imfoundation.IMRemoteURLConnectionAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:06:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imtranscoding.IMTranscoderAgent): Unknown key for integer: _DirtyJetsamPriority

Jul 2 08:06:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imtranscoding.IMTranscoderAgent): Unknown key for integer: _DirtyJetsamMemoryLimit

Jul 2 08:06:32 MacBook-Pro-de-Pauline com.apple.xpc.launchd[1] (com.apple.imdmessageservices.IMDMessageServicesAgent): Unknown key for

integer: _DirtyJetsamMemoryLimit

Jul 2 08:06:43 MacBook-Pro-de-Pauline

com.apple.PerformanceAnalysis.animationperfd[208]: BUG in libdispatch client:
kevent[EVFILT_MACHPORT] monitored resource vanished before the source cancel
handler was invoked

Jul 2 08:10:12 MacBook-Pro-de-Pauline Dock[239]: BUG in libdispatch client:

kevent[EVFILT_MACHPORT] monitored resource vanished before the source cancel
handler was invoked

Jul 2 08:11:24 MacBook-Pro-de-Pauline diagnosticd[440]: System mode client
started - Console (439) - mode: 0x8